

WALL PANELS AND BINS

SC550201RD

Mounts easily on wall or shelving, carts, benches, inside cabinets, or service truck interiors. Premium Bins of all sizes may be moved or rearranged in unlimited configurations with no adjustment to panel. 16 gauge steel. For panel with bins add suffix Blue (BL), Red (RD) or Yellow (YL) for bin color. SC550148 and SC550150 are available in three colors. Add suffix Gray (GY), Blue (BL) or Tan (TN).

WALL PANEL 36"W x 19"H V	N/	BINS
Bin		

Model	Qty.	W" x D" x H"
SC550200	32	4 ¹ / ₈ x 7 ³ / ₈ x 3
SC550201	18	$5^{1/2} \times 10^{7/8} \times 5$
SC550202	8	$8^{1/4} \times 10^{3/4} \times 7$
SC550203	8	$8^{1/4} \times 14^{3/4} \times 7$

WALL PANEL WITHOUT BINS

	Carton
W" x H"	Qty.
18 x 19	4
36 x 19	4
36 x 12	2
27 x 21	2
48 x 19	2
18 x 61	2
36 x 61	1
48 x 61	1
	18 × 19 36 × 19 36 × 12 27 × 21 48 × 19 18 × 61 36 × 61

	BIN CA	APACIT	Y PER F	ANEL
Bin Size	18"W	36"W	27"W	36"W
W"x D" xH"	19"H	19"H	21"H	61"H
4 ¹ / ₈ x 4 ¹ / ₂ x 3	16	32	30	120
4 ¹ /8 x 5 ³ /8 x 3	16	32	30	120
4 ¹ /8 x 7 ³ /8 x 3	16	32	30	120
$4^{1/8} \times 10^{7/8} \times 4$	12	32	18	80
$5^{1}/2 \times 10^{7}/8 \times 5$	9	18	12	60
$5^{1}/2 \times 13^{1}/2 \times 5$	9	18	12	60
5 ¹ / ₂ x 14 ³ / ₄ x 5	9	18	12	60
8 ¹ / ₄ x 10 ³ / ₄ x 7	4	8		28
$8^{1/4} \times 14^{3/4} \times 7$	4	8		28
8 ¹ / ₈ x 18 x 9	4	8		24
11 x 10 ⁷ /8 x 5	3	9	6	30
11 x 16 x 8	1	6		21
11 x 18 x 10	1	3		15
16 ¹ / ₂ x 10 ⁷ / ₈ x 5	3	6	4	20
$16^{1/2} \times 14^{3/4} \times 7$	2	4		14
16 ¹ / ₂ x 18 x 11	1	2		10

PREMIUM STACKING BINS

These **PREMIUM BINS** can be compared feature for feature to the nationally branded bins. Reinforced walls add strength and rigidity and wide top ledge permits stable, higher stacking. Constructed of FDA approved water and corrosion proof polypropylene, to withstand freezers and autoclaves from -40°F to 250°F. Includes a full-width hanger lip, for use with louvers below. Anti-slide stop prevents shifting when stacked. Slotted label holders for easy identification. **Specify color suffix when ordering bins: Blue (BL), Yellow (YL), Red (RD), Beige (BG), Green (GN) or Black (BK).**



	(Overall			Carton	
W"	х	D"	Х	H"	Qty.	Model
41/8	Х	41/2	Х	3	24	SC269687
41/8	Х	$5^{3}/8$	Х	3	24	SC269680
41/8	Х	$7^{3}/8$	Х	3	24	SC269681
41/8	Х	10 ⁷ /8	Х	4	12	SC269688
$5^{1/2}$	Х	10 ⁷ /8	Х	5	12	SC269682
5 ¹ /2	Х	$14^{3}/_{4}$	Х	5	12	SC269689
81/4	Х	$10^{3}/_{4}$	Х	7	6	SC269683
81/4	Х	$14^{3}/_{4}$	Х	7	12	SC269684
11	Х	10 ⁷ /8	Х	5	6	SC269685
16 ¹ / ₂	Х	143/4	Х	7	6	SC269686









HEAVY DUTY HOPPER BINS

These quality hopper bins feature a wide front opening for easy access, 1 rear and 2 side grip handles. Durable, easy-to-clean polypropylene resists rust, corrosion and most chemicals. Stabilizing ribs permit bins to stack 6 high. To identify contents, add Optional Labels. Add color suffix. Gray (GY), Blue (BL), Red (RD), Green (GN) and Beige (BG). Sold in carton quantities.

	Ctn.	BIN		
W" x D" x H"	Qty.	Model		
19 ⁷ /8 x 15 ¹ /4 x 12 ⁷ /16	3	SC752397		
SC245097 Label fits SC752397 nkg. of 3				

	— Bin		
Qty.	W"x	D" x H	<u>" Model"</u>
A. BEI	NCH RA	ACK. 36"\	N x 20"H
32			SC550152
18	$5^{1}/_{2} x$	$10^7/8 \times 5$	SC550154
8			SC239349
8		$7^{3}/8 \times 3$	
6	$5^{1}/_{2} x$	$10^7/8 \times 5$	
B. SIN	IGLE-SI	DED FLC	OR RACK.
	36"	'\\\ v 50"	Н

UN NAUN.	DED LEO	. SINGLE-SI	. OI
4	"W x 50"I	36	
SC550156	5 ³ /8 x 3	96 4 ¹ / ₈ x	96
SC550160	$10^{7}/8 \times 5$	48 5 ¹ / ₂ x	48
SC550162	$10^{7}/8 \times 5$	24 11 x	24
SC550164	$10^{3}/4 \times 7$	24 8 ¹ / ₄ x	24
SC550166	$14^{3}/4 \times 7$	24 8 ¹ / ₄ x	24
SC550168	$14^{3}/4 \times 7$	12 16 ¹ / ₂ x	12
	7 ³ / ₈ x 3	16 4 ¹ /8 x	16
SC500163	$10^{7}/8 \times 5$	18 5 ¹ / ₂ x	18
	$14^{3}/4 \times 7$	8 8 ¹ / ₄ x	8
CC3303E0	53/o v 3	16 /1/6 v	16

18 5¹/₂ × 10⁷/₈ × 5 **C. DOUBLE-SIDED MOBILE RACK**.

 $4^{1/8} \times 7^{3/8} \times 3$

H	36"W x 54"	
SC550172	$4^{1/8} \times 7^{3/8} \times 3$	192
SC550174	$5^{1/2} \times 10^{7/8} \times 5$	96
SC550176	11 $\times 10^7/8 \times 5$	48
SC500178	$8^{1/4} \times 10^{3/4} \times 7$	48
SC550180	$8^{1/4} \times 14^{3/4} \times 7$	48
SC550182	$16^{1/2} \times 14^{3/4} \times 7$	24
	$4^{1/8} \times 4^{1/2} \times 3$	64
SC500164	$8^{1/4} \times 10^{3/4} \times 7$	16
	$16^{1/2} \times 14^{3/4} \times 7$	8
	4 ¹ /8 x 7 ³ /8 x 3	48

 $8^{1/4} \times 14^{3/4} \times 7$

16

 $5^{1}/2 \times 10^{7}/8 \times 5$ **SC500165**

SUPER CAPACITY BIN RACKS

Organize, transport and store parts, components and hardware with maximum efficiency. Heavy duty 16 gauge steel louvered bin rack provides easy removal of premium polypropylene bins. Bins have hopper fronts with label area for instant access and inventory control. Free standing racks are ideal against walls, behind shelving or at the end of aisles. Double Sided Carts with handle and 3" rubber wheel casters allow you to move parts and hardware to different work sites. 500 lb. capacity. Gray enamel finish. Add suffix: Blue (BL), Red (RD) or Yellow (YL) for bin color. Fast and easy assembly.



C SC550176YL

CREATE YOUR OWN

Design your own storage unit and order bins from the preceding page. Louvers on rack are spaced every 2" to allow for bin height adjustment.

	Overall W" x H"	4 ¹ /8	5 ¹ /2	in Wi 8 ¹ / ₄			!
Rack			No. o	f Bins	s/Wi	dth	Model
Bench	36 x 20	8	6	4	3	2	SC184831
Floor	36×50	8	6	4	3	2	SC184832
Mobile	36 x 54	16	12	8	6	4	SC184833







OPEN STYLE

SC603251BL

STEEL SHELVING WITH PREMIUM BINS

Conveniently organizes parts and accessories for production or assembly. Includes premium polypropylene bins, featuring finger grips for easy handling, anti-slide stops and reinforced ribs to prevent spreading. Large label slots for quick identification.

Open style shelving has anti-sway braces on back and sides for added stability. Closed style shelving has steel side and back panels that help minimize dirt and dust while keeping contents in place. Easy-to-assemble rugged steel shelving with long-lasting gray baked enamel finish. 12"D shelves have 400 lb. capacity per shelf. 18"D have a 375 lb. shelf capacity. Add suffix: Blue (BL), Red (RD) or Yellow (YL) for bin color. Only one bin color per shelving.



Oty. W" x D" x H"	Shelves	OPEN STYLE Model	CLOSED STYLE Model
36"W x 12" D x 39"H U		Wiodei	Model
15 11 x 10 ⁷ /8 x 5	6	SC603242	SC603257
9 11 x 10 ⁷ /8 x 5			
12 $5^{1/2} \times 10^{7/8} \times 5$	6	SC603243	SC603258
9 11 x 10 ⁷ /8 x 5	6	SC603244	SC603259
$\frac{8 8^{1/4} \times \ 10^{3/4} \times \ 7}{30 5^{1/2} \times \ 10^{7/8} \times \ 5}$	6	SC603245	SC603260
	5	SC603246	SC603261
Shelving Only	6	SC239600	SC239604
36"W x 18"D x 39"H U			
$16 8^{1/4} \times 14^{3/4} \times 7$	5	SC603247	SC603262
8 $16^{1/2} \times 14^{3/4} \times 7$	5	SC603248	SC603263
8 8 ¹ / ₄ x 14 ³ / ₄ x 7	5	SC603249	SC603264
$4 16^{1/2} x 14^{3/4} x 7$	5		
Shelving Only	6	SC239601	SC239605
36"W x 12" D x 73"H l	JNIT		
30 11 x 10 ⁷ /8 x 5	11	SC603250	SC603265
18 11 \times 10 ⁷ /8 \times 5	11	SC603251	SC603266
$24 5^{1/2} \times 10^{7/8} \times 5$			
$60 5^{1/2} \times 10^{7/8} \times 5$	11	SC603252	SC603267
$36 8^{1/4} \times 10^{3/4} \times 7$	10	SC603253	SC603268
$14 16^{1/2} x 14^{3/4} x 7$	8	SC506206	
$8^{1/4} \times 10^{3/4} \times 7$	8	SC506204	
28 8 ¹ / ₄ x 14 ³ / ₄ x 7	8	SC506205	
Shelving Only	11	SC239602	SC239606
36"W x 18" D x 73"H U	INIT		
36 $8^{1/4} \times 14^{3/4} \times 7$	10	SC603254	SC603269
$18 16^{1/2} x 14^{3/4} x 7$	10	SC603255	SC603270
20 8 ¹ / ₄ x 14 ³ / ₄ x 7	10	SC603256	SC603271
$8 16^{1/2} \times 14^{3/4} \times 7$	10	30003250	30003271
15 11 x 18 x 10	8	SC506208	
10 16 ¹ / ₂ x 18 x 11	8	SC506209	
21 11 x 16 x 8	8	SC506207	
Shelving Only	10	SC239603	SC239607

© SC603427YL



PICK RACK Complete with Akro-Mils Shelf Bins

Inclined shelves permit excellent visibility and access to bin contents. Made of heavy-duty, 16-gauge steel, these racks have a gray enamel finish and are available in one sided table top or floor styles or mobile, two sided styles. Quality polypropylene Akro-Mils shelf bins won't rust, chip or crack and feature a generous label area, grips for easy handling, anti-slide stops and reinforced ribs. Mobile racks have 3" diameter casters (2 swivel and 2 rigid). Unit capacity 500 lbs. Easy assembly. Specify bin color suffix: Blue (BL), Red (RD), Yellow (YL), Green (GN) or White (WH)



A. BENCH RACK 33" x 12" x 21"H, 3 SHELVES

3 OI ILL V LO						
Description	Model					
12 Bins-8"W	SC603423					
24 Bins-4"W	SC603424					


B. FLOOR RACK 33" x 12" x 61"H, 8 SHELVES

Description	Model			
32 Bins-8"W	SC603425			
64 Bins-4"W	SC603426			

C. MOBILE RACK 36" x 26" x 65"H, 16 SHELVES

Description	Model
64 Bins-8"W	SC603427
128 Bins-4"W	SC603427 SC603428
IZO DIIIS-4 VV	30003420

PREMIUM SHELF BINS & DIVIDERS



Plastic bins help efficiently organize 12", 18" and 24" deep shelving units, or racks. Bins are waterproof and chemical, grease and oil resistant. Reinforced ribbed construction for added strength. Features slotted label holder for easy content identification and a wide hopper front for easy access. Optional black divider fits across bin width. Nestable when empty to save space. Bins sold in carton quantity.

	Overall		
W"	x D"	x H"	Model
3	x 12	x 4	SC184836
4	x 12	x 4	SC184837
7	x 12	× 4	SC184838
8	x 12	× 4	SC184843
11	x 12	× 4	SC184845
4	x 18	x 4	SC184839
7	x 18	x 4	SC184840
8	x 18	x 4	SC184844
11	x 18	x 4	SC184846
4	x 24	x 4	SC184841
7	x 24	x 4	SC184842
8	x 24	x 4	SC334190
11	x 24	x 4	SC184825

PREMIUM

Permanent, molded-in colored bins are virtually unbreakable. Use colors to differentiate items for quick content identification. *Specify color suffix when ordering: Blue (BL), Red (RD) or Yellow (YL), Green (GN) and Stone (BG) and Clear (CL).

SHELVING WITH HEAVY DUTY HOPPER BINS



The ideal system for efficient storing small parts. Quality heavy-duty hopper storage bins feature a wide front opening for access with 2 side grip handles. The durable, easy-to-clean polypropylene construction resists rust, corrosion and most chemicals making them ideal for storage applications. Easy assembly. Boltless Shelving feature particleboard wood decking supported by double riveted beam for a shelf capacity of 1200 lbs. Specify Bin Color Suffix: Gray (GY), Blue (BL), Red (RD), Green (GN) and Beige (BG).


				— віп —		
W"	Х	D''	x H"	Qty	Color	Model
42"W	/ x ′	15"D	x 84"H	BOLTLESS	STEEL SHELVING, !	5 SHELVES
197/8	x 1	51/4 ×	127/16	10	GY BL BD GN BG	SC238203

CORRUGATED BIN BOXES

Handy, reusable bins keep parts easily accessible. Heavy-test white faced corrugated fiberboard. Self-locking design is easy to set-up. No staples or tape needed. For easier organization, add Little Bins and Bin Dividers.

W" x H"	BINS FOR 12" SHELVING Model	BINS FOR 18" SHELVING Model
2 x 4 ¹ / ₂	SC234802	SC234912
$4 \times 4^{1/2}$	SC234804	SC234914
6 x 4 ¹ / ₂	SC234806	SC234916
8 x 4 ¹ / ₂	SC234808	SC234918
10 x 4 ¹ / ₂	SC234810	SC234920
12 x 4 ¹ / ₂	SC234812	SC234922

(Sold	DIVIDERS I in pkgs. of 250)	EXTRA LARGE (Sold in pkgs.	
W"	Model	$W'' \times D'' \times H'$	Model
2	SC250522	$7^{3/4} \times 17^{1/2} \times 10$	SC336406
4	SC250524	9 ³ / ₄ x 17 ¹ / ₂ x 10	SC336408
6	SC250526	11 ³ / ₄ x 17 ¹ / ₂ x 10	SC336410
8	SC250528	11 ³ / ₄ x 23 ¹ / ₂ x 12	SC336412
10	SC250530	15 ³ / ₄ x 23 ¹ / ₂ x 12	SC336414
12	SC250532		



STEEL SHELVING & PICK RACK WITH CORRUGATED BINS

Organize parts in these instant storage units. Our heavy-duty industrial steel shelving and pick rack combined with low-cost efficient white corrugated bins gives you the maximum in storage versatility. Bins are 12"D or 18"D x 41/2"H. Used by many leading companies. Shelving finished in baked gray enamel. Easily assembled.

Oty. Width" Shelves Model A. STEEL SHELVING WITH BINS 36"W x 12" D x 39"H 48 034 Shelving Only 36"W x 12" D x 73"H SC235034 48 SC235009 13 48 4 SC235006 13 24 8 SC235002 96 4 13 48 2 SC235010 40 4 13 16 8 96 SC235005 13 48 SC235030 Shelving Only 13 36"W x 18" D x 39"H SC235017 48 SC235036 Shelving Only 36"W x 18" D x 73"H SC235011 48 8 13 48 SC235008 13 24 8 SC235004 96 13 48 40 13 SC235012 16 SC235032 Shelving Only 13 PICK RACK WITH BINS

Model Quantity W"x D"x H" Style $4 \times 12 \times 4^{1/2}$ SC235200 $8 \times 12 \times 4^{1/2}$ 8 $4 \times 12 \times 4^{1/2}$ SC235201 $8 \times 12 \times 4^{1/2}$ 48 $4 \times 12 \times 4^{1/2}$ SC235202 $8 \times 12 \times 4^{1/2}$ $4 \times 12 \times 4^{1/2}$

 $8 \times 12 \times 4^{1/2}$

SC235206

Bin



В

SC235201 BENCH RACK







SC235002 STEEL SHELVING

A

SC235202 SINGLE SIDED FLOOR RACK



PICK	RACK WIT	THOUT BINS
Na. da	N / I - I	\A/// D//

Style	Model	W"x D"xH"
В	SC235210	33 x 12 x 21
С	SC235212	33 x 12 x 61
D	SC235216	36 x 26 x 65





SC603433BL

STEEL SHELVING

Complete with Akro-Mils Shelf Bins

These shelf and bin combinations store, sort and organize small parts and components conveniently. The quality, break-resistant polypropylene Akro-Mils shelf bins are designed with a generous label area, finger grips for easy handling, anti-slide stops for stacking and reinforced ribs for strength. Steel shelves have anti-sway bracing, simple assembly and are finished in durable gray enamel. Specify bin color suffix: Blue (BL), Red (RD), Yellow (YL), Green (GN) or White (WH).

Bin			
Model	W" x D" x H'	' Qty.	Shelves
	36"W x 12"D	x 39"l	Н
SC603429	7 x 12 x 4	30	7
SC603430	4 x 12 x 4	48	7
SC603431	8 x 12 x 4	24	7
SC603432	4 x 12 x 4	32	7
30003432	7 x 12 x 4	10	
SC603433	4 x 12 x 4	24	7
00000-00	8 x 12 x 4	12	
	36"W x 18"D	x 39"l	H
SC603434	8 x 18 x 4	24	7
SC603435	7 x 18 x 4	30	7
SC603436	4 x 18 x 4	24	7
30003430	8 x 18 x 4	12	
SC603437	4 x 18 x 4	32	7
00000407	7 x 18 x 4	10	
SC603438	4 x 18 x 4	48	7

ı	——— Bin —		
Model	W" x D" x H"	Oty.	Shelves
	36"W x 12"D	x 73"	Ή
SC603439	8 x 12 x 4	48	13
SC603440	7 x 12 x 4	60	13
SC603441	4 x 12 x 4 8 x 12 x 4	48 24	13
SC603442	4 x 12 x 4 7 x 12 x 4	56 25	13
SC603443	4 x 12 x 4	96	13
	36"W x 18"D	x 73"	Ή
SC603444	8 x 18 x 4	48	13
SC603445	7 x 18 x 4	60	13
SC603446	4 x 18 x 4 8 x 18 x 4	48 24	13
SC603447	4 x 18 x 4 7 x 18 x 4	56 25	13
SC603448	4 x 18 x 4	96	13



STACKABLE WIRE **BIN STORAGE**



ONE WIRE BIN WITH TWO OPTIONAL DIVIDERS

Easy Access Modular Storage

Interlocking modular bins organize, store and transport material in warehouse, production and assembly areas. Position bins side by side or back to back. Stacked up to 7 high. Open mesh permits quick inventory control. Industrial grade rust and corrosion-resistant welded .283 diameter wire frame, with .105 diameter cross wire construction for ultimate strength and rigidity.

Maintenance free triple plated chrome finish. Optional dividers create a variety of compartment sizes. Assembles easily.

5 LEVEL PRECONFIGURED STORAGE UNIT

Bin			36" WIDE	48" WIDE
Qty.	D" x H"	Ht."	Model	Model
1	20 x 12			
1	20 x 9	48	SC339011	SC339023
3	14 x 9			
2	20 x 12	51	SC339012	SC339024
3	14 x 9			
2	20 x 12	51	SC339015	SC339027
3	20 x 9			
5	20 x 9	45	SC339016	SC339028

DOLLY BASE

Turn your storage system into a mobile unit. Smooth rolling 5" x 11/4" polyurethane wheel swivel casters. For 20" deep bins.

Model	W'' x D'
SC832132	36 x 20
SC832134	48 x 20

INDIVIDUAL BINS AND DIVIDERS BINS | DIVIDER

W" x D" x H"	Model	Model
36 x 14 x 9	SC832102	SC832138
48 x 14 x 9	SC832118	SC832138
36 x 20 x 9	SC832108	SC832144
48 x 20 x 9	SC832124	SC832144
36 x 20 x 12	SC832114	SC832150
48 x 20 x 12	SC832130	SC832150

SECURITY BIN CABINET Assembled or Easy to Assemble

800 Lb. Shelf Capacity

Available in a variety of bin and shelf combinations to meet your tool and small parts storage needs. Gray powder coat finish. Floor Cabinets are made using 16 gauge steel. Reinforced 4"D doors open 270° for full access to contents. Doors include pull handles and a cut-resistant padlockable hasp (lock sold separately) for security. Includes adjustable leveling feet. Wall Mount Cabinets are made using all welded 18 gauge steel. Flush, channel reinforced doors feature a 2-point locking handle. **Shelves** have an 800 lb. shelf capacity for superior strength. Bins are made with break and corrosion resistant polypropylene. Hopper front for easy access to contents. Rear hanging lip for easy attachment and removal from louvered panels. Withstands temperatures up to 250°F. Specify Bin Color Suffix: Blue (BL), Red (RD) or Yellow (YL).

CHOOSE FROM 4 CABINET STYLES:

Style A - All bins in interior and doors

Style B - Combination of bins and shelving in interior and doors
Style C - Shelving only in interior & Bins on doors

Style D – Shelving only in interior and doors (No Bins) Style E – Yellow Bins only in interior (Flush Doors)






5 14



HEAVY-DUTY HINGES



CUT-RESISTANT PADLOCK HASP FOR



D

SC662153

SC662142









LOCKING BIN CABINET

- High-Volume Storage
- Organize Parts
- Prevent Theft

Store and organize while protecting against theft, loss, dust and dirt. Molded, high impact, break resistant yellow polypropylene plastic bins have large hopper front for easy access and quick identification of contents. Bins store conveniently on 230 lb. adjustable steel shelves. Reinforced doors open a full 180° for complete access and feature a three-point locking system for reliable protection. Durable powder coat finish resists chipping and scratching.

NESTING TOTE



Ideal for transporting items and materials. Can be used on conveyor systems for transport. Durable gray polyethylene tote is corrosion resistant. Provides excellent service for storing a wide range of items. Tote is nestable when not in use for convenient space saving storage. Measures $20^{1/4}{}^{\rm T}{\rm W}\times 15^{1/4}{}^{\rm T}{\rm D}\times 5^{\rm T}{\rm H}.$

Model	L" x W" x H"	Ctn. Qty.
SC443326	$20^{1/4} \times 15^{1/4} \times 5$	9

Complete with Plastic Bins

W" x	Bin D"	x H"	Qty.	Shelves	UNASSEMBLED Model	ASSEMBLED Model
48"W : 81/4x			3" H C 20	ABINET V	WITH CLEAR DOO! SC239385	R. Gray finish.
8 ¹ / ₄ x 16 ¹ / ₂ x	143/4	x 7	23 6	7	SC239386	SC239388

ALUMINUM TOTE BOX CART



SC334180GY

All aluminum cart rolls smoothly on four 5"swivel polyolefin casters. Slide runners support tote boxes and allow quick, easy access. Order tote boxes separately.



BLUE NYLON COVER SC652865 For 3 Tote Cart SC652866 For 6 Tote Cart

SC892113 SHOWN WITH OPTIONAL NYLON COVER

			EASY TO
Overall	Tote	Cap	ASSEMBLE
L"x W"x H"	Qty.	lbs.	Model
23 x 16 x 19	1	100	SC892112
28 x 16 x 33	2	200	SC652725
26 x 19 x 41	3	300	SC892113
26 x 19 x 70	6	600	SC892114

CROSS-STACK & NEST LUG/TOTE BOX



NEST & STACK SHIPPING TOTE

Made with injection molded, high density polyethylene to withstand extreme temperatures from -10°F to 250°F. Complies with USDA and FDA regulations for use in food processing applications. Totes won't crack or corrode and are waterproof. 180 degree nest and stacking saves valuable storage space. Fits on standard 48" x 40" pallets. Features a textured bottom to ensure a non-slip grip during transport. **Optional Lid** protects contents and accepts security tie closure for added security. Sold in carton quantities. Specify color suffix: Blue (BL), Gray (GY) or Red (RD).

1	l Ih	s. Cap	1		
Top Outside	Per		Ctn.	TOTE	LID
L" x W" x H"	Box	Stacked	Qty.	Model	Model
18 x 11 x 6	45	225	6	SC274311	SC274321
18 x 11 x 9	90	450	6	SC274312	SC274321
19 ¹ / ₂ x 13 ¹ / ₂ x 8	65	325	6	SC274313	SC274322
19 ¹ / ₂ x 15 ¹ / ₂ x 10	55	275	6	SC274314	SC274323
19 ¹ / ₂ x 15 ¹ / ₂ x 13	65	325	6	SC274315	SC274323
23 ¹ / ₂ x 15 ¹ / ₂ x 12	90	450	3	SC274316	SC274324
23 ¹ / ₂ x 19 ¹ / ₂ x 10	45	225	6	SC274317	SC274325
23 ¹ / ₂ x 19 ¹ / ₂ x 13	75	375	3	SC274318	SC274325
29 ¹ / ₂ x 19 ¹ / ₂ x 15	100	500	3	SC274319	SC274326

Description Model SC239893 Security Cable Tie (Pkg of 375)





DISTRIBUTION CONTAINER

Safely and securely ship and distribute materials with these durable, affordable shipping containers. Interlocking lids are permanently attached using steel hinges. Raised lip edges allow secure stacking. Molded from high density FDA approved polyethylene. Containers allow nesting when not in use with lids open for compact storage and to help reduce return shipping costs. Molded grip handles have an integral hasp to accept cable ties for security. Sold in carton quantities. Specify Color Suffix: Gray (GY), Blue (BL) or Red (RD). SC443167 translucent container includes metal rails for hanging folders.

Model	Top Outside L" x W" x H"		Lbs. Stacked		
	19 ⁵ /8 x 11 ⁷ /8 x 7	35	175	5	6
SC257808	$21^{7}/8 \times 15^{1}/4 \times 9^{11}/16$	45	225	5	6
SC257809	217/8 x 151/4 x 127/8	50	250	5	6
SC257813	$23^{3}/4 \times 19^{1}/4 \times 12^{1}/2$	50	250	5	3
SC257814	27 ³ / ₁₆ x 16 ⁵ / ₈ x 12 ¹ / ₂	50	250	5	3
SC238148	28 ¹ / ₈ x 20 ³ / ₄ x 15 ⁵ / ₈	60	300	5	1





Security Nylon Cable Tie assortment includes 3 sizes in 5 colors - 4"L x 0.092"W, 61/2"L x 0.095"W and 71/2"L x 0.187"W. Colors include Yellow, Red, Blue, Black and Clear. 25 ties in each color and size. 375 ties in total. Model SC239855



CHROME WIRE CARTS

Easily slide bins in and out for access and storage. Slides are height adjustable at 1" increments. Dividable bins allow multiple configurations within each bin, and are made of high-density FDA approved polyethylene that resists most solvents and chemicals. 1,200 lb. capacity. Top and bottom chrome wire shelves feature truss perimeter for extra strength while allowing light, air and sprinkler penetration. Moves easily on four 5" polyurethane swivel casters (2 with brakes). Easy assembly. Add suffix: Blue (BL), Gray (GY) or Red (RD) for bin color.



		Overall Cart		Bin Size
Model	Description	W"x D"x H"	Levels	L"x W"x H"
SC269562	Cart Only	24 x 21 x 45	4	
SC269027	Cart w/ 4 Containers	24 x 21 x 45	4	22 ¹ / ₂ x 17 ¹ / ₂ x 6
SC269030	Cart Only	24 x 21 x 69	7	
SC269028	Cart w/ 7 Containers	24 x 21 x 69	7	22 ¹ / ₂ x 17 ¹ / ₂ x 6
SC269029	Cart w/ 11 Containers	24 x 21 x 69	7	$22^{1/2} \times 17^{1/2} \times 3$

EASY ACCESS CONTAINER TRUCK

Perfect for parts picking and assembly operations. Slant shelves allow easy access and provide content visibility. Durable steel construction with chrome plated finish. Includes 3 slant shelves, and flat shelves on top and bottom levels for additional storage. Shelves easily adjust at 1" increments on numbered posts for tool free adjustments. Includes four 5" polyurethane swivel casters for easy mobility. Model 239429 truck only. Holds up to eight 16¹/₂"L x 10⁷/₈"W x 6"H containers. Overall dimensions: 70"H x 36"W x 18"D. Easy Assembly. Add suffix Blue (BL), Red (RD) or Gray (GY) for container color.



	Container	r Fit C	ontaine	r Size
Model	Qty.	W"	x D"	x H"
SC239429		16 ¹ / ₂	x 10 ⁷ /8	x 6
SC268999	9 12		$\times 10^{1/2}$	
SC269000	12	$16^{1/2}$	$x 10^{1/2}$	x 6
SC269001	l 12	$16^{1/2}$	$\times 10^{1/2}$	x 8

SHOWN WITH EIGHT GRAY CONTAINERS SC334103GY (See p.10) or SC772028 (See p.20)

OPTIONAL COVER **OPTIONAL** DIVIDER **OPTIONAL CLEAR** COVER **OPTIONAL**

DIVIDABLE GRID CONTAINERS

Dividable to 11/8" Square Available in Standard or Conductive.

Heavy-Duty Dividable Grid Containers can be used in industrial, commercial, electronic and health care industries for storage, assembly, fabrication and distribution applications. These containers offer the safest and most efficient method of compartmentalizing and protecting all kinds of small to medium size parts allowing you to customize the container interior for your exact needs. Molded-in stacking ridge assures containers will **stack** securely with or without covers. Containers are designed to maximize space in storage and transportation. Compatible with most racks, shelving and automated, material handling equipment, stacking rims and multi-ribbed external sides provide high impact strength. Large, smooth surface area on all four sides for content identification. Optional clear, plastic label holder attaches securely with Velcro® Brand fasteners to any size container (available in 3 sizes). Containers can be divided by length and/or width allowing subdivision down to a 11/8" square compartment size. STANDARD GRID CONTAINERS are available in 9 sizes and 3 colors: Blue, Gray and Red. Injection molded from high density FDA approved polyethylene which resists most solvents and chemicals. Snap on clear or same colored covers protect content from damage or dust in shipping and storage. Add Color Suffix: Blue (BL), Gray (GY) or Red (RD). Containers sold in carton quantities.

STANDARD BOX

10⁷/8 x 8¹/4 x 3¹/2

16¹/₂ x 10⁷/₈ x 3¹/₂

Outside W"x Х

 $10^{7}/8 \times 8^{1}/4 \times 5$

 $16^{1/2} \times 10^{7/8} \times 6$

 $16^{1/2} \times 10^{7/8} \times 8$

 $22^{1/2} \times 17^{1/2} \times 6$

221/2 x 171/2 x 8

22¹/₂ x 17¹/₂ x 12

22¹/₂ x 17¹/₂ x

Carton Cap.

Model

SC334100

SC334101 SC334102

SC334103

SC334104

SC334105

SC334106

SC334107

SC334108

Qty. Lbs.

20

20 25

12 25

8 35

8

6 25

3

3 40

40

35

OPTIONAL

DIVIDER



LABEL

NESTING UTILITY TOTE & LID

Lightweight, tough Corrugated Plastic tote is steel band reinforced at top for added strength and rigidity. Easy-to-clean, resistant to dirt, moisture and grease. Convenient hand-holes for carrying ease. Nests for space-saving storage. Snug-fitting lid protects contents against dust and dirt. 18¹/₂"L x 13¹/₄"W x 12"H. Meets U.S. Postal Service requirements. **Add Color Suffix** when ordering Blue (BL), Red (RD) or Yellow (YL). Mail Tray features folded, double sidewall construction. Nest together to save space. white color only. $24^{1}/2$ "L x 12"W x $4^{1}/2$ "H. Sold in carton quantities of 10.

EASY ASSEMBLY BULK CONTAINERS

Strong	and
Econon	nical

	WHITE	COLORS
Description	Model	Model
Tote	SC753500	SC257915
Lid	SC753501	SC257916
Tote & Lid	SC257816	SC257920
Mail Tray	SC238431	







Made from structurally reinforced high density blue polypropylene. Hold up to 600 lbs. Included feet allow containers to stack up to 4 high for 2000 lb. total capacity. Stacking feet allow 4-way fork entry. Easy-to-assemble with included hardware. Ships flat for reduced shipping costs. Measures 391/4"L x 311/2"W x 29"H overall. Available with mesh or solid sides. Hinged Lid and Caster Kit sold separately. Caster Kit with swivel casters (2 with brakes) withstands 2000 lb. loads.

Model	Description
SC603087	Mesh sides container
SC239452	Solid sides container
SC239453	Solid hinged lid
SC603088	Casters (4 swivel, 2 locking)

FOLDING WIRE CONTAINER

Sets Up in Seconds, Folds Flat to Save Space and Shipping Costs

These one piece containers are made from strong, arc welded wire mesh with heavily reinforced corners and a channel-formed steel base. The open mesh allows excellent visibility of contents and inventory control with minimal dust build up. Sets up and folds in seconds for valuable time and space savings. Notched legs interlock for positive stacking and permit forklift or pallet truck entry. Drop gate allows access when stacked. Container with Hinged Lid is padlockable for security. Mobilize your container with the optional Caster Kit.











CONTAINER				
Overall	Inside	Drop Gate		
L" x W" x H"	Ht."	Side"	Wt.	Model
1000 LB. CAP Sid	des & Bottom 1":	x 1", Powder C	oat Finish	
32 x 20 x 21	16	32	38	SC198642
2000 LB. CAP Sid	des & Bottom 2" :	x 2", Powder C	oat Finish	
$40 \times 32 \times 34^{1/2}$	28	40	112	SC239341
48 x 40 x 36 ¹ / ₂	30	48	114	SC239342
48 x 40 x 42 ¹ / ₂	36	48	216	SC239343
4000 LB. CAP Sid	des & Bottom 2"	x 2" Powder C	oat Finish	
40 x 32 x 34 ¹ / ₂	28	40	146	SC239344
48 x 40 x 36 ¹ / ₂	30	48	163	SC239345
48 x 40 x 42 ¹ / ₂	36	48	216	SC239346

Hinged Lid: Fit Container Model 40"L x 32"W SC275976 48"L x 40"W SC275977

CasterKit: 4 swivel, 2 braking, 5"x11/2 mold-on rubber casters. 1400 lb. capacity. Model SC652395

SHOWN WITH OPTIONAL HINGED LID AND **CASTER KIT**

SC336375B



DROP GATE FOR

EASY ACCESS WHEN STACKED

NYLON COVER keeps contents hidden, secure, and dust free. Made of water resistant 400 denier nylon with reinforced corners and double stitching for added durability. Flip front door panel with hook and loop tape to attach cover to container.

NYLON COVER	
Model	L" x W"x H"
SC198662BL	32 x 20 x 21
SC198664BL	40 x 32 x 34 ¹ / ₂
SC198666BL	$48 \times 40 \times 36^{1/2}$
SC198668BL	$48 \times 40 \times 42^{1/2}$

MULTI-DRAWER CABINET



Welded steel construction. Smooth aliding 3"W x 8"D x 2¹/₂"H drawers with drawer stops prevent accidental pull-out. Sturdy drawer pull with label holder and labels. Fully assembled; ready for instant use. Gray enamel finish.

Model	Drawers	W" x D" x H'
SC986103	50	36 x 9 x 17 ³ / ₄
SC986102	100	$36 \times 9 \times 34^{1/2}$

PARAMOUNT MODULAR CABINET

All-welded steel modular cabinet has an attractive refined appearance with heavy-duty construction. 200 lb. capacity drawers lock with central cylinder locks with 2 keys included. (keyed differently) Build-in drawer locking system prevents accidental tipping. Drawers open easily on side mounted tracks. Roller glides allow full-access drawer extension. Full width handles for better grip and a flush, catch-free front. Label with plastic cover on each drawer handle allows easy labeling of drawer contents. Drawers accept optional Divider and Partition Kits to create multiple compartments for organized storage. Cabinet includes four 5"H drawers and one 6"H drawer. Blue color finish. Measures 30"W x 27"D x 32"H.



SWIVEL GLIDES



DIVIDER KIT & DRAWER MAT



TOP TRAY & MAT KIT



FORKLIFTABLE BASE




OPTIONAL ACCESSORIES	Ν
Divider Kit (3 long partition and 6 short dividers) Reinforced Bases Height Adjusting Swivel Glides (4 pieces) Push Handles and Wheel Kit (2 Swivel, 2 Rigid) Drawer Mat Kit (Back, 5 pieces) TopTray with Vinyl Mat	SC4 SC4 SC4 SC4 SC4

NEXELATE SILVER EPOXY WIRE SHELVING & TRUCKS

Your Best Buy For Dry Storage Applications The Next Generation Shelf Finish!





EASY ASSEMBLY & ADJUSTMENT





Slide shelf over sleeve for secure, positive locking

Shelves Are Adjustable on 1" Increments

ADDITIONAL

Nexelate's high performance finish has a 7 year limited warranty against rust and corrosion in wet or dry

ADD-ON UNIT

applications. NSF approved.

UTILITY CART† 800 lb. Capacity, 38"H. Four swivel 5" Polyurethane Casters.

	2 Shelf	3 Shelf
W"x D"	Model	Model
36 x 18	SC168207	SC168210
36 x 24	SC168208	SC168211
48 x 24	SC168209	SC168212

LEI	OGES	SHELF	DIVIDERS
L"x H"	Model	D" x H"	Model
18 x 4	SC990171	18 x 8	SC990177
24 x 4	SC990172	24 x 8	SC990178
36 x 4	SC990173		
48 x 4	SC990174		
60 x 4	SC990175		
72 x 4	SC990176		


SHELF TRUCK† 1200 lb.
Capacity, 4 shelf. Four swivel 5"
Polyurethane Casters.

per shelf

Polyurethane	Casters.		4 posts, 4 shelves	2 posts, 4 shelves, snap	SHELF
W"x D"x H"	Model		and snap sleeves.	sleeves and 8 "S" shelf hooks.	
36 x 18 x 69	SC168191	W"x D"x H"	Model	Model	Model
		36 x 18 x 63	SC990131	SC990147	SC990163
48 x 18 x 69	SC168192	48 x 18 x 63	SC990132	SC990148	SC990164
60 x 18 x 69	SC168193	60 x 18 x 63	SC990133	SC990149	SC990165
72 x 18 x 69	SC168194	72 x 18 x 63	SC990134	SC990150	SC990166
$36 \times 24 \times 69$	SC168195	36 x 24 x 63	SC990135	SC990151	SC990167
$48 \times 24 \times 69$	SC168196	48 x 24 x 63	SC990136	SC990152	SC990168
$60 \times 24 \times 69$	SC168197	60 x 24 x 63	SC990137	SC990153	SC990169
$72 \times 24 \times 69$	SC168198	72 x 24 x 63	SC990138	SC990154	SC990170
36 x 18 x 80	SC168199	36 x 18 x 74	SC990139	SC990155	SC990163
48 x 18 x 80	SC168200	48 x 18 x 74	SC990140	SC990156	SC990164
60 x 18 x 80	SC168201	60 x 18 x 74	SC990141	SC990157	SC990165
72 x 18 x 80	SC168202	72 x 18 x 74	SC990142	SC990158	SC990166
36 x 24 x 80	SC168203	$36 \times 24 \times 74$	SC990143	SC990159	SC990167
48 x 24 x 80	SC168204	48 x 24 x 74	SC990144	SC990160	SC990168
$60 \times 24 \times 80$	SC168205	$60 \times 24 \times 74$	SC990145	SC990161	SC990169
$72 \times 24 \times 80$	SC168206	$72 \times 24 \times 74$	SC990146	SC990162	SC990170

STARTER UNIT

† Optional brake caster (2) add "B" to model number



OPTIONAL

DOCUMENT

HOLDER

OPTIONAL

DIVIDERS

OPTIONAL

ESD KIT

DUST **FREE**

CHROME WIRE SHELF TRUCK

Your Best Choice For Dry Storage Applications

Durable and Reliable 1200 lb. capacity

Electro-plated nickel-chrome resulting in a brilliant high gloss finish that is both hard and durable. A high tech look at an economical price! This industry standard has proven to be a favorite and perfect for display and dry storage. 1 Year Limited Warranty when used in a dry storage application.


QUICK ASSEMBLY CLIP



Shelves adjust on 1' increments. Numbered posts for quick assembly.



Simply snap together and slide shelf over sleeve for positive locking.





OPTIONAL CASTERS

WITH WHEEL BRAKE

SHOWN

OPTIONAL

PUSH HANDLE

EXCELLENT VENTILATION

Don't Forget These Great Accessories!

NYLON COVERcontents dust and dir Made of water res 400 denier blue with reinforced co and double stitchin added durability. pockets allow 81/2 documents to trave products. Simple and loop closure. 5" x 11/4" POLYURETHANE

Keep	WIRE LED	GES - Chrome.
rt free.	Prevents item	is from falling off.
sistant	L" x H"	Model
nylon	18 x 4	SC188580J
orners	24×4	SC188582J
ng_for	36 x 4	SC188584J
Two x 11"	48 x 4	SC188586J
	60 x 4	SC188588J
el with	72×4	SC188590J
hook		

DOCUMENT HOLDER-123/8"L x 2"W x 85/8"H. Model SC579210C

ESD CONVERSION KIT- Includes conductive Aluminum Shelf Sleeves and dissapative ground chain Model SC241418

PUSH HANDLE- Chrome finish. Adjusts easily on 1" increments. Size" Model SC703164J 18 24 SC703165J


WIRE SHELF DIVIDERS- Chrome. Attaches at any point along shelf. L" x H" Model 18 x 8 SC188595J SC188596J 24 x 8

8" x 21/2" FULL PNEUMATIC WHEELS

40		
	63" HIGH	74" HIGH
W" x D"	Model	Model
36 x 18	SC241750BL	SC241758BL
48 x 18	SC241751BL	SC241759BL
60 x 18	SC241752BL	SC241760BL
72 x 18	SC241753BL	SC241761BL
36 x 24	SC241754BL	SC241762BL
48 x 24	SC241755BL	SC241763BL
60 x 24	SC241756BL	SC241764BL
72×24	SC241757BL	SC241765BL

WHEEL SWIVE &DONUT B 1200 LB. CA	BUMPERS	(2 SWIVEL,2 RIGID) DOLLY BASE AND CORNER BUMPERS. 1600 LB. CAPACITY		(2 SWIVEL,2 RIGID) FOR AIR CUSHIONED RIDE DOLLY BASE AND CORNER BUMPERS. 1200 LB. CAPACITY	
W"x D"x H"	Model	W"x D"x H"*	Model	W"x D"x H"*	Model
36 x 18 x 69 48 x 18 x 69 60 x 18 x 69 72 x 18 x 69	SC168214 SC168215 SC168216 SC168217	36 x 18 x 63 48 x 18 x 63 60 x 18 x 63	SC168230 SC168231 SC168232	36 x 18 x 63 48 x 18 x 63 60 x 18 x 63	SC168242 SC168243 SC168244
36 x 24 x 69 48 x 24 x 69 60 x 24 x 69 72 x 24 x 69	SC168217 SC168218 SC168219 SC168220 SC168221	36 x 24 x 63 48 x 24 x 63 60 x 24 x 63	SC168233 SC168234 SC168235	36 x 24 x 63 48 x 24 x 63 60 x 24 x 63	SC168245 SC168246 SC168247
36 x 18 x 80 48 x 18 x 80 60 x 18 x 80 72 x 18 x 80	SC168222 SC168223 SC168224 SC168225	36 x 18 x 74 48 x 18 x 74 60 x 18 x 74	SC168236 SC168237 SC168238	36 x 18 x 74 48 x 18 x 74 60 x 18 x 74	SC168248 SC168249 SC168250
36 x 24 x 80 48 x 24 x 80 60 x 24 x 80 72 x 24 x 80	SC168226 SC168227 SC168228 SC168229	36 x 24 x 74 48 x 24 x 74 60 x 24 x 74	SC168239 SC168240 SC168241	36 x 24 x 74 48 x 24 x 74 60 x 24 x 74	SC168251 SC168252 SC168253
†Casters with wheel b	rake for all 5" dia. whee	el models; add "B" to model.	*Fc	or overall height, add	caster size plus 1"

6"x 2" RUBBER TIRED WHEELS



Nexel® Chrome Wire Shelving Units feature a lustrous high gloss finish with a 1 year limited warranty in dry applications. These units provide an attractive look that's ideal for retail display and is rugged for cost effective, long lasting storage. NSF approved.


LEDGES



Snap sleeve around numbered post.



Slide shelf over sleeve for secure, positive locking.



Two "S" hooks are used to connect add-on wire shelf to starter wire shelf.

LEDGES	
DIVIDERS	
Market Street	

L" x H"	Model
14 x 4	SC188561
18 x 4	SC188580
24 x 4	SC188582
30 x 4	SC188583
36 x 4	SC188584
42 x 4	SC188585
48 x 4	SC188586
54 x 4	SC188589
60 x 4	SC188588
72 x 4	SC188590

SHELF DIV	DERS
D" x H"	Model
14 x 8	SC188563
18 x 8	SC188595
24 x 8	SC188596
30 x 12	SC188598
36 x 12	SC188599

DOCUMENT HOLDER 12³/8"W x 2"D x 8⁵/8"H Model **SC489070** **INDIVIDUAL SHELVES** include snap-on sleeves and are available in 600 or 800 lb. capacities (depending on shelf width).

avallable II	i buu ui ouu ib. capac	ities (depending	on shell width
W" x D"	Model	W" x D"	Model
24 x 14	SC188565	24 x 24	SC188713
30 x 14	SC188566	30 x 24	SC188714
36 x 14	SC188567	36 x 24	SC188556
42 x 14	SC188568	42 x 24	SC188715
48 x 14	SC188569	48 x 24	SC188558
54 x 14	SC188336	54 x 24	SC188339
60 x 14	SC188570	60 x 24	SC188560
72×14	SC188571	72×24	SC188564
24 x 18	SC188572	36 x 30	SC188540
30 x 18	SC188573	48 x 30	SC188541
36 x 18	SC188550	60 x 30	SC188542
42 x 18	SC188574	72 x 30	SC188543
48 x 18	SC188552	36 x 36	SC188544
54 x 18	SC188337	48 x 36	SC188545
60 x 18	SC188554	60 x 36	SC188546
72 x 18	SC188562	72 x 36	SC188547
"C" LICON	- Package of 12 up	co two por chalf	for each ADD

"S" HOOK - Package of 12, use two per shelf for each ADD-ON shelf unit. Model SC189372

MORE ACCESSORIES AVAILABLE

DOLLY BASE

• FLOOR GLIDES • FOOT PLATE • WALL MOUNT KIT

• UTILITY CART HANDLE • PLATE CASTERS • ESD CONVERSION KIT • THREE SIDED • "S" HOOK FRAME

...AND MORE

CHROME WIRE SHELVING

New Higher Capacity Wire Shelving Holds Up to 800 Lbs. Per Shelf



	54" HIGH	- 4 SHELF
W" x D"	STARTER Model	ADD-ON Model
24 x 14	SC188200	SC188201
30 x 14	SC188202	SC188203
36 x 14	SC188204	SC188205
42 x 14	SC188206	SC188207
48 x 14	SC188208	SC188209
54 x 14	SC188210	SC188211
60 x 14	SC188212	SC188213
72 x 14	SC188214	SC188215
24 x 18	SC188216	SC188217
30 x 18	SC188218	SC188219
36 x 18	SC188220	SC188221
42 x 18	SC188222	SC188223
48 x 18	SC188224	SC188225
54 x 18	SC188226	SC188225
60 x 18	SC188228	SC188229
72 x 18	SC188230	SC188231
24 x 24	SC188232	SC188233
30 x 24	SC188234	SC188235
36 x 24	SC188236	SC188237
42 x 24	SC188238	SC188239
48 x 24	SC188240	SC188241
54 x 24	SC188242	SC188243
60 x 24	SC188244	SC188245
72 x 24	SC188246	SC188247
36 x 30	SC188248	SC188249
48 x 30	SC188250	SC188251
60 x 30	SC188252	SC188253
72 x 30	SC188254	SC188255
36 x 36	SC188256	SC188257
48 x 36	SC188258	SC188259
60 x 36	SC188260	SC188261
72 x 36	SC188262	SC188263

	63" HIGH	- 4 SHELF
	STARTER	ADD-ON
W" x D"	Model	Model
24 x 14	SC188264	SC188265
30 x 14	SC188266	SC188267
36 x 14	SC184725	SC184761
42 x 14 48 x 14	SC188268 SC184726	SC188269 SC184762
54 x 14	SC188270	SC188271
60 x 14	SC184727	SC184763
72 x 14	SC184728	SC184764
24 x 18	SC188272	SC188273
30 x 18	SC188274	SC188275
36 x 18	SC188400	SC188401
42 x 18	SC188276	SC188277
48 x 18	SC188402	SC188403
54 x 18 60 x 18	SC188278 SC188404	SC188279 SC188405
72 x 18	SC188404 SC188406	SC188405 SC188407
	00.00.00	00.00.00
24 x 24 30 x 24	SC188280 SC188282	SC188281 SC188283
36 x 24	SC188408	SC188409
42 x 24	SC188284	SC188285
48 x 24	SC188410	SC188411
54 x 24	SC188286	SC188287
60 x 24	SC188412	SC188413
72 x 24	SC188414	SC188415
36 x 30	SC184729	SC184765
48 x 30	SC184730 SC184731	SC184766
60 x 30 72 x 30	SC184731 SC184732	SC184767 SC184768
36 x 36	SC184733	SC184769
48 x 36 60 x 36	SC184734 SC184735	SC184770 SC184771
72 x 36	SC184736	SC184771
50	50.000	1 20.0,2



	74" HIGH - 4 SHELF			
W" x D"	STARTER Model	ADD-ON Model		
24 x 14 30 x 14 36 x 14 42 x 14 48 x 14 54 x 14 60 x 14 72 x 14	SC188288 SC188290 SC184737 SC188292 SC184738 SC184739 SC184739 SC184740	SC188289 SC188291 SC188291 SC1884773 SC188293 SC184774 SC188295 SC184775 SC184776		
24 x 18	SC188296	SC188297		
30 x 18	SC188298	SC188299		
36 x 18	SC188420	SC188421		
42 x 18	SC188300	SC188301		
48 x 18	SC188422	SC188303		
54 x 18	SC188302	SC188423		
60 x 18	SC188424	SC188425		
72 x 18	SC188426	SC188425		
24 x 24	SC188304	SC188305		
30 x 24	SC188306	SC188307		
36 x 24	SC188428	SC188429		
42 x 24	SC188308	SC188309		
48 x 24	SC188430	SC188311		
54 x 24	SC1884310	SC188431		
60 x 24	SC188432	SC188433		
72 x 24	SC188434	SC188435		
36 x 30	SC184741	SC184777		
48 x 30	SC184742	SC184778		
60 x 30	SC184743	SC184779		
72 x 30	SC184744	SC184780		
36 x 36	SC184745	SC184781		
48 x 36	SC184746	SC184782		
60 x 36	SC184747	SC184783		
72 x 36	SC184748	SC184784		

	86" HIGH -	· 4 SHELF
	STARTER	ADD-ON
W" x D"	Model	Model
24 x 14	SC188312	SC188313
30 x 14 36 x 14	SC188314 SC184749	SC188315 SC184785
42 x 14	SC188316	SC188317
48 x 14	SC184750	SC184786
54 x 14	SC188318	SC188319
60 x 14	SC184751	SC184787
72 x 14	SC184752	SC184788
24 x 18	SC188320	SC188321
30 x 18 36 x 18	SC188322 SC188440	SC188323 SC188441
42 x 18	SC188324	SC188325
48 x 18	SC188442	SC188443
54 x 18	SC188326	SC188327
60 x 18 72 x 18	SC188444 SC188446	SC188445 SC188447
24 x 24 30 x 24	SC188328 SC188330	SC188329 SC188331
36 x 24	SC188448	SC188449
42 x 24	SC188332	SC188333
48 x 24	SC188450	SC188451
54 x 24 60 x 24	SC188334 SC188452	SC188335 SC188453
72 x 24	SC188454	SC188455
36 x 30	SC184753	SC184789
48 x 30	SC184754	SC184790
60 x 30	SC184755	SC184791
72×30	SC184756	SC184792
36 x 36	SC184757	SC184793
48 x 36 60 x 36	SC184758 SC184759	SC184794 SC184795
72 x 36	SC184759 SC184760	SC184795 SC184796
/ L / 30	30104700	30.04,00




NEXELON WIRE SHELVING NOW WITH NEXGARD - ANTI-MICROBIAL AGENT FIGHTS AGAINST BACTERIA GROWTH! **COLD DRAWN** CARBON STEEL

SEALANT ZINC CHROMATE WITH NEXELON **NEXGARD**

BAKED

EPOXY

Our premium quality, exclusive Nexelon finished shelves are ideal for any environment, wet or dry, hot or cold; and are wear, impact and chemical resistant. And now they include Nexgard, an anti microbial agent that fights bacteria and mildew growth as well. Units assemble easily and shelves adjust at 1" increments without tools on numbered posts for quick alignment. Starter Unit includes 4 posts with leveling feet, 4 shelves and snap-on sleeves to secure shelves to posts. Add-On Unit includes 2 posts with leveling feet, 4 shelves, snap-on sleeves and 8 S-hooks. Also available: Individual Shelves to customize your storage (includes snap-on sleeves) and Shelf Truck models roll easily on 4 polymer swivel casters, 2 with dual lock (swivel and wheel).



	STARTER UNIT	ADD-ON UNIT	TRUCK
W"x D"xH"	Model	Model	Model
36 x 18 x 63	SC188400E	SC188401E	SC188820
48 x 18 x 63	SC188402E	SC188403E	SC188822
60 x 18 x 63	SC188404E	SC188405E	SC188824
72 x 18 x 63	SC188406E	SC188407E	SC188826
36 x 24 x 63	SC188408E	SC188409E	SC188828
48 x 24 x 63	SC188410E	SC188411E	SC188830
$60 \times 24 \times 63$	SC188412E	SC188413E	SC188832
$72 \times 24 \times 63$	SC188414E	SC188415E	SC188834
36 x 18 x 74	SC188420E	SC188421E	SC188840
48 x 18 x 74	SC188422E	SC188423E	SC188842
60 x 18 x 74	SC188424E	SC188425E	SC188844
72 x 18 x 74	SC188426E	SC188427E	SC188846
$36 \times 24 \times 74$	SC188428E	SC188429E	SC188848
$48 \times 24 \times 74$	SC188430E	SC188431E	SC188850
$60 \times 24 \times 74$	SC188432E	SC188433E	SC188852
$72 \times 24 \times 74$	SC188434E	SC188435E	SC188854
36 x 18 x 86	SC188440E	SC188441E	SC188860
48 x 18 x 86	SC188442E	SC188443E	SC188862
60 x 18 x 86	SC188444E	SC188445E	SC188864
72 x 18 x 86	SC188446E	SC188447E	SC188866
36 x 24 x 86	SC188448E	SC188449E	SC188868
48 x 24 x 86	SC188450E	SC188451E	SC188870
$60 \times 24 \times 86$	SC188452E	SC188453E	SC188872
$72 \times 24 \times 86$	SC188454E	SC188455E	SC188874

BUILD YOUR OWN ACCESSORIES

POS	T includes leveling fe	et.	ADDITIONAL		ADDITIONAL
H"	Model	W"x D"	SHELF*	W" x D"	SHELF*
54	SC188395	36 x 18	SC188550E	36 x 24	SC188556E
63	SC188396	48 x 18	SC188552E	48 x 24	SC188558E
74	SC188397	60 x 18	SC188554E	60 x 24	SC188560E
86	SC188398	72 x 18	SC188562E	72 x 24	SC188564E

*"S" Shelf Hooks Model SC189372B. 2 hooks per shelf required for Add-on units.

LEDGES Chrome. 4" high. Model Model 18 SC188580E 48 SC188586E 24 SC188582E 60 SC188588E 36 SC188584E SC188590E

NCE

SHELF DIVIDERS Chrome. D" x H" Model 18 x 8 SC188595E SC188596E 24 x 8

DOCUMENT HOLDER. $12^{3}/8$ "L x 2"W x $8^{5}/8$ "H, chrome. Model SC189389

Model

74"H SHELF UNIT



MORE ACCESSORIES AVAILABLE

DOLLY BASE

· UTILITY CART HANDLE · PLATE

ESD CONVERSION KIT CASTERS

THREE SIDED

FRAME

FLOOR GLIDES

WALL MOUNT KIT • "S" HOOK

FOOT PLATE

CHROME FINISH CHROME







Snap sleeve on 1" increments numbered on post Slide shelf over sleeve for secure, positive locking

QUICK ADJUST WIRE SHELVING

Our unique patented quick adjust suspension hooks allow middle shelves to be adjusted, added or removed without disassembly or tools. Shelves simply lift off hooks and replace in seconds. Wire shelving benefits include minimal dust accumulation, excellent visibility and light, sprinkler and air penetration. Unit includes 4 posts, 2 fixed 600 or 800lb. capacity shelves for top and bottom levels, 2 quick adjust 400 lb. capacity shelves and 8 suspension hooks. All shelves adjust at 1" increments. Genuine chrome plated finish. Adjust in an Instant!

Model

54"H SHELF UNIT

	\ \	ЮГ. /	36 x 14	SC580590	SC580594
			48 x 14	SC580591	SC580595
			36 x 18	SC580550	SC580566
	240	00 lb.	48 x 18	SC580551	SC580567
	_		60 x 18	SC580552	SC580568
		nit	72 x 18	SC580553	SC580569
	can	acity	36×24	SC580554	SC580570
			48×24	SC580555	SC580571
			60×24	SC580556	SC580572
W"	x D"	Model	72×24	SC580557	SC580573
AD	DITIO	NAL SHELF		63"H SHELF UNIT	86"H SHELF UNIT
36	x 14	SC580598	36 x 14	SC580592	SC580596
48 2	x 14	SC580599	48 x 14	SC580593	SC580597
36	x 18	SC580582	36 x 18	SC580558	SC580574
48 2	x 18	SC580583	48 x 18	SC580559	SC580575
	x 18	SC580584	60 x 18	SC580560	SC580576
72	x 18	SC580585	72 x 18	SC580561	SC580577
36	x 24	SC580586	36×24	SC580562	SC580578
	x 24	SC580587	48×24	SC580563	SC580579
	x 24	SC580588	60×24	SC580564	SC580580
72	x 24	SC580589	72×24	SC580565	SC580581

POLY-Z-BRITE WIRE SHELVING NOW WITH NEXGARD - ANTI-MICROBIA FIGHTS AGAINST BACTERIA GROWTH!

NOW WITH NEXGARD - ANTI-MICROBIAL AGENT

The Look of Chrome with Excellent Temperature and Moisture Resistance



Perfect for **Coolers** and Freezers

Nexel Poly-Z-Brite Wire Shelving. Attractive finish that's guaranteed to last! The Poly-Z-Brite finish of these wire shelves is so tough that we offer a 15 Year Limited Warranty against rust and corrosion. It combines the attractive look of chrome with a rugged electroplated zinc-chromate epoxy finish, making it perfect for any storage needs including retail display. Open wire désign minimizes dust accumulation and maximizes ventilation and visibility. The easy-slide shelf surface makes loading and unloading a snap. Shelves adjust quickly and easily at 1" increments on snap-on sleeves. Easy, tool-free assembly.

Starter Unit includes 4 posts, 4 shelves and snap-on sleeves to secure shelves.

Add-On Unit includes 2 posts, 4 shelves, snap-on sleeves and hooks to join shelves and allows U, T and L shaped configurations.

Shelves up to 42"W have an 800 lb. capacity. Shelves 48"W or more have a 600 lb. capacity per shelf. Easy assembly and adjustment.



63"	HIGH - 4 SH	HELF ADD-ON	74′	" HIGH - 4 SI	HELF ADD-ON
W" x D"	Model	Model	W"x D"	Model	Model
24 x 18	SC189200	SC189300	24 x 18	SC189224	SC189324
30×18	SC189201	SC189301	30 x 18	SC189225	SC189325
36 x 18	SC189202	SC189302	36 x 18	SC189226	SC189326
42 x 18	SC189203	SC189303	42 x 18	SC189227	SC189327
48 x 18	SC189204	SC189304	48 x 18	SC189228	SC189328
54 x 18	SC189205	SC189305	54 x 18	SC189229	SC189329
60 x 18	SC189206	SC189306	60 x 18	SC189230	SC189330
72 x 18	SC189207	SC189307	72 x 18	SC189231	SC189331
24×24	SC189216	SC189316	24 x 24	SC189240	SC189340
30×24	SC189217	SC189317	30 x 24	SC189241	SC189341
36 x 24	SC189218	SC189318	36 x 24	SC189242	SC189342
42 x 24	SC189219	SC189319	42 x 24	SC189243	SC189343
48 x 24	SC189220	SC189320		00.000.0	
54 x 24	SC189221	SC189321	48 x 24	SC189244	SC189344
			54 x 24	SC189245	SC189345
60 x 24	SC189222	SC189322	60 x 24	SC189246	SC189346
72×24	SC189223	SC189323	72 x 24	SC189247	SC189347

ACCESSORIES

			710020011120		
86′	" HIGH - 4 S	HELF	ADDITIONAL	SHEI	LF LEDGE
	STARTER	ADD-ON	SHELVES		Chrome
W" x D"	Model	Model	Model	L"x H"	Model
24 x 18	SC189248	SC189348	SC189373	18 x 4	SC188580F
30 x 18	SC189249	SC189349	SC189374	24 x 4	SC188582F
36 x 18	SC189250	SC189350	SC189375	30 x 4	SC188583F
42 x 18	SC189251	SC189351	SC189376	36 x 4	SC188584F
48 x 18	SC189252	SC189352	SC189377	42 x 4	SC188585F
54 x 18	SC189253	SC189353	SC189378	48 x 4	SC188586F
60 x 18	SC189254	SC189354	SC189379	54 x 4	SC188589F
72 x 18	SC189255	SC189355	SC189380	60 x 4	SC188588F
24 x 24	SC189264	SC189364	SC189381	72 x 4	SC188590F
24 x 24 30 x 24	SC189265	SC189365	SC189382	SHELF	DIVIDERS
36 x 24	SC189266	SC189366	SC189383	Ch	rome.
30 x 24 42 x 24	SC189267	SC189367	SC189384	D" x H"	Model
42 x 24 48 x 24	SC189268	SC189368	SC189385	18 x 8	SC188595F
54 x 24	SC189269	SC189369	SC189386	24 x 8	SC188596F
					SC188598F
60 x 24	SC189270	SC189370	SC189387	30 x 12	
72 x 24	SC189271	SC189371	SC189388	36 x 12	SC188599F



TWO "S" HOOKS CONNECT ADD-ON SHELF TO STARTER SHELF

"S" НООК

"S" HOOK - Package of 12, use two per shelf for each ADD-ON unit. Model SC189372A

MORE ACCESSORIES AVAILABLE

- FLOOR GLIDES
- FOOT PLATE
- WALL MOUNT KIT

- DOLLY BASE PLATE CASTERS
- UTILITY CART HANDLE THREE SIDED FRAME

ESD CONVERSION KIT

...AND MORE

EASY ASSEMBLY & ADJUSTMENT



SNAP SLEEVE AROUND NUMBERED POST



SLIDE SHELF OVER SLEEVE FOR SECURE, POSITIVE LOCKING

NEXEL BLACK EPOXY WIRE SHELVING

NSF Approved & Guaranteed to Perform Against Corrosion for 7 Full Years. in dry storage applications. The unique baked-on process bonds a black epoxy powder coat finish directly to the steel's surface resulting in an attractive, rugged and affordable shelving unit. These epoxy wire shelves feature a patented truss reinforced design for extra strength and greater capacities. Open shelving permits sprinkler, air and light penetration and minimizes dust accumulation. Shelves easily adjust without tools and align accurately at 1" increments on numbered posts. Easy assembly. Starter Unit includes 4 posts with leveling feet, 4 wire shelves and plastic snap on sleeves to secure shelves. Add-On Unit includes 2 posts with leveling feet, 4 wire shelves, plastic snap on sleeves and S-hooks to join units.



	STARTER UNIT	ADD-ON	ADDITIONAL SHELF
W" x D"x H"	Model	Model	Model
24 x 18 x 63	SCB970147	SCB970143	SCB970193
30 x 18 x 63	SCB970152	SCB970196	SCB970194
36 x 18 x 63	SCB970206	SCB970207	SCB970202
42 x 18 x 63	SCB970157	SCB970149	SCB970210
48 x 18 x 63	SCB970199	SCB970160	SCB970212
54 x 18 x 63	SCB970218	SCB970167	SCB970220
60 x 18 x 63	SCB970162	SCB970177	SCB970144
72 x 18 x 63	SCB970169	SCB970183	SCB970197
24 x 24 x 63	SCB970189	SCB970215	SCB970201
30 x 24 x 63	SCB970213	SCB970209	SCB970203
36 x 24 x 63	SCB970198	SCB970159	SCB970211
42 x 24 x 63	SCB970217	SCB970166	SCB970219
48 x 24 x 63	SCB970156	SCB970173	SCB970221
54 x 24 x 63	SCB970168	SCB970182	SCB970142
60 x 24 x 63	SCB970175	SCB970186	SCB970204
$72 \times 24 \times 63$	SCB970180	SCB970188	SCB970205
24 x 18 x 74	SCB970151	SCB970195	SCB970193
30 x 18 x 74	SCB970190	SCB970145	SCB970194
36 x 18 x 74	SCB970214	SCB970208	SCB970202
42 x 18 x 74	SCB970158	SCB970150	SCB970210
48 x 18 x 74	SCB970216	SCB970165	SCB970212
54 x 18 x 74	SCB970155	SCB970172	SCB970220
60 x 18 x 74	SCB970164	SCB970179	SCB970144
72 x 18 x 74	SCB970174	SCB970185	SCB970197
$24 \times 24 \times 74$	SCB970191	SCB970146	SCB970201
$30 \times 24 \times 74$	SCB970153	SCB970148	SCB970203
$36 \times 24 \times 74$	SCB970200	SCB970161	SCB970211
$42 \times 24 \times 74$	SCB970154	SCB970171	SCB970219
$48 \times 24 \times 74$	SCB970163	SCB970178	SCB970221
$54 \times 24 \times 74$	SCB970170	SCB970184	SCB970142
$60 \times 24 \times 74$	SCB970176	SCB970187	SCB970204
$72 \times 24 \times 74$	SCB970181	SCB970192	SCB970205

NEXEL GREEN EPOXY WIRE SHELVING

Nexel® Green Epoxy Wire Shelving Provides An Attractive Finish That's Guaranteed To Last! The Green Epoxy finish is so tough that we offer a 15 Year Limited Warranty against rust and corrosion. It features Nexgard, an anti microbial agent that protects the coating from growth of bacteria, mildew and molds. Shelving is perfect for retail display and can also handle extreme temperatures and moisture making is ideal for dry storage, coolers and freezers. Open wire design minimizes dust and maximizes ventilation and visibility. The easy-slide shelf surface makes loading and unloading a snap. Wire shelves adjust at 1" increments. Available in 63" and 74"heights. Starter Unit includes 4 posts with leveling feet, 4 wire shelves and plastic snap on sleeves to secure shelves. Add-On Unit includes 2 posts with leveling feet, 4 wire shelves, plastic snap on sleeves and S-hooks to join units.



	STARTER UNIT	ADD-ON	ADDITIONAL SHELF
W" x D"x H"	Model	Model	Model
24 x 18 x 63	SCB1137264	SCB1137231	SCB1137196
30 x 18 x 63	SCB1137265	SCB1137232	SCB1137197
36 x 18 x 63	SCB1137266	SCB1137233	SCB1137198
42 x 18 x 63	SCB1137271	SCB1137234	SCB1137199
48 x 18 x 63	SCB1137280	SCB1137240	SCB1137200
54 x 18 x 63	SCB1137281	SCB1137241	SCB1137205
60 x 18 x 63	SCB1137282	SCB1137242	SCB1137206
72 x 18 x 63	SCB1137287	SCB1137247	SCB1137207
24 x 24 x 63	SCB1137296	SCB1137248	SCB1137208
30 x 24 x 63	SCB1137297	SCB1137249	SCB1137209
36 x 24 x 63	SCB1137298	SCB1137250	SCB1137222
42 x 24 x 63	SCB1137191	SCB1137255	SCB1137223
48 x 24 x 63	SCB1137210	SCB1137256	SCB1137224
54 x 24 x 63	SCB1137211	SCB1137257	SCB1137225
60 x 24 x 63	SCB1137212	SCB1137258	SCB1137226
72 x 24 x 63	SCB1137213	SCB1137263	SCB1137239
24 x 18 x 74	SCB1137227	SCB1137272	SCB1137196
30 x 18 x 74	SCB1137228	SCB1137273	SCB1137197
36 x 18 x 74	SCB1137229	SCB1137274	SCB1137198
42 x 18 x 74	SCB1137230	SCB1137279	SCB1137199
48 x 18 x 74	SCB1137243	SCB1137288	SCB1137200
54 x 18 x 74	SCB1137244	SCB1137289	SCB1137205
60 x 18 x 74	SCB1137245	SCB1137290	SCB1137206
$72 \times 18 \times 74$	SCB1137246	SCB1137295	SCB1137207
$24 \times 24 \times 74$	SCB1137259	SCB1137259	SCB1137208
$30 \times 24 \times 74$	SCB1137260	SCB1137260	SCB1137209
$36 \times 24 \times 74$	SCB1137261	SCB1137261	SCB1137222
$42 \times 24 \times 74$	SCB1137262	SCB1137262	SCB1137223
$48 \times 24 \times 74$	SCB1137275	SCB1137275	SCB1137224
54 x 24 x 74	SCB1137276	SCB1137276	SCB1137225
$60 \times 24 \times 74$	SCB1137277	SCB1137277	SCB1137226
$72 \times 24 \times 74$	SCB1137278	SCB1137278	SCB1137239

GALVANIZED AND STAINLESS STEEL SOLID SHELVING

Double walled strong durable shelf perimeter. Raised shelf edge keeps items from rolling off. Leveling feet compensate for uneven floors. Corrosion resistant 18 gauge GALVANIZED STEEL SHELVES are coated with a clear epoxy which is temperature and moisture resistant for dry storage coolers and freezers. Type 304 18 gauge STAINLESS STEEL SHELVES and posts offer added rust and corrosion resistance. STARTER UNIT has 4 posts, 4 shelves and shelf clips. ADD-ON UNIT has 2 posts, 4 shelves, and 2 joining clamps per shelf. Easy assembly.

600 lb. shelf capacity

	GAL' STARTER UNIT	ADDITIONAL SHELVES	
W" x D" x H"	Model	ADD-ON UNIT Model	Model
36 x 18 x 63	SC189910	SC189920	SC189970
48 x 18 x 63	SC189911	SC189921	SC189971
60 x 18 x 63	SC189912	SC189922	SC189972
72 x 18 x 63	SC189913	SC189923	SC189973
36 x 24 x 63	SC189914	SC189924	SC189974
48 x 24 x 63	SC189915	SC189925	SC189975
60 x 24 x 63	SC189916	SC189926	SC189976
72 x 24 x 63	SC189917	SC189927	SC189977
36 x 18 x 74	SC189930	SC189940	
48 x 18 x 74	SC189931	SC189941	
60 x 18 x 74	SC189932	SC189942	
72 x 18 x 74	SC189933	SC189943	
36 x 24 x 74	SC189934	SC189944	
48 x 24 x 74	SC189935	SC189945	
60 x 24 x 74	SC189936	SC189946	
72 x 24 x 74	SC189937	SC189947	
	CTAINII ECC CTEEL ADDITIONAL		

W" x D" x H"	STAINL STARTER UNIT Model	ADDITIONAL SHELVES Model	
36 x 18 x 63 36 x 24 x 63 48 x 24 x 63	SC235360 SC235361 SC235362	Model SC235369 SC235370 SC235371	SC235387 SC235388 SC235389
36 x 18 x 74	SC235363	SC235372	SC235387
36 x 24 x 74	SC235364	SC235373	SC235388
48 x 24 x 74	SC235365	SC235374	SC235389
36 x 18 x 86	SC235366	SC235375	SC235387
36 x 24 x 86	SC235367	SC235376	SC235388
48 x 24 x 86	SC235368	SC235377	SC235389

OPTIONAL LEDGES	Limited Lifetime Warranty!	Moisture and Temperature Resistant!
STARTER UNIT		OPTIONAL DIVIDERS
1		ADD-ON UNIT

	WIRE LEDGES 4" high chrome.
L"	Model
18	SC189982D
24	SC189983D
30	SC189984D
36	SC189985D
48	SC189986D
60	SC189987D
72	SC189988D

DIVIDERS attach at Model any point along shelf. SC189980 18 8"H chrome. SC189981

STEM CASTERS with donut bumper.200 lb. cap.

I	Model	Description
	SC184835B SC184912B	$5'' \times 1^{1/4}$ Polyurethane swivel $5'' \times 1^{1/4}$ –2 with brake

ELECTRO POLISH

STEEL

WITH OPTIONAL ACCESSORIES



PLASTIC SHELF CLIPS LOCK INTO PLACE ON POSTS FOR QUICK 1" ADJUSTMENT.

STAINLESS STEEL WIRE SHELVING

Limited Lifetime Warranty

These shelf units are constructed to stand the test of time. Stainless steel wire shelving allows for air circulation and functions well in environments with temperature fluctuations. Shelves adjust at 1" increments on numbered posts. Smooth, attractive, electro polished finish over stainless steel provides extra-long life. Stainless Steel handles all moisture and temperature extremes. It resists rust and corrosion and is ideal for any storage requirements. SHELVING STARTER UNITS contain four posts, four shelves and snap sleeves that attach shelf to post. ADD-ON UNITS consist of two posts, four shelves, snap sleeves and eight "S" attachment hooks. Shelves have up to 800 lb. capacity depending on shelf width. Easy assembly. Limited Lifetime Warranty against rust. For Shelf Truck add suffix "A" to starter model. For casters with wheel brake add "AB".

W" x D" x H"	STARTER UNIT Model	ADD-ON UNIT Model	W" x D" x H"	STARTER UNIT Model	ADD-ON UNIT Model
36 x 18 x 63	SC189400	SC189401	36 x 18 x 74	SC189408	SC189409
48 x 18 x 63	SC189402	SC189403	48 x 18 x 74	SC189410	SC189411
54 x 18 x 63	SC189446	SC189447	54 x 18 x 74	SC189486	SC189487
60 x 18 x 63	SC189448	SC189449	60 x 18 x 74	SC189488	SC189489
72 x 18 x 63	SC189450	SC189451	72 x 18 x 74	SC189490	SC189491
36 x 24 x 63	SC189404	SC189405	36 x 24 x 74	SC189412	SC189413
48 x 24 x 63	SC189406	SC189407	48 x 24 x 74	SC189414	SC189415
60 x 24 x 63	SC189476	SC189477	60 x 24 x 74	SC189516	SC189517
72 x 24 x 63	SC189478	SC189479	72 x 24 x 74	SC189518	SC189519
	22.30.70		. = = . ~		22.000.0

MORE ACCESSORIES AVAILABLE

- FLOOR GLIDES
- PLATE CASTERS

...AND MORE

- FOOT PLATE
- THREE SIDED FRAME UTILITY CART HANDLE
- WALL MOUNT KIT · ESD CONVERSION KIT
- DOLLY BASE

ADDITIONAL SHELVES W" x D" Model 36 x 18 SC189424 48 x 18 SC189425 54 x 18 SC189571 60 x 18 SC189572 72 x 18 SC189573 36 x 24 SC189426 SC189427 48 x 24 SC189593 60 x 24 72 x 24 SC189594





A. POST	Includes leveling feet.
Ht."	Model

Ht."	Model	
	CHROME	
6	SC188459	
14	SC188456	
34	SC188457	
42	SC188499	
54	SC188458	
63	SC188551	
66	SC188855	
74	SC188553	
86	SC188555	
96	SC188557	
STAINLESS STEEL		
63	SC235874	
74	SC235875	
86	SC235876	

C. DOCUMENT HOLDER-123/8"L x 2"W x 85/8"H. Chrome. Model SC489070

D. UTILITY BASKET -173/8"L x71/2"W x 10"H. Chrome. Model SC184798

E. KEYBOARD DRAWER -Attaches under shelf. Holds keyboards up to 21"W x 11"D. Has 6" height adjustment. 251/4"W x 15"D x 41/4"H. Chrome. Model SC339042

F. SINGLE-BOX SLIDE - Creates a slide out drawer below shelf. Accepts boxes up to 24"D. Model **SC339004**

G. MULTI-BOX SLIDE - Fits between any two 18" or 24" deep wire shelves spaced 22" apart. Slides spaced on 11/2" centers.

Depth"	Model
18	SC188591
24	SC188592

LABEL HOLDER -

11/4"H. Snaps onto shelf. Slide in label. Clear holders include paper inserts. Sold in package

quantities.			Pkg.
Model	W"	Color	Qty.
SC481132	3	Black	25
SC481133	3	Clear	25
SC481134	12	Clear	12
SC481135	24	Clear	6
20			

B. WIRE SHELVES - adjust on 1" increments, includes shelf sleeves. Shelves up to 42"W have 800 lb. capacity per shelf. 48"W and larger have 600 lb. capacity.

40 VV allu la	ilger llave 000
	E SHELVES
W" x D"	Model
24 x 14	SC188565
30 x 14	SC188566
36 x 14	SC188567
42 x 14	SC188568
48 x 14	SC188569
54 x 14	SC188336
60 x 14	SC188570
72 x 14	SC188571
24 x 18	SC188572
30 x 18	SC188573
36 x 18	SC188436
42 x 18	SC188574
48 x 18	SC188437
54 x 18	SC188337 SC188438
60 x 18 72 x 18	SC188439
24 x 21	SC188575 SC188576
30 x 21 36 x 21	SC188576 SC188577
42 x 21	SC188578
42 x 21 48 x 21	SC188579
54 x 21	SC188338
60 x 21	SC188711
72 x 21	SC188712
24 × 24	SC188713
30 x 24	SC188714
36 x 24	SC188460
42 x 24	SC188715
48 x 24	SC188461
54 x 24	SC188339
60 x 24	SC188462
72 x 24	SC188470

J. REPLACEMENT SHELF SLEEVES -Snap on post and slide shelf over for positive locking. Priced at 18 pairs per package. Model SC336374

K. PLASTIC SHELF LINER

.035"th. plastic prevents items from falling through wire shelves. 3

morn family unrough wife shelves		
W" x D"	Model	
36 x 18	SC188737CL	
48 x 18	SC188738CL	
60 x 18	SC188739CL	
72 x 18	SC188740CL	
36 x 24	SC188741CL	
48 x 24	SC188742CL	
60×24	SC188743CL	
72 x 24	SC188744CL	

CHROME SHELVES		
W" x D"	Model	
36 x 30	SC188540	
48 x 30	SC188541	
60 x 30	SC188542	
72 x 30	SC188543	
36 x 36	SC188544	
48 x 36	SC188545	
60 x 36	SC188546	
72 x 36	SC188547	

STAINLESS STEEL

OI ILL VLO			
W" x D"	Model		
36 x 18	SC189424		
48 x 18	SC189425		
60 x 18	SC189572		
72 x 18	SC189573		
36 x 24	SC189426		
48 x 24	SC189427		
60 x 24	SC189593		
72 x 24	SC189594		

H. SOLID SHELVES Model

GALVANIZ	ED
36 x 18	SC189970
48 x 18	SC189971
60 x 18	SC189972
72 x 18	SC189973
36 x 24	SC189974
48 x 24	SC189975
60 x 24	SC189976
72 x 24	SC189977
STAINLESS	STEEL
36 x 18	SC235387
48 x 18	SC235358A

36 x 24 SC235388 48 x 24 SC235389

K. HARDBOARD SHELF LINER Reversible, black and white. 1/8" thick. Easy to remove and clean.

W" x D"	Model
36 x 18	SC189040
36 x 24	SC189041

L. SHELF LEDGES- for front, back or sides. Prevents items from falling off. Chrome.

	FOR WIRE SHELF	FOR SOLID SHELF
L" x H"	Model	Model
14 x 4	SC188561	
18 x 4	SC188580	SC189982
21 x 4	SC188581	
24 x 4	SC188582	SC189983
30 x 4	SC188583	SC189984
36 x 4	SC188584	SC189985
42 x 4	SC188585	
48 x 4	SC188586	SC189986
54 x 4	SC188589	
60 x 4	SC188588	SC189987
72 x 4	SC188590	SC189988

M. SHELF DIVIDERS - Attaches at any point along shelf. Chrome.

FOR WIRE SHELF Model	FOR SOLID SHELF Model
SC188563	
SC188595	SC189980
SC188594	
	SC189981
SC188599	
	Model SC188563 SC188595

N. CASTERS - Mobilize your shelving. STEM SWIVEL CASTERS - Includes donut bumper.

D" x W"	Description	Cap. Lbs.	Model
5 x 1 ¹ / ₄	Polyurethane swivel	1200	SC184835
5 x 1 ¹ / ₄	Polyurethane swivel 2 w/brake	1200	SC184912
8 x 2.80	Full-pneumatic non-marring	1000	SC184938

O. NYLON COVERS - Keep items free of dust and dirt. Made of water resistant 400 denier blue nylon. Two clear pockets hold 81/2" x 11" documents. Simple hook and loop closure.

3L
3L
ßL
ßL
3L
3L
3L
3L

MORE ACCESSORIES AVAILABLE

 FLOOR GLIDES FOOT PLATE WALL MOUNT KIT UTILITY CART HANDLE

 DOLLY BASE PLATE CASTERS · ESD CONVERSION KIT

• "S" HOOK

• THREE SIDED FRAME ...AND MORE

WALL MOUNT WIRE SHELVING

Wall Mount Adjustable Wire Shelving Units are ideal for storing products where floor space is limited. Great for kitchens, restaurants, labs, garages, or any secure wall area. Choose from one, two three or four level units. Each unit includes Mounting Posts, Brackets, Shelves and Hardware in a durable bright chrome finish. Purchase a "Starter" unit and then attach as many "Add-On" units as needed.



WxDxH	Levels	STARTER Model	ADD-ON Model	ADDL. LEVEL Model
36 x 18 x 14	1	SCB1137016	SCB1137024	SCB1137032
48 x 18 x 14	1	SCB1137018	SCB1137026	SCB1136980
48 x 24 x 14	1	SCB1136988	SCB1136975	SCB1137175
60 x 24 x 14	1	SCB1136990	SCB1136977	SCB1137177
36 x 18 x 34	2	SCB1137119	SCB1137127	SCB1137032
48 x 18 x 34	2	SCB1137121	SCB1137129	SCB1136980
48 x 24 x 34	2	SCB1137149	SCB1137165	SCB1137175
$60 \times 24 \times 34$	2	SCB1137151	SCB1137135	SCB1137177
36 x 18 x 54	3	SCB1137071	SCB1137083	SCB1137032
48 x 18 x 54	3	SCB1137073	SCB1137085	SCB1136980
48 x 24 x 54	3	SCB1137093	SCB1137047	SCB1137175
$60 \times 24 \times 54$	3	SCB1137041	SCB1137052	SCB1137177
36 x 18 x 63	4	SCB1137097	SCB1136996	SCB1137032
48 x 18 x 63	4	SCB1137103	SCB1136998	SCB1136980
48 x 24 x 63	4	SCB1137147	SCB1137163	SCB1137175
$60 \times 24 \times 63$	4	SCB1137153	SCB1137170	SCB1137177

Open front, 3-sided frame that allows easy cleaning. Includes a removable wire top deck, frame reinforcement and post caps. 14" High. Nexelon anti-microbial powder epoxy finish fights growth of bacteria and molds with a limited Lifetime Warranty against corrosion.

W" x D"	Cap. Lbs.	Model
36 x 18	1200	SC561954
48 x 18	1300	SC561955
60 x 18	1000	SC561956
36 x 24	1600	SC561959
48 x 24	1300	SC561960
60 x 24	1000	SC561961

HEAVY DUTY DUNNAGE RACKS



HEAVY DUTY WIRE DECK SHELVING



SC653256

Permits sprinkler, air and light penetration and minimizes dust accumulation. Includes 4 posts with leveling feet. Height adjustable shelves easily adjust without tools on numbered posts at 1" increments.

Includes 4 shelves and snap-on sleeves. Nexelon anti microbial

powder epoxy finish fights growth of bacteria and molds with a

Limited Lifetime Warranty against corrosion. NSF approved.


W" x D"	Cap. Lbs	63" HIGH Model	74" HIGH Model	ADDL. SHELVES Model
36 x 18	1600	SC653250	SC653256	SC653262
48 x 18	1300	SC653251	SC653257	SC653263
60 x 18	1000	SC653252	SC653258	SC653264
36 x 24	1600	SC653253	SC653259	SC653265
48 x 24	1300	SC653254	SC653260	SC653266
60 x 24	1000	SC653255	SC653261	SC653267

SPACE-TRAC HIGH DENSITY MOBILE STORAGE

Double your storage capacity using minimal space. Provide instant access to inventory while freeing floor space. Ideal for dry storage, coolers and walk-in freezers. Utilizes stationary shelving units (one for each end) connected with an overhead track to allow mobile shelving units in between to smoothly shift side-to-side. **Includes two 12'L stainless steel tracks**. Each shelving unit includes 4 height adjustable shelves at 1″ increments. Open wire shelves allow air, light and sprinkler penetration while minimizing dust accumulation. Each **Mobile Unit** includes (4) 5″ polyurethane casters. **Chrome** features an electro-plated nickel-chrome finish for a brilliant high gloss. **Poly-Z-Brite™** offers a 10-year limited warranty against rust. Powder-epoxy over zinc-chromate electroplating resembles the look of chrome, but handles extreme temperatures and moisture. Assembly required.

SHELF UNITS CHROME PO	OLY-Z-BRITE Model
36 x 18 x 74 2 4 SC795976	SC795988
48 x 18 x 74 2 4 SC795977	SC795989
36 x 21 x 74 2 3 SC795978	SC795990
48 x 21 x 74 2 3 SC795979	SC795991
36 x 24 x 74 2 2 SC795980 9	SC795992
48 x 24 x 74 2 2 SC795981	SC795993
36 x 18 x 86 2 4 SC795982 9	SC795994
48 x 18 x 86 2 4 SC795983 9	SC795995
36 x 21 x 86 2 3 SC795984 9	SC795996
48 x 21 x 86 2 3 SC795985 9	SC795997
36 x 24 x 86 2 2 SC795986	SC795998
48 x 24 x 86 2 2 SC795987	SC795999

CALL FOR ASSISTANCE WITH SPECIAL DESIGNS.



STATIONARY END/CENTER UNITS MOBILE UNITS



HEAVY DUTY 18 & 20 GAUGE INDUSTRIAL STEEL SHELVING

At Discount Prices

- X-Shaped Anti-Sway Braces Increase Rigidity And Provide More Support On Uneven Floors Than Regular Lateral Braces
- Braces Cover Perimeter Of Rack Instead Of Aligning At Just One Point

73" HIGH (6'1")

Customized to your special needs at no extra cost, heavy duty steel shelving units have been engineered to adapt to your storage requirements. Ideal for stockroom, factory or office where extra storage space is needed. Roll-formed steel ribbed shelves with integral box beam reinforced front and rear edges for greater load capacity. Shelves easily adjustable on 1" centers. Ribreinforced 14 gauge 1" x 2" steel posts. Phosphatized to prevent corrosion, give maximum paint adhesion. Finished in long lasting gray baked-on enamel.

SHELF LOAD CAPACITIES No With With 2 Reinforcement Reinforcements							
Shelf Size"	Capacity	Lbs.	Capacity	Lbs.	Capacity	Lbs.	
36 x 12 36 x 18	20 ga. 775 750	18 ga. 975 1050	20 ga. 875 900	18 ga. 1175 1250	20 ga. 1025 1075	18 ga. 1400 1500	
36 x 24	775	1100	925	1300	1125	1575	
36 x 30	785	1110	935	1310	1135	1585	
48 x 12	525	600	625	700	750	825	
48 x 18	540	650	650	775	775	925	
48 x 24	550	700	675	850	800	1000	
48 x 30	560	710	685	860	810	1010	

Consists of 4 posts, specified number of shelves, 4 clips per shelf,1 pair back braces, 2 pair of side braces and necessary nuts and bolts.

85" HIGH (7'1")



	/3 nign (0 1)			85" HIGH (/ I")		
MM		20 GAUGE	18 GAUGE		20 GAUGE	18 GAUGE
A/A		4 SHELVE	S		4 SHE	LVES
	W" x D"	Model	Model	W" x D"	Model	Model
	36 x 12	SC234000A	SC562150A	36 x 12	SC234192A	SC562182A
	36 x 18	SC234004A	SC562151A	36 x 18	SC234196A	SC562183A
	36 x 24	SC234008A	SC562152A	36 x 24	SC234200A	SC562184A
	36 x 30	SC234012A	SC562153A	36 x 30	SC234204A	SC562185A
	48 x 12	SC234032A	SC562154A	48 x 12	SC234224A	SC562186A
	48 x 18	SC234036A	SC562155A	48 x 18	SC234228A	SC562187A
	48 x 24 48 x 30	SC234040A SC234044A	SC562156A SC562157A	48 x 24	SC234232A	SC562188A
M M	40 X 30			48 x 30	SC234236A	SC562189A
		5 SHELVE	_		5 SHE	
	W" x D"	Model	Model	W" x D"	Model	Model
	36 x 12	SC234064A	SC562158A	36 x 12	SC234191A	SC562190A
	36 x 18	SC234068A	SC562159A	36 x 18	SC234193A	SC562191A
	36 x 24	SC234072A SC234076A	SC562160A SC562161A	36 x 24	SC234195A SC234197A	SC562192A SC562193A
	36 x 30			36 x 30		
	48 x 12 48 x 18	SC234096A SC234100A	SC562162A SC562163A	48 x 12 48 x 18	SC234199A SC234201A	SC562194A SC562195A
	48 x 24	SC234100A SC234104A	SC562163A SC562164A	48 x 24	SC234201A SC234203A	SC562195A SC562196A
_	48 x 30	SC234104A	SC562165A	48 x 30	SC234205A	SC562197A
	40 X 30			40 % 30		LVES
		6 SHELVES	S	W" x D"		
	W" x D"	6 SHELVES Model	S Model		6 SHE	LVES
		6 SHELVES	S	<u>W"</u> x D"	Model SC234256A SC234260A	LVES Model
	W" x D" 36 x 12 36 x 18 36 x 24	6 SHELVES Model SC234128A SC234132A SC234136A	Model	W" x D" 36 x 12 36 x 18 36 x 24	6 SHE Model SC234256A SC234260A SC234264A	Model SC562198A SC562199A SC562200A
	W" x D" 36 x 12 36 x 18	6 SHELVE Model SC234128A SC234132A SC234136A SC234140A	Model SC562166A SC562167A SC562168A SC562169A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30	6 SHE Model SC234256A SC234260A SC234264A SC234268A	Model SC562198A SC562199A SC562200A SC562201A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12	6 SHELVE: Model SC234128A SC234132A SC234136A SC234140A SC234160A	Model SC562166A SC562167A SC562168A SC562169A SC562170A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234278A	Model SC562198A SC562199A SC562200A SC562201A SC562202A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18	6 SHELVE: Model SC234128A SC234132A SC234136A SC234140A SC234160A SC234164A	Model SC562166A SC562167A SC562168A SC562169A SC562171A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18	6 SHE Model SC234256A SC234260A SC234268A SC234278A SC234278A SC234282A	Model SC562198A SC562199A SC562200A SC562201A SC562202A SC562203A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24	6 SHELVE: Model SC234128A SC234136A SC234136A SC234160A SC234164A SC234168A	Model \$C562166A \$C562167A \$C562168A \$C562169A \$C562170A \$C562171A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234278A SC234282A SC234286A	Model \$C562198A \$C562199A \$C562200A \$C562201A \$C562202A \$C562203A \$C562204A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18	6 SHELVE: Model SC234128A SC234136A SC234140A SC234160A SC234164A SC234168A SC234172A	Model \$C562166A \$C562167A \$C562168A \$C562169A \$C562170A \$C562171A \$C562172A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234278A SC234282A SC234282A SC234280A	Model \$C562198A \$C562199A \$C562200A \$C562201A \$C562202A \$C562203A \$C562204A \$C562205A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30	6 SHELVE: Model SC234128A SC234132A SC234136A SC234140A SC234160A SC234168A SC234172A 7 SHELVE:	Model SC562166A SC562167A SC562169A SC562169A SC562170A SC562171A SC562173A SC562173A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234278A SC234282A SC23428A SC23428A SC23428A T SHE	Model \$C562198A \$C562199A \$C562200A \$C562201A \$C562202A \$C562202A \$C562204A \$C562205A \$C562205A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D"	6 SHELVE: Model SC234128A SC234132A SC234136A SC234140A SC234160A SC234168A SC234172A 7 SHELVE: Model	Model SC562166A SC562167A SC562168A SC562169A SC562170A SC562171A SC562171A SC562172A SC562173A SModel	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D"	6 SHE Model SC234256A SC234260A SC234268A SC234278A SC234282A SC234286A SC234280A T SHE Model	Model SC562198A SC562199A SC562200A SC562201A SC562202A SC562203A SC562204A SC562204A SC562204A SC562204A SC562204A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12	6 SHELVE: Model SC234128A SC234136A SC234136A SC234140A SC234160A SC234164A SC234172A 7 SHELVE: Model SC234129A	Model SC562166A SC562167A SC562168A SC562169A SC562170A SC562171A SC562172A SC562173A S Model SC562174A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234278A SC234282A SC234286A SC234290A 7 SHE Model SC234310A	Model SC562198A SC562199A SC562200A SC562201A SC562202A SC562204A SC562204A SC562205A ELVES Model SC562206A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18	6 SHELVE: Model SC234128A SC234136A SC234140A SC234160A SC234168A SC234172A 7 SHELVE: Model SC234129A SC234131A	Model SC562166A SC562167A SC562169A SC562170A SC562171A SC562171A SC562173A S Model SC562174A SC562174A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18	6 SHE Model SC234256A SC234264A SC234268A SC234278A SC234282A SC234282A SC234290A 7 SHE Model SC234310A SC2343114A	Model SC562198A SC562199A SC562201A SC562201A SC562202A SC562203A SC562205A ELVES Model SC562206A SC562206A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 12 36 x 18 36 x 24	6 SHELVE: Model SC234128A SC234132A SC234140A SC234160A SC234168A SC234168A SC234172A 7 SHELVE: Model SC234129A SC234131A SC234131A	Model SC562166A SC562167A SC562169A SC562170A SC562171A SC562173A SC562173A SModel SC562174A SC562175A SC562176A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 12 36 x 18 36 x 24	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234278A SC234282A SC234286A SC234290A 7 SHE Model SC234310A SC234314A	Model SC562198A SC562199A SC562201A SC562201A SC562202A SC562205A SC562205A SC562205A SC562205A SC562206A SC562206A SC562206A SC562207A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 12 36 x 12 36 x 30	6 SHELVE: Model SC234128A SC234132A SC234140A SC234160A SC234164A SC234172A 7 SHELVE: Model SC234129A SC234133A SC234135A	Model SC562166A SC562167A SC562168A SC562169A SC562170A SC562171A SC562172A SC562173A S Model SC562174A SC562175A SC562175A SC562177A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 12 36 x 18 36 x 24 36 x 30	6 SHE Model SC234256A SC234260A SC234264A SC234268A SC234282A SC234282A SC234280A 7 SHE Model SC234310A SC234318A SC234342A	Model SC562198A SC562199A SC562200A SC562201A SC562202A SC562203A SC562204A SC562204A SC562205A ELVES Model SC562206A SC562206A SC562206A SC562206A SC562206A SC562206A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12	6 SHELVE: Model SC234128A SC234136A SC234140A SC234160A SC234164A SC234168A SC234172A 7 SHELVE: Model SC234129A SC234131A SC234131A SC234135A SC234137A	Model SC562166A SC562167A SC562169A SC562170A SC562171A SC562171A SC562171A SC562171A SC562175A SC562175A SC562176A SC5621776A SC5621776A SC5621778A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 18	6 SHE Model SC234256A SC234264A SC234268A SC234278A SC234286A SC234286A SC234290A 7 SHE Model SC234310A SC234314A SC234314A SC234314A SC234342A	Model SC562198A SC562199A SC562201A SC562201A SC562202A SC562203A SC562203A SC562205A ELVES Model SC562206A SC562207A SC562208A SC562210A
	W" x D" 36 x 12 36 x 24 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18	6 SHELVE: Model SC234128A SC234136A SC234140A SC234160A SC234168A SC234172A 7 SHELVE: Model SC234131A SC234133A SC234133A SC234133A SC234133A	Model SC562166A SC562167A SC562169A SC562170A SC562171A SC562171A SC562173A S Model SC562174A SC562175A SC562176A SC562177A SC562176A SC562177A SC562177A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 18 48 x 18	6 SHE Model SC234256A SC234260A SC234268A SC234278A SC234282A SC234286A SC234290A 7 SHE Model SC234310A SC234314A SC234314A SC234314A SC234314A SC2343446A	Model SC562198A SC562199A SC562200A SC562201A SC562202A SC562203A SC562205A ELVES Model SC562206A SC562207A SC562207A SC562208A SC562208A SC562210A SC562210A SC562210A
	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 24 36 x 30 48 x 12	6 SHELVE: Model SC234128A SC234132A SC234136A SC234160A SC234160A SC234168A SC234172A 7 SHELVE: Model SC234129A SC234131A SC234135A SC234135A SC234137A SC234137A SC234137A	Model SC562166A SC562167A SC562169A SC562170A SC562171A SC562173A S Model SC562174A SC562175A SC562175A SC562175A SC562176A SC562177A SC562177A SC562178A SC562178A SC562178A SC562178A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 12 36 x 18 36 x 24 36 x 30 48 x 18 48 x 24	6 SHE Model SC234256A SC234260A SC234268A SC234278A SC234286A SC234286A SC234290A 7 SHE Model SC234310A SC2343118A SC234318A SC234342A SC234342A SC234346A SC234350A	Model SC562198A SC562199A SC562201A SC562201A SC562202A SC562205A SC562205A SC562205A SC562206A SC562207A SC562208A SC562208A SC562210A SC562211A SC562211A
	W" x D" 36 x 12 36 x 24 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18	6 SHELVE: Model SC234128A SC234136A SC234140A SC234160A SC234168A SC234172A 7 SHELVE: Model SC234131A SC234133A SC234133A SC234133A SC234133A	Model SC562166A SC562167A SC562169A SC562170A SC562171A SC562171A SC562171A SC562177A SC562178A SC562178A SC562178A SC562181A	W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 12 48 x 18 48 x 24 48 x 30 W" x D" 36 x 12 36 x 18 36 x 24 36 x 30 48 x 18 48 x 18 48 x 18 48 x 18 48 x 30	6 SHE Model SC234256A SC234260A SC234268A SC234278A SC234282A SC234286A SC234290A 7 SHE Model SC234310A SC234314A SC234314A SC234314A SC234314A SC2343446A	Model SC562198A SC562199A SC562200A SC562201A SC562202A SC562203A SC562205A ELVES Model SC562206A SC562207A SC562207A SC562208A SC562208A SC562210A SC562210A SC562210A



	4 SHELVES						
W" x D"	Model	Model					
36 x 12	SC234363A	SC562214A					
36 x 18	SC234367A	SC562215A					
36×24	SC234371A	SC562216A					
36 x 30	SC234375A	SC562217A					
48 x 12	SC234381A	SC562218A					
48 x 18	SC234385A	SC562219A					
48 x 24	SC234389A	SC562220A					
48 x 30	SC234393A	SC562221A					
	5 SHELV	ES					
W" x D"	Model	Model					
36 x 12	SC234374A	SC562222A					
36 x 18	SC234378A	SC562223A					
36 x 24	SC234382A	SC562224A					
36×30	SC234386A	SC562225A					
48 x 12	SC234406A	SC562226A					
48 x 18	SC234410A	SC562227A					
48 x 24	SC234414A	SC562228A					
48 x 30	SC234418A	SC562229A					
	6 SHELV	ES					
W" x D"	Model	Model					
36 x 12	SC234438A	SC562230A					
36 x 18	SC234442A	SC562231A					
36 x 24	SC234446A	SC562232A					
36 x 30	SC234450A	SC562233A					
48 x 12	SC234470A	SC562234A					
48 x 18	SC234474A	SC562235A					
48 x 24	SC234478A	SC562236A					
48 x 30	SC234482A	SC562237A					
7 SHELVES							

Model

SC234502A

SC234506A

SC234510A

SC234514A

SC234534A

SC234538A

SC234542A

SC234546A

Model

SC562238A

SC562239A

SC562240A

SC562241A

SC562242A

SC562243A

SC562244A

SC562245A

W"<u>x</u>D"

36 x 12

36 x 18

36 x 24

36 x 30

48 x 12

48 x 18

48 x 24

48 x 30



SHELVES - Steel, box-formed on front and rear for added strength and safety. Shelves are punched on 2" centers for divider adjustment. Includes shelf clips.

	20 GAUGE SHELF	18 GAUGE SHEL
W"x D"	Model	Model
36 x 12	SC234049	SC254242
36 x 18	SC234051	SC254243
36 x 24	SC234053	SC254244
36 x 30	SC234055	SC254245
48 x 12	SC234057	SC254246
48 x 18	SC234059	SC254247
48 x 24	SC234061	SC254248
48 x 30	SC234063	SC254249

UPRIGHT POST- Heavy duty 14 gauge 1" x 2" roll-formed post, punched on 1" centers for easy adjustment. Package of 4 includes antisway braces, nuts and bolts.

Height"	Model	Height"	Model
39	SC254302		
63	SC254303	85	SC254305
73	SC254304	97	SC254306

UNIVERSAL BRACE KIT - Contains 1 pair back anti-sway and 2 pair side anti-sway braces. Model **SC254405**

EXTRA NUTS AND BOLTS - Secure shelves, braces and panels. 25 Sets SC234070



OPTIONAL LABEL HOLDER



HEAVY DUTY wedge action suspension clip for the ultimate load bearing capability.

EXTRA SHELF CLIP (pkg. of 4) Model **SC234071A**

LABEL HOLDER. Identify inventory and designated supply areas. Reusable clear plastic strips with paper inserts allow you to relabel quickly and easily. Self Adhesive style adheres to any clean surface, while magnetic strips are for use with steel surfaces. Packaged 12 label holders per box.

SELF ADHESIVE MAGNETIC

Model	W" x H"	Model	
SC952000	6 x ³ / ₄	SC952002	
SC952003	6 x 1	SC952004	
SC952072	6 x 2	SC952067	

NEED HELP? WE CAN CUSTOMIZE YOUR SHELVING REQUIREMENTS! Simply send us a rough sketch or blueprint and our experienced staff will plan your shelving at no extra cost.

MORE ACCESSORIES AVAILABLE

• END & BACK PANELS • BASE STRIP • BIN FRONT • FRAMED HINGED DOOR • SHELF DRAWER & DIVIDER ...AND MORE

HEAVY DUTY 18 & 20 GAUGE CLOSED INDUSTRIAL STEEL SHELVING





HEAVY DUTY WEDGE ACTION SUSPENSION CLIP

EXTRA SHELF CLIP Model SC234071B



PLASTIC SHELF DIVIDERS

Divide shelves into separate compartments for multi-item storage. Adjustable on 2" centers. Divider height is the distance between the center of one shelf to the center of the next.

D"x H"	Model
12 x 6	SC235025
12 x 9	SC235027
12 x 12	SC235029
18 x 6	SC235031
18 x 9	SC235033
18 x 12	SC235035

ALL UNITS INCLUDE 5 SHELVES

73" HIGH CLOSED TYPE (6'1"H)

	20 GA. STARTER UNIT	20 GA. ADD-ON UNIT	18 GA. STARTER UNIT	18 GA. ADD-ON UNIT
W" x D"	Model	Model	Model	Model
36 x 12	SC236064A	SC236066A	SC236700	SC236800
36 x 18	SC236068A	SC236070A	SC236702	SC236802
36 x 24	SC236072A	SC236074A	SC236704	SC236804
36×30	SC236076A	SC236078A	SC236706	SC236806
48 x 12	SC236096A	SC236098A	SC236708	SC236808
48 x 18	SC236100A	SC236102A	SC236710	SC236810
48×24	SC236104A	SC236106A	SC236712	SC236812
48×30	SC236108A	SC236110A	SC236714	SC236814

85" HIGH CLOSED TYPE (7'1"H)

	20 GA. STARTER UNIT	20 Ga. ADD-ON UNIT	18 GA. STARTER UNIT	18 ga. add-on Unit
W" x D"	Model	Model	Model	Model
36 x 12	SC236191A	SC236193A	SC236716	SC236816
36 x 18	SC236195A	SC236197A	SC236718	SC236818
36 x 24	SC236201A	SC236205A	SC236720	SC236820
36 x 30	SC236203A	SC236207A	SC236722	SC236822
48 x 12	SC236223A	SC236225A	SC236724	SC236824
48 x 18	SC236227A	SC236229A	SC236726	SC236826
48 x 24	SC236233A	SC236231A	SC236728	SC236828
48×30	SC236237A	SC236235A	SC236730	SC236830

97" HIGH CLOSED TYPE (8'1"H)

	20 GA. STARTER UNIT	20 GA. ADD-ON UNIT	18 GA. STARTER UNIT	18 GA. ADD-ON UNIT
W"x D"	Model	Model	Model	Model
36 x 12	SC796376	SC796384	SC796392	SC796400
36 x 18	SC796377	SC796385	SC796393	SC796401
36 x 24	SC796378	SC796386	SC796394	SC796402
36×30	SC796379	SC796387	SC796395	SC796403
48 x 12	SC796380	SC796388	SC796396	SC796404
48 x 18	SC796381	SC796389	SC796397	SC796405
48×24	SC796382	SC796390	SC796398	SC796406
48×30	SC796383	SC796391	SC796399	SC796407

Roll-formed, ribbed shelves have box beam reinforced edges for increased capacities. Quad clip safely secures shelves to uprights and adjusts on 1" centers. 14 ga. steel uprights. Closed side and back panels retain loads. Gray baked enamel with anticorrosion undercoat. STARTER UNIT includes 4 uprights, 5 shelves, 4 quad clips per shelf, 1 back and 2 side panels plus all required nuts and bolts. ADD-ON UNIT includes 4 uprights, 5 shelves, 4 quad clips per shelf, 1 back and 1 side panels plus all required nuts and bolts.

SHELF LOAD CAPACITIES							
	No With With 2						
01 16		rcement		rcement	Reinford		
Shelf	Capac	ity Lbs.	Capaci	ity Lbs.	Capaci	ty Lbs.	
Size"	20 ga.	18 ga.	20 ga.	18 ga.	20 ga.	18 ga.	
36 x 12	775	975	875	1175	1025	1400	
36 x 18	750	1050	900	1250	1075	1500	
36 x 24	775	1100	925	1300	1125	1575	
36 x 30	785	1110	935	1310	1135	1585	
48 x 12	525	600	625	700	750	825	
48 x 18	540	650	650	775	775	925	
48 x 24	550	700	675	850	800	1000	
48 x 30	560	710	685	860	810	1010	

MORE ACCESSORIES AVAILABLE

- END & BACK PANELS EXTRA NUTS & BOLTS
- UNIVERSAL BRACE KIT BASE STRIP BIN FRONT FRAMED HINGED DOOR SHELF DRAWER & DIVIDER
- ...AND MORE

EXTRA HEAVY DUTY DIE RACK SHELVING

3000 lb. shelf capacity

Up to 15,000 Lb. Capacity Shelving





These **14 gauge steel shelves** hold heavy items such as jigs, fixtures, dies, and more. Rigid 2" x 2", 14 gauge angle posts. Reinforced shelves with flanged channel construction are adjustable on 1" increments. **3,000 lb. shelf capacity**. Gray enamel finish. Easy assembly.

W"x D"	3' HIGH	5' HIGH	6' HIGH	8' HIGH	ADDITIONAL
	3 SHELF UNIT	4 SHELF UNIT	5 SHELF UNIT	6 SHELF UNIT	SHELF
	Model	Model	Model	Model	Model
36 x 18	SC968600	SC968720	SC236602	SC236632	SC236662
48 x 18	SC968601	SC968721	SC236606	SC236636	SC236666
60 x 18	SC968602	SC968722	SC236608	SC236638	SC236668
36 x 24	SC968603	SC968723	SC236610	SC236640	SC236670
48 x 24	SC968604	SC968724	SC236614	SC236644	SC236674
60 x 24	SC968605	SC968725	SC236616	SC236646	SC236676
72 x 24	SC968606	SC968726	SC236618	SC236648	SC236678





BOLTLESS HEAVY DUTY SHELVING

4000 lb. Capacity per Shelf



Extra strength boltless shelving units withstand dies, fixtures, jigs and other heavy material. Made using heavy duty steel with a powder coat finish. 16 gauge steel shelves are reinforced with 14 gauge double rivet steel beams for maximum strength. Includes 5 height adjustable shelves that adjust at $1^{1/2^{\prime\prime}}$ increments. 14-gauge formed angle uprights provide strength and rigidity. Boltless shelving is easy to assemble without the use of nuts, bolts or tools.

W"x D" Lbs. Model W" x D" Lbs. Model 36 x 18 4000 SC246301 36x18 4000 SC246309 48 x 18 4000 SC246302 48x18 4000 SC246310 48 x 24 4000 SC246313 48x24 4000 SC246311 60 x 24 3250 SC246304 60x24 3250 SC246312 72 x 24 2750 SC246305 72x24 2750 SC246313 96 x 24 2600 SC246306 72x36 2750 SC246315 72 x 36 2750 SC246316 72x36 2750 SC246316 96 x 36 2600 SC246308 96x36 2600 SC246316		Cap.	/ HIGH		Cap.	8' HIGH
48 x 18 4000 \$C246302 48x18 4000 \$C246310 48 x 24 4000 \$C246303 48x24 4000 \$C246311 60 x 24 3250 \$C246304 60x24 3250 \$C246312 72 x 24 2750 \$C246305 72x24 2750 \$C246313 96 x 24 2600 \$C246317 96x24 2600 \$C246315 72 x 36 2750 \$C246306 72x36 2750 \$C246314	W"x D"	Lbs.	Model	W" x D"	Lbs.	Model
48 x 24 4000 SC246303 48x24 4000 SC246311 60 x 24 3250 SC246304 60x24 3250 SC246312 72 x 24 2750 SC246305 72x24 2750 SC246313 96 x 24 2600 SC246307 96x24 2600 SC246313 72 x 36 2750 SC246306 72x36 2750 SC246314	36 x 18	4000	SC246301	36x18	4000	SC246309
60 x 24 3250 SC246304 60x24 3250 SC246312 72 x 24 2750 SC246305 72x24 2750 SC246313 96 x 24 2600 SC246307 96x24 2600 SC246315 72 x 36 2750 SC246306 72x36 2750 SC246314	48 x 18	4000	SC246302	48x18	4000	SC246310
72 x 24 2750 SC246305 72x24 2750 SC246313 96 x 24 2600 SC246307 96x24 2600 SC246315 72 x 36 2750 SC246306 72x36 2750 SC246314	48 x 24	4000	SC246303	48x24	4000	SC246311
96 x 24 2600 SC246307 96x24 2600 SC246315 72 x 36 2750 SC246306 72x36 2750 SC246314	60×24	3250	SC246304	60x24	3250	SC246312
72 x 36 2750 SC246306 72x36 2750 SC246314	72 x 24	2750	SC246305	72x24	2750	SC246313
	96 x 24	2600	SC246307	96x24	2600	SC246315
96 x 36 2600 SC246308 96x36 2600 SC246316	72 x 36	2750	SC246306	72x36	2750	SC246314
	96 x 36	2600	SC246308	96x36	2600	SC246316

"BUILD YOUR OWN" EXTRA HIGH STEEL SHELVING

Customize to your storage needs. Order a minimum of 2 side by side shelving units for stability. Start with 2 upright assemblies, rear sway braces for stability and desired amount of shelves for storage. Add 1 additional upright assembly; add sway braces and shelves for each shelving unit until overall desired width is met. Epoxy coat sand finish. Upright Assembly includes two 16 gauge steel posts with 18 gauge anti-sway side braces. Uprights greater than 8'H include 2 anti-sway braces. Allows shelf height adjustments at 2" increments. 18 gauge Rear Sway Braces are riveted together in center for added rigidity. 2 or more pairs of rear braces are required for units over 8'H. 22 gauge welded Steel Shelves offer 500 lb. capacity and are box formed for added strength. Choose Plain shelves with a solid surface or Perforated shelves to allow light, air and sprinkler penetration.

UPRIGHT ASSEMBLY

UPRIGHT ASSEMBLY					
H′	Model				
7	SC968611				
8	SC968612				
10	SC968613				
12	SC968614				
14	SC968615				
16	SC968616				

Up To 16' High



SHELF: Specify Solid (S) or Perforated (P) Suffix

SHELVES						
		(S) SOLID	(P) PERFORATED	REAR	SWAY BRACE	
W"x D"	Model	Cap. lbs.	Cap. Lbs.	W"	Model	
36 x 12	SC968617	750	550	36	SC968629	
36 x 18	SC968618	750	550	48	SC968630	
36×24	SC968619	700	525			
48 x 12	SC968620	500	375			
48 x 18	SC968621	500	375			
48×24	SC968622	450	া ব্রহ			



NEXEL SOLID PLASTIC SHELVING

With Poly-Z-Brite Steel Posts

This shelving is ideal for freezers and other wet, cold environments. Sturdy steel frame supports up to 300 lbs. per shelf and includes a Poly-S-Brite™ finish with a 15 Year Limited Warranty against rust and corrosion. This Plastic Shelving is easy to clean and includes a raised edge to prevent spills. Each shelf adjusts at 1" increments on numbered posts for accurate alignment. Includes 4 upright posts and 4 shelves. Easy tool-free assembly.

	COMPLETE UNIT	ADDITIONAL SHELVES
W" x D" x H"	Model	Model
36 x 18 x 63	SC188124	SC188128
48 x 24 x 63	SC188125	SC188129
36 x 18 x 74	SC188126	SC188128
48 x 24 x 74	SC188127	SC188129

SLANT SHELF MERCHANDISER AND DISPLAYER





Overall	
W"x D"x H"	Model
4 SHELF	UNIT
36 x 18 x 63	SC504100
48 x 18 x 63	SC504101
36 x 24 x 63	SC504102
48 x 24 x 63	SC504103

5 SHELF UNIT						
with Flat T	op Shelf					
36 x 18 x 54	SC504124					
48 x 18 x 54	SC504125					
36 x 24 x 54	SC504126					
48 x 24 x 54	SC504127					
36 x 18 x 63	SC504128					
48 x 18 x 63	SC504129					
36 x 24 x 63	SC504130					
48 x 24 x 63	SC504131					
36 x 18 x 74	SC504132					
48 x 18 x 74	SC504133					
36 x 24 x 74	SC504134					

SC504135

Slanted shelving allows maximum visibility and easy access. Rear loading assures stock rotation. 400 lb. capacity shelves adjust on 17 increments. **SHELF UNIT** has a 1600 lb. capacity. **SHELF TRUCK** includes 4 slanted shelves, 2 - 54" front and 2- 63" rear posts. 1200 lb. capacity, 1600 lb. capacity with Dolly Base. Genuine chrome plating. Easy assembly.

ACCESSORIES	Overall 4 SHELF TRUCK W" x D" x H" Model
D" x H" Model	5" x 11/4" Swivel Polyurethane Caster* 36 × 18 × 69
RETAINER/DIVIDER 18 x 4	36 x 18 x 70 SC504108 48 x 18 x 70 SC504109 36 x 24 x 70 SC504110 48 x 24 x 70 SC504111
Snap-On LABEL HOLDER 3"Wx11/4"H. Pkg. of 25. Model SC504138	*For optional brake casters add "B" to Shelf Truck model number. Set includes 2 swivel and 2 with brakes

2 swivel and 2 with brakes.

SPACE SAVER GRID WALL PANEL



Panels can be mounted on the wall to customize to your needs and utilize wall space. Made of strong 1/4" thick steel wire with 3" square openings. Gray epoxy finish. Mounts to wall using **Wall Brackets** with 11/2" offset (sold separately). Steel and Wire Accessories have an attractive chrome plated finish. 72-pige Hardware Kit includes 6 (B) wall brackets, six (C) 24"W 7-hook tool rails (not shown) and 60 total (D) peg hooks of assorted lengths (12 of each size).

	Description		W"	~	D"	x H"	Model	Qty.
Α	<u> </u>	_	48			24	SC962700	1
А	Grid Wall Panel	4	48	X		24 36	SC962700 SC962701	1
		[48	X		48	SC962701	1
		ı	60	x		24	SC962702	i
		1	60	x		36	SC962708	i
	1	١	60	x		48	SC962704	i
		ı	72	X		24	SC962705	1
		l	72	Х		36	SC962706	1
		•	72	Х		48	SC962707	1
В	Grid Wall Bracket		3	X	11/2	x 3	SC331325	6
C	5 Hook Tool Rail	ſ		1	6		SC331332	6
	7 Hook Tool Rail	ί	24	χŞ	5		SC331333	6
		4		-	4		SC331327	12
		[6		SC331328	12
D	Peg Hook	l			3		SC331329	12
		1			10		SC331330	12
_		•			12		SC331331	12
E	Document Holder		12 ³ /8	x 2	2	x 85/8	SC489070G	1
	Utility Basket (not shown	1)	17 ³ /8	χ	71/2	x 10	SC184798C	1
F	Extra Shelf Bracket				12		SC331326	6
		r	24	x 3	31/4		SC331511	1
G	Bin Rail	₹	36	x 3	31/4		SC331512	1
		ι	48	x :	31/4		SC331513	1
		٢	41/8		51/2	x 3	SC331515*	24
н	Plastic Bins	1	41/8		71/2	x 3	SC331516*	24
		ι	$5^{1/2}$	χ΄		x 5	SC331517*	12
	* Add Suffix	fo	r color:	(YL	.) Yel	low, (BL)	Blue, (RD) Red.	
J	Single Hook	ſ				31/2	SC331378	12
J	Double Hook	ι				31/2	SC331379	12
Т	Wire Bins	r	36	X	14	x 9	SC331371C	1
-	wire bins	ι	48	χ΄	14	x 9	SC331372C	1
M	Wire Bin Dividers				14	x 9	SC832138C	1
	Description		W"	Х	D"	x H"	Model	
N	Wire Shelf	٢	36	X	12		SC331399	3
IV	ville Sileli	ι	48	X	12		SC331400	2
Р	Wire Shelf with Shelf Ledg	је	163/4	X	16 ³ / ₄		SC331591	1
	72 Piece Hardware Kit (No	t S	hown))			SC331390	1

48 x 24 x 74

ADJUSTABLE BIN PICK RACK & TRUCK

Bin Size

W"x D"x H"

36 x 14 x 9

36 x 20 x 9

48 x 14 x 9

48 x 20 x 9

High visibility and quick retrieval make parts picking and inventory control easy. Attractive enough for merchandise display, yet durable enough for warehouse. Chrome plated wire construction reduces dust accumulation and allows air to circulate. Bins have a 125 lb. capacity each and can be angled up, down, flat or any combination. 600 to 800 lb. capacity wire shelves on top and bottom for added storage. Mobile rack has 800 lb. capacity. Add 6" for overall height with casters. 5" poly wheel stem casters (2 locking). Easy assembly.

3 WAYS TO ASSEMBLE: BINS ADJUST IN 1" HEIGHT AND ANGLE.



Angled down: Flows parts to front. Provides maximum accessibility.



Flat: Provides maximum Provides maximum space efficiency.

Model

SC832200

SC832201

SC832203

SC832204



Angled up: bin capacity.

Model

SC832206

SC832207

SC832209

SC832210



Model

SC832144B



STATIONARY RACK WITH OPTIONAL BIN DIVIDERS

5 GALLON WATER BOTTLE STORAGE RACK

Overall

W"x D"x H"

36 x 18 x 63

36 x 24 x 63


48 x 18 x 63

48 x 24 x 63

Water Bottle Storage Racks organizes your bottles and stores them off the floor. Easy access and circulation of new and used bottles. Available in 4, 6, 8, 12 and 16 bottle rack capacities.

Features:

- · Easily organize and store bulky 5 gallon water bottles
- · Assembles and adjusts without tools
- · 600 lbs Holding capacity for each shelf
- Polv-Z-Brite finish with 15 Year Limited Warranty against rust and corrosion
- Adjustable feet allows precise height adjustment of each post for complete rack stability



	W"x D" x H"	Cap.	Model
	24 x 18 x 54	4	SC797083
	36 x 18 x 54	6	SC797084
SC797087	$24 \times 24 \times 54$	8	SC797085
	36 x 24 x 54	12	SC797086
	48 x 24 x 54	16	SC797087

WINE BOTTLE WIRE RACKS

Wine Bottle Racks are an attractive and safe way to display and store wine bottles. Each bottle is securely cradled by heavy gauge wire to prevent movement. Adjustable shelves allow storage of many different sizes of bottles. Our open wire construction permits air to circulate around the bottles for an even temperature. The 36" wide shelves accommodate 9 bottles and the 48" wide shelves accommodate bottles. Posts include bottom Leveling Feet and top Post Caps. The electroplated nickelchrome finish is durable, chip resistant and attractive for use in retail display.



W" x H"	Bottle Cap.	Shelf Levels	Model
36 x 34	27	3	SC797142
36 x 34	36	4	SC797143
48 x 34	39	3	SC797144
48 x 34	52	4	SC797145
48 x 42	65	5	SC797146
48 x 54	78	6	SC797147
48 x 63	91	7	SC797148
10 7 7 1	104	0	CC707140

NEXELITE VENTED PLASTIC SHELVING

400 lb. capacity Shelf

This 4-shelf unit's high strength steel frame includes the Nexgard antimicrobial finish to fight mildew and bacteria growth. Shelves and frame include Nexelon finish for superior moisture and temperature resistance. Shelves adjust and align easily on numbered posts on 1" centers. Includes dishwasher safe, chip resistant polymer shelf mats with diagonal vents for ventilation. Includes 4 posts and 4 shelves with 400 lb. capacity each. Easy, tool-free assembly. Add casters for mobility. Limited Lifetime Warranty against corrosion.

ACCESSORIES

ADDITIONAL SHELVES

W"x D"	Model	W"x D"	Model
30 x 18	SC331469N	30 x 24	SC331472N
36 x 18	SC331576N	36 x 24	SC331580N
42 x 18	SC331470N	42 x 24	SC331473N
48 x 18	SC331577N	48 x 24	SC331581N
54 x 18	SC331471N	54 x 24	SC331475N
60 x 18	SC331578N	60 x 24	SC331582N
72 x 18	SC331579N	72 x 24	SC331583N

SHELF LEDGES - Poly-Z-Brite finish

		,	
Model	L"x H"	Model	L"x H
SC331433 SC331434 SC331435 SC331436	24 x 4 30 x 4	SC331437 SC331438 SC331439 SC331440 SC331441	48 x 4 54 x 4 60 x 4



SHELF DIVIDERS -	W"x D"x H"	Model	W"x D"x H"	Model	W"x D"x H"	Model
Poly - Z- Brite finish.	30 x 18 x 54	SC331451N	30 x 18 x 63	SC331457N	30 x 18 x 74	SC331463N
Model L"x H"	36 x 18 x 54	SC331518N	36 x 18 x 63	SC331526N	36 x 18 x 74	SC331534N
	42 x 18 x 54	SC331452N	42 x 18 x 63	SC331458N	42 x 18 x 74	SC331464N
SC331442 18 x 8	48 x 18 x 54	SC331519N	48 x 18 x 63	SC331527N	48 x 18 x 74	SC331535N
SC331443 24 x 8	54 x 18 x 54	SC331453N	54 x 18 x 63	SC331459N	54 x 18 x 74	SC331465N
	60 x 18 x 54	SC331520N	60 x 18 x 63	SC331528N	60 x 18 x 74	SC331536N
LABEL HOLDER -	72 x 18 x 54	SC331521N	72 x 18 x 63	SC331529N	72 x 18 x 74	SC331537N
Snaps onto shelf,	30 x 24 x 54	SC331454N	30 x 24 x 63	SC331460N	30 x 24 x 74	SC331466N
slide in label.			36 x 24 x 63		36 x 24 x 74	
Model L"	42 x 24 x 54	SC331455N	42 x 24 x 63	SC331461N	42 x 24 x 74	SC331467N
SC331444 3	48 x 24 x 54	SC331523N	48 x 24 x 63	SC331531N	48 x 24 x 74	SC331539N
	54 x 24 x 54	SC331456N	54 x 24 x 63	SC331462N	54 x 24 x 74	SC331468N
	60 x 24 x 54	SC331524N	60 x 24 x 63	SC331532N	60 x 24 x 74	SC331540N
	72 x 24 x 54	SC331525N	72 x 24 x 63	SC331533N	72 x 24 x 74	SC331541N

OPTIONAL STEM CASTERS- fits both Solid and Vented Plastic Shelving (Not for use with Best Value Shelving)				
D" x W"	Description	Cap. Lbs.	Model	
5 x 1 ¹ / ₄	Polyurethane swivel	1200	SC184835C	
5 x 1 ¹ / ₄	Polyurethane swivel 2 w/brake	1200	SC184912C	
5 x 1 ¹ / ₄	Stainless Steel Polyurethane swivel 2 w/brake	1200	SC241346C	
8 x 2.80	Full-pneumatic non-marring	1000	SC184938C	

BOLTLESS SHELVING Designed for Instant Assembly... Maximum Strength at a Low Cost!

HEAVY-DUTYSingle Rivet Beams -

When additional storage space is needed.



EXTRA HEAVY-DUTY Double Rivet Beams -

When additional weight capacity is needed.





Configured for Easy Ordering

Provides easy access to stored items from all sides. Super-strong roll formed steel framing with positive interlocking beam and post connection. 21/4" x 11/2" x 14 gauge uprights. All units include double rivet top and bottom beams for added rigidity. Heavy-Duty Model has single rivet cross and front to back beams on intermediate levels. Extra Heavy-Duty Model has double rivet beams on all levels. Available with rugged 5/8" particle wood or high quality wire decking with epoxy finish. Beams that adjust vertically on 11/2" increments support both shelf types. Choose the size and load capacities that match your needs. Easily reconfigure unit as your requirements change. Fast, easy assembly in less than half the time of conventional shelving. No tools, nuts, bolts, clips or cutting required. Durable gray baked enamel.

SH	SHELF CAPACITIES			
	HEAVY-DUTY	EXTRA HEAVY-DUTY		
W" x D"	Lbs./ Shelf	Lbs./ Shelf		
36 x 12	300	1500		
36 x 18	300	1500		
36 x 24	300	1500		
48 x 12	225	1500		
48 x 18	225	1500		
48 x 24	225	1200		

HEAVY-DUTY

5' & 6' HIGH BOLTLESS SHELVING

W.	SC255424	5' & 6'	HIGH BOLI LE	SS SHELV	'ING	
	NO DE	CK	WOOD DE	ECK	WIRE DEC	CK
	HEAVY-DUTY	EXTRA HEAVY-DUTY	HEAVY-DUTY	EXTRA HEAVY-DUTY	HEAVY-DUTY	EXTRA HEAVY-DUTY
W" x D"	Model	Model	Model	Model	Model	Model
36 x 12 36 x 18 36 x 24 48 x 12 48 x 18 48 x 24	5' HIGH SC254421 SC254422 SC254423 SC254424 SC254425 SC254426	4 SHELVES SC601866 SC601867 SC601868 SC601869 SC601870 SC601871	5' HIGH 4 SC254433 SC254434 SC254435 SC254436 SC254437 SC254438	SHELVES SC601878 SC601879 SC601880 SC601881 SC601882 SC601883	5' HIG SC601920 SC601921 SC601922 SC601923 SC601924 SC601925	H 4 SHELVES SC601890 SC601891 SC601892 SC601893 SC601894 SC601895
36 x 12 36 x 18 36 x 24 48 x 12 48 x 18 48 x 24	5' HIGH SC255400 SC255401 SC255402 SC255402 SC255404 SC255404	5 SHELVES SC255412 SC255413 SC255414 SC255415 SC255416 SC255417	5' HIGH ! SC255424 SC255425 SC255426 SC255427 SC255427 SC255428 SC255429	5 SHELVES SC255436 SC255437 SC255438 SC255439 SC255440 SC255441	5′ HIG SC255448 SC255449 SC255450 SC255451 SC255452 SC255453	H 5 SHELVES SC255460 SC255461 SC255462 SC255463 SC255464 SC255465
36 x 12 36 x 18 36 x 24 48 x 12 48 x 18 48 x 24	5' HIGH SC255406 SC255407 SC255408 SC255409 SC255410 SC255411	6 SHELVES SC255418 SC255419 SC255420 SC255421 SC255422 SC255422	5' HIGH (SC255430 SC255431 SC255431 SC255433 SC255433 SC255434 SC255435	SHELVES SC255442 SC255443 SC255444 SC255445 SC255446 SC255447	SC255454 SC255455 SC255456 SC255456 SC255457 SC255458 SC255459	H 6 SHELVES SC255466 SC255467 SC255468 SC255469 SC255470 SC255471
36 x 12 36 x 18 36 x 24 48 x 12 48 x 18 48 x 24	6' HIGH SC255620 SC255621 SC255622 SC255623 SC255624 SC255625	4 SHELVES SC255638 SC255639 SC255640 SC255641 SC255642 SC255643	6' HIGH 4 SC255656 SC255657 SC255658 SC255659 SC255660 SC255661	SHELVES SC255674 SC255675 SC255676 SC255677 SC255678 SC255679	6' HIG SC255692 SC255693 SC255694 SC255695 SC255696 SC255697	SC255710 SC255711 SC255711 SC255712 SC255713 SC255714 SC255715
36 x 12 36 x 18 36 x 24 48 x 12 48 x 18 48 x 24	6' HIGH SC255626 SC255627 SC255629 SC255629 SC255630 SC255631	5 SHELVES SC255644 SC255645 SC255646 SC255647 SC255648 SC255649	6' HIGH ! SC255662 SC255663 SC255664 SC255665 SC255666 SC25566	SHELVES SC255680 SC255681 SC255682 SC255683 SC255684 SC255685	6' HIG SC255698 SC255699 SC255700 SC255701 SC255702 SC255703	SC255716 SC255717 SC255717 SC255718 SC255719 SC255720 SC255721
36 x 12 36 x 18 36 x 24 48 x 12 48 x 18 48 x 24	6' HIGH SC255632 SC255633 SC255634 SC255635 SC255636 SC255637	6 SHELVES SC255650 SC255651 SC2556651 SC2556652 SC255653 SC255654 SC255655	6' HIGH (SC255668 SC255669 SC255670 SC255671 SC255672 SC255673	SHELVES SC255686 SC255687 SC255688 SC255689 SC255690 SC255691	6' HIG SC255704 SC255705 SC255706 SC255707 SC255708 SC255709	SC255722 SC255722 SC255723 SC255724 SC255725 SC255726 SC255727

COMPARE OUR STEEL SHELVES TO "BARGAIN DEPOT'S"!

Quality and price come out on top.


In our latest product test, we compared our best-selling Boltless Steel Shelving to Depot's. Our product was the overwhelming winner on quality, capacity and weight.

theirs failed at only 760 lbs. Our quality 5/8" thick particle board decking withstood twice the load versus their lighter weight 1/2" wood decking. For added strength, sturdy, 14 gauge uprights are made of one continuous piece of rollformed steel versus their two-piece clipped together construction. Our unit weighed 84.5

Our load capacity test proved that our Extra Heavy-Duty shelves held over 1,500 lbs. while lbs., their unit weighed only 48.5 lbs. **THEIRS OURS** OVER 1500 Lbs. THEIR 2 PIECE POST WEAKENS INTEGRITY AND STABILITY THEIR OUR **THEIRS** 1/2" THICK **HEAVY-DUTY** 5/8" **EXTRA** DECK SC254444 **HEAVY-DUTY** THICK **OURS STRONG** SC601889 **BIGGER DECK** STURDY AND 1 PIECE **HEAVIER POST**

7' & 8' HIGH BOLTLESS SHELVING **NO DECK WOOD DECK** WIRE DECK **EXTRA EXTRA EXTRA HEAVY-DUTY HEAVY-DUTY HEAVY-DUTY HEAVY-DUTY** HEAVY-DUTY **HEAVY-DUTY** W" x D" Model Model Model Model Model Model 7' HIGH 5 SHELVES 7' HIGH 5 SHELVES 7' HIGH 5 SHELVES SC254427 SC254439 SC601926 SC601872 SC601884 36 x 12 SC601896 36 x 18 SC254428 SC601873 SC254440 SC601885 SC601927 SC601897 SC254429 SC254441 SC601928 SC601898 36 x 24 SC601874 SC601886 48 x 12 SC254430 SC601875 SC254442 SC601887 SC601929 SC601899 48 x 18 SC254431 SC601876 SC254443 SC601888 SC601930 SC601900 SC254432 SC601877 SC254444 SC601889 48×24 SC601931 SC601901 7' HIGH 6 SHELVES 7' HIGH 6 SHELVES 7' HIGH 6 SHELVES SC255496 SC255532 36 x 12 SC255472 SC255484 SC255508 SC255520 SC255473 SC255485 SC255497 SC255509 SC255521 SC255533 36 x 18 SC255474 SC255486 SC255498 SC255510 SC255522 SC255534 36 x 24 SC255535 SC255511 SC255523 48 x 12 SC255475 SC255487 SC255499 SC255476 SC255488 SC255500 SC255524 SC255536 48 x 18 SC255512 48 x 24 SC255477 SC255489 SC255501 SC255513 SC255525 SC255537 7' HIGH 7 SHELVES 7' HIGH 7 SHELVES 7' HIGH 7 SHELVES SC255478 SC255502 SC255526 36 x 12 SC255490 SC255514 SC255538 SC255539 SC255491 SC255527 36 x 18 SC255479 SC255503 SC255515 36 x 24 SC255480 SC255492 SC255504 SC255516 SC255528 SC255540 48 x 12 SC255481 SC255493 SC255505 SC255517 SC255529 SC255541 SC255494 SC255542 48 x 18 SC255482 SC255506 SC255518 SC255530 48 x 24 SC255483 SC255495 SC255507 SC255519 SC255531 SC255543 8' HIGH 5 SHELVES 8' HIGH 5 SHELVES 8' HIGH 5 SHELVES SC254427H SC601872H SC254439H SC601884H SC601926H SC601896H 36 x 12 SC254428H SC601873H SC254440H SC601885H SC601927H SC601897H 36 x 18 SC254429H SC601874H SC254441H SC601886H SC601928H SC601898H 36 x 24 SC254442H 48 x 12 SC254430H SC601875H SC601887H SC601929H SC601899H 48 x 18 SC254431H SC601876H SC254443H SC601888H SC601930H SC601900H SC254432H SC601877H SC254444H SC601901H 48 x 24 SC601889H SC601931H 8' HIGH 6 SHELVES 8' HIGH 6 SHELVES 8' HIGH 6 SHELVES SC255592 SC255604 36 x 12 SC255544 SC255556 SC255568 SC255580 SC255545 SC255557 SC255569 SC255581 SC255593 SC255605 36 x 18 36 x 24 SC255546 SC255558 SC255570 SC255582 SC255594 SC255606 SC255571 SC255583 SC255595 SC255607 48 x 12 SC255547 SC255559 48 x 18 SC255548 SC255560 SC255572 SC255584 SC255596 SC255608 48 x 24 SC255549 SC255561 SC255573 SC255585 SC255597 SC255609 8' HIGH **7 SHELVES** 8' HIGH 7 SHELVES 8' HIGH 7 SHELVES SC255550 SC255562 SC255574 SC255586 SC255598 SC255610 36 x 12 SC255575 SC255599 SC255551 SC255611 36 x 18 SC255563 SC255587 36 x 24 SC255552 SC255564 SC255576 SC255588 SC255600 SC255612 48 x 12 SC255553 SC255565 SC255577 SC255589 SC255601 SC255613 48 x 18 SC255578 SC255590 SC255602 SC255614 SC255554 SC255566 SC255555 SC255603 SC255615

BUILD YOUR OWN BOLTLESS SHELVING Choice of Gray or Tan



A. UPRIGHTS. Punched on 11/2" centers for easy beam adjustment.14 gauge. ANGLE POST 21/4" x 11/2" "T" POST 33/4" x 11/4"

Size⁶ Gray Gray SC502691 SC502696 3 5 SC502692 SC502697 SC502701 SC502704 6 SC502688 SC502689 SC502693 SC502698 SC502702 SC502705 7 8 SC502694 SC502699 SC502703 SC502706 10 SC502695 SC502700

Used to add on adjacent units.

B. BEAMS. Each level requires four. See previous page for capacities. Use Double Rivet Beams on top and bottom levels of all units. Use Single Rivet Beams on all intermediate levels, or increase capacity by using Double Rivet Beams on all levels. Sample Unit: Heavy Duty, 5 Shelf 48" x 24" Order; 6-48" & 6-24" Single Rivet Beams, 4-Uprights, 4-48" & 4-24" Double Rivet Beams. Extra Heavy Duty, 5 Shelf, 48" x 24" Order: 4-Uprights, 10-48" & 10-24" Double Rivet Beams. Beams can be used as ledges at any required height to prevent merchandise from falling or rolling off shelves. CINICI E DIVET

SINGLE RIVE I			DOUBLE	RIVEI	
Size"	Gray	Tan		Gray	Tan
12 15 18 24 30 36 42 48 60 72 96 ar 96 ch	SC502579	SC331641 SC331643 er capacity	Depth"	SC505231 SC502264 SC505232 SC502265 SC502266 SC502266 SC502269 SC502268 SC502260 SC502261 SC502262 SC502262 SC502263	SC331646 SC331647 SC331648 SC331650 SC331651 SC331651 SC331652 SC331653 SC331654 SC331655 SC331656
Inc T Fits Y. 48'	DECK CENTER Streases shelf capardouble rivet beam 7, 60", and 72"L be support per level; 9	SUPPORTS city by 20%. as only. 42", eams accept	15 18 24 30 36 48	SC331657 SC505220 SC502569 SC505221 SC502570 SC502571	SC331658 SC331659 SC331660 SC331661 SC331662 SC331663

1200 lb. Cap/set.
H. 8" x 2" Rubber Tire wheels. SC502591
I. 5"x 1 ¹ / ₄ " Non-Marring Polyurethane wheels. SC502590
J. 8"x 2.80" Non-Marring Pneumatic wheels. SC502592
G
C DOLLY BACE Dunmand

CASTERS 2 rigid, 2 swivel - attach to Dolly Base to mobilize your storage rack.

> G. DOLLY BASE. Rugged 14 gauge welded frame. 1200 lb. capacity. Gray enamel finish. Order casters separately.

	odotoro oopar
Model	W"x D"
SC502587	36 x 18
SC502588	36 x 24
SC502589	48 x 24
SC502593	60×24

Gray	ıan
SC502576GY	SC502576TN
DECK	D. 5/8" Thick Particle

WOOD

W" x D"

36 x 12	SC505222
36 x 18	SC505223
36 x 24	SC505224
42 x 15	SC505227
42×30	SC505228
48 x 12	SC505225
48 x 18	SC505266
48 x 24	SC502533
48 x 36	SC502534
48 x 48	SC502535
60 x 18	SC505229*
60 x 24	SC502536*
60 x 36	SC502537*
60 x 48	SC502538*
72 x 15	SC502539*
72 x 24	SC502540*
72 x 30	SC502541*
72 x 36	SC502542*
72 x 48	SC502543*
96 x 24	SC502544*
96 x 36	SC502545*
96 x 48	SC502546*
*Ships in	2 pieces

E. 1/2" 7	Thick Whit

MELAMINE

SC331760 SC331761

SC331762

SC331763

SC331764

SC331765

SC331766

SC331767

SC331768*

SC331769*

SC331770*

SC331771*

SC331772*

SC331773*

SC331774*

SC331775*

SC331776*

F. Wire Mesh		IONAL SHELF LEVELS EXTRA HEAVY DUTY NO DECK
WIRE	W" x D"	Model
SC502582	36 x 12	SC601902
CCEUSEOS	26 v 10	CCC01002

EXTRA HEAVY DUTY NO DECK Model SC601902 SC601903 50502583 SC502584 36 x 24 SC601904 SC601905 48 x 12 48 x 18 SC601906 SC502585 48 x 24 SC601907 SC502586 **EXTRA HEAVY DUTY** SC502547 WOOD DECK SC502548 36 x 12 SC601908 SC502549 36 x 18 SC601909 36 x 24 SC601910 SC502550* SC601911 48 x 12 SC502551* 48 x 18 SC601912 SC502552* 48 x 24 SC601913 EXTRA HEAVY DUTY SC502553* WIRE DECK 36 x 12 SC601914 SC502554*

SC601915

SC601916

SC601917

SC601918

SC601919

MAGNETIC LABEL Write On



A quick and economical method of labeling. Easy to use. Simply write on with wet erase pen. Cut to desired length. Magnet will adhere to all metal surfaces. To change, wipe off with damp cloth. Comes in 50' long rolls. White only.

Model	H"_
SC764276	1
SC764277	2
SC764278	3

MAGNETIC CARD HOLDERS

SC502555*

SC502556*

SC505257*

SC502558*



Insertable black magnetic "C" channel design allow for labels to be changed simply by re-marking the paper insert or re-positioning the magnet. Great for metal racks, shelves, bins, and more. Replaceable paper inserts included. 25 per package.

36 x 18

36 x 24

48 x 12

48 x 18

48 x 24

Model	W"x H"
SC189046	3 x 1
SC189047	3 x 2
SC189048	6 x 1
SC189049	6 x 2
SC189050	6 x 3

BOLTLESS SHELVING WITH LAMINATED SHELVES

EXTRA-HEAVY DUTY SHELVING Includes Double Rivet cross-beams and front-to-back beams on all shelves to support laminated shelf decking. 1,500 lb. capacity per shelf. Units available in 5, 7, and 8 foot heights and choice of 4-7 shelves. Extra-Heavy duty shelving available in Gray or Tan. Add color suffix: Gray (GY) or Tan (TN).

	Shelf				
W"x D"	Cap. Lbs	. Model	Mo	del	Model
	SHELF 7				
36 x 12	1500	SC235412			SC236767
36 x 18	1500	SC235413			SC236768
36 x 24	1500	SC235414	\$ SC23	5432	SC236769
48 x 12	1500	SC235415	SC23	5433	SC236770
48 x 18	1500	SC235416			SC236771
48×24	1200	SC235417	7 SC23	5435	SC236772
5' HIGH 5	SHELF	7' HIGH 6 SI	HELF8' HIG	H 6 SH	ELF
36 x 12	1500	SC236743			SC236773
36 x 18	1500	SC236744			SC236774
36 x 24	1500	SC236745	SC23	6757	SC236775
48 x 12	1500	SC236746	SC23	6758	SC236776
48 x 18	1500	SC236747	7 SC23	6759	SC236777
48×24	1200	SC236748	3 SC23	6760	SC236778
5' HIGH 6	SHELF	7' HIGH 7 SI	HELF8' HIG	H 7 SH	ELF
36 x 12	1500	SC236749			SC236779
36 x 18	1500	SC236750			SC236780
36 x 24	1500	SC236751	I SC23	6763	SC236781
48 x 12	1500	SC236752	2 SC23	6764	SC236782
48 x 18	1500	SC236753	3 SC23	6765	SC236783
48 x 24	1200	SC236754	SC23	6766	SC236784
		ADDITION	AL SHELV	ES	
W"x D"	Cap. Lbs.	Model	W"x D"	Cap. Lbs	s. Model
36 x 12	1500	SC235448	48 x 12	1500	SC235451
36 x 18		SC235449	48 x 18	1500	SC235452
36 x 24	1500	SC235450	48 x 24	1200	SC235453





BOLTLESS LUGGAGE GARMENT RACK

DOUBLE UNIT



SINGLE COMBO UNIT



All models are 7' high, 1200 lb. per shelf capacity featuring Heavy Duty Wire Decking. Provides easy access to stored items from all sides. Super strong roll formed steel framing with positive interlocking beam and post connection. Choose the size that matches your needs. Durable gray backed enamel finish.

W" x D"	Type	Model
48 x 24	Single Unit	SC796545
96 x 24	Double Unit	SC796546
144 x 24	Triple Unit	SC796547
48 x 48	Single Combo Unit	SC796548
96 x 48	Double Combo Unit	SC796549
144 x 48	Triple Combo Unit	SC796550



BOLTLESS WIDE SPAN STORAGE RACK

With or Without **Wood Decking**

Low Cost Super Strong

This economical wide span rack gives you extra space for bulky materials. Boltless assembly with snap together components assembly with snap together components requires no nuts, bolts, clips or tools. Uprights are a substantial 11/2" x 21/4" x 14 gauge steel. Unit includes 3 shelves, adjustable at 11/2" increments. Heavy-duty roll-formed steel framing with chip resistant gray baked enamel finish. All models have double viewted beginning from riveted horizontal beams for maximum frame rigidity. Choose shelving without decking (supply your own) or sturdy 5/8" thick precut particleboard decking. For rack with wire or laminate decking, see page 69.

FOR ADDED STRENGTH: 60"W and 72"W models include 1 center deck support per shelf.

96"W models include 3 center deck supports per shelf.

96"W models with 1100 lb. capacity include extra heavy duty C-channel beam's and 3 center deck supports per shelf.

ADDITIONAL CENTER **DECK SUPPORTS**

Increases shelf capacity by 20%. 48", 60" and 72"W beams accept 1 support per level; 96"L accept up to 3.

Shelf Depth"	Model
24	SC502569A
30	SC505221A
36	SC502570A
48	SC502571A



		5' HIGH		7' HIGH		8' HIGH		ADDITIONAL LEVEL	
Shelf	Cap.	WITHOUT DECKING	WITH DECKING	WITHOUT DECKING	WITH DECKING	WITHOUT DECKING	WITH DECKING	WITHOUT DECKING	WITH DECKING
W" x D"	Lbs.	Model	Model	Model	Model	Model	Model	Model	Model
48 x 24	1200	SC600216	SC601750	SC601700	SC601457A	SC601718	SC601467A	SC502400	SC601477A
48×36	1200	SC600217	SC601751	SC601701	SC601461A	SC601719	SC601468A	SC502401	SC601478A
48 x 48	1200	SC600218	SC601752	SC601702	SC601465A	SC601720	SC601471A	SC502402	SC601481A
60 x 24	1200	SC600220	SC601754	SC601704	SC601130A	SC601722	SC601134A	SC502404	SC601139A
60 x 36	1200	SC600222	SC601756	SC601706	SC601131A	SC601724	SC601135A	SC502406	SC601140A
60 x 48	1200	SC600224	SC601758	SC601708	SC601132A	SC601726	SC601136A	SC502408	SC601141A
72 x 24	900	SC601240	SC601243	SC601246	SC601249	SC601252	SC601255	SC601258	SC601261
72×30	900	SC601241	SC601244	SC601247	SC601250	SC601253	SC601256	SC601259	SC601262
72×36	900	SC601242	SC601245	SC601248	SC601251	SC601254	SC601257	SC601260	SC601263
72 x 48	900	SC600230	SC601764	SC601714	SC601133A	SC601732	SC601137A	SC502414	SC601138A
96×24	800	SC600231	SC601765	SC601631	SC601634A	SC601637	SC601640A	SC502437	SC601643A
96×24	1100	SC600232	SC601766	SC601715	SC601487A	SC601733	SC601490A	SC502415	SC601493A
96 x 36	800	SC600233	SC601767	SC601632	SC601635A	SC601638	SC601641A	SC502438	SC601644A
96×36	1100	SC600234	SC601768	SC601716	SC601488A	SC601734	SC601491A	SC502416	SC601494A
96 x 48	800	SC600235	SC601769	SC601633	SC601636A	SC601639	SC601642A	SC502439	SC601645A
96 x 48	1100	SC600236	SC601770	SC601717	SC601489A	SC601735	SC601492A	SC502417	SC601495A

BOLTLESS EXPANDABLE BULK STORAGE RACK

Quick & Cost effective way to Create Rows & Aisles

Extremely durable and dependable, these racks assemble and expand easily and allow access from all sides. Boltless design snaps together securely without tools or hardware. Add-On Units include 2 T-posts that join units with more stability and less construction than bolting together 2 starter units. Roll formed 14 gauge steel uprights ensure rigidity. Levels adjust at 11/2" increments without disassembly. Scratch resistant enamed finish. Specify color suffix: Gray (GY) or Tan (TN).

- 96"W models with 800 lb. capacity include three center deck supports per level.
- 96"W models with 1100 lb. capacity include extra heavy duty C-channel beams and three center deck supports per level.





KEYHOLE SHAPE MAKES ASSEMBLY QUICK AND EASY.





STARTER UNIT

UNIT

STARTER UNIT includes 4 upright angle posts and 3 sets of horizontal beams. Select your own decking.

ADD-ON UNIT includes 2 upright T-posts and 3 sets of horizontal beams. Select your own decking.

Choose the Decking that suits your needs:

No decking - Economical - supply your own

Wood decking - Low cost, precut 5/8" thick particleboard

Wire decking - Allows visibility and light, air and sprinkler penetration (reducing insurance premiums). Epoxy finish.





GRAY (GY) TAN (TN)

SC785614TN ALL RACKS ARE 7' HIGH WITH THREE STORAGE LEVELS

	Shelf	R	ACK WITHOUT DEC	:K		RACK WITH WOOD D	DECK		RACK WITH WIRE D	ECK
	Cap.	STARTER	ADD-ON	ADD'L. LEVEL	STARTER	ADD-ON	ADD'L. LEVEL	STARTER	ADD-ON	ADD'L. LEVEL
W"x D"	Lbs.	Model	Model	Model	Model	Model	Model	Model	Model	Model
36 x 12	1500	SC785501	SC785519	SC785537	SC785555	SC785573	SC785591	SC785609	SC785627	SC785645
36 x 18	1500	SC785502	SC785520	SC785538	SC785556	SC785574	SC785592	SC785610	SC785628	SC785646
36 x 24	1500	SC785503	SC785521	SC785539	SC785557	SC785575	SC785593	SC785611	SC785629	SC785647
48 x 12	1500	SC785504	SC785522	SC785540	SC785558	SC785576	SC785594	SC785612	SC785630	SC785648
48 x 18	1500	SC785505	SC785523	SC785541	SC785559	SC785577	SC785595	SC785613	SC785631	SC785649
48 x 24	1500	SC785506	SC785524	SC785542	SC785560	SC785578	SC785596	SC785614	SC785632	SC785650
60 x 24	1000	SC785507	SC785525	SC785543	SC785561	SC785579	SC785597	SC785615	SC785633	SC785651
60×36	1000	SC785508	SC785526	SC785544	SC785562	SC785580	SC785598	SC785616	SC785634	SC785652
60 x 48	1000	SC785509	SC785527	SC785545	SC785563	SC785581	SC785599	SC785617	SC785635	SC785653
72 x 24	750	SC785510	SC785528	SC785546	SC785564	SC785582	SC785600	SC785618	SC785636	SC785654
72×36	750	SC785511	SC785529	SC785547	SC785565	SC785583	SC785601	SC785619	SC785637	SC785655
72 x 48	750	SC785512	SC785530	SC785548	SC785566	SC785584	SC785602	SC785620	SC785638	SC785656
96 x 24	800	SC785513	SC785531	SC785549	SC785567	SC785585	SC785603	SC785621	SC785639	SC785657
96 x 24	1100	SC785514	SC785532	SC785550	SC785568	SC785586	SC785604	SC785622	SC785640	SC785658
96 x 36	800	SC785515	SC785533	SC785551	SC785569	SC785587	SC785605	SC785623	SC785641	SC785659
96 x 36	1100	SC785516	SC785534	SC785552	SC785570	SC785588	SC785606	SC785624	SC785642	SC785660
96 x 48	800	SC785517	SC785535	SC785553	SC785571	SC785589	SC785607	SC785625	SC785643	SC785661
96 x 48	1100	SC785518	SC785536	SC785554	SC785572	SC785590	SC785608	SC785626	SC785644	SC785662

BOLTLESS WIDE SPAN STORAGE RACK WITH WIRE OR LAMINATE DECKING

Up to 1200 lb. shelf capacity





No nuts, bolts, clips or tools for assembly. Includes 3 shelves, adjustable at $1^1/2^n$ increments. Heavy-duty roll-formed steel framing with chip resistant baked enamel finish. Uprights are $1^1/2^n \times 2^1/4^n \times 14$ gauge steel. All models have double riveted horizontal beams for maximum frame rigidity. Choose shelving with epoxy finish **wire decking** that allows ventilation, visibility, and light and sprinkler penetration (reducing insurance premiums). Or

choose 1/2" thick particleboard decking covered in rugged white laminate. Specify rack color suffix for laminate only: Gray (GY) or Tan (TN). For rack without decking or with particle board decking, see page 66. For added strength: 60"W and 72"W models include 1 center deck support per shelf. 96"W models with 800 lb. capacity include 3 center deck supports per shelf. 96"W include extra heavy duty C-channel beams and 3 center deck supports per shelf.

LAMINATED DECK

			İ	I
W"x D"	Shelf	5' HIGH Model	7' HIGH Model	8' HIGH Model
VV X D	Cap. Lbs.	iviodei	iviodei	iviodei
48 x 24	1200	SC504200	SC504212	SC504634
48 x 36	1200	SC504201	SC504213	SC504635
48 x 48	1200	SC504202	SC504214	SC504636
60 x 24	1200	SC504203	SC504215	SC504638
60 x 36	1200	SC504204	SC504216	SC504640
60 x 48	1200	SC504205	SC504217	SC504642
72 x 24	900	SC504206	SC504218	SC504645
72 x 36	900	SC504207	SC504219	SC504649
72×48	900	SC504208	SC504220	SC504651
96 x 24	800	SC504617	SC504629	SC504653
96 x 24	1100	SC504209	SC504221	SC504654
96 x 36	800	SC504619	SC504631	SC504656
96 x 36	1100	SC504210	SC504222	SC504657
96 x 48	800	SC504621	SC504633	SC504659
96 x 48	1100	SC504211	SC504223	SC504660

ADDITIONAL LEVEL WITH LAMINATED DECKING

W"x D"	Shelf Cap. Lbs.	Model	W"x D"	Shelf Cap. Lbs.	Model
48 x 24	1200	SC504256	96 x 24	800	SC504668
48 x 36	1200	SC504257	96 x 24	1100	SC504265
48 x 48	1200	SC504258	96 x 36	800	SC504670
60 x 24	1200	SC504259	96 x 36	1100	SC504266
60 x 36	1200	SC504260	96 x 48	800	SC504672
60 x 48	1200	SC504261	96 x 48	800	SC504267
72 x 24 72 x 36 72 x 48	900 900 900	SC504262 SC504263 SC504264			

WIRE DECK

		Shelf	5' HIGH	7' HIGH	8' HIGH
	W"x D"	Cap. Lbs.	Model	Model	Model
	48 x 24	1200	SC502450	SC502462	SC502474
	48 x 36	1200	SC502451	SC502463	SC502475
	48 x 48	1200	SC502452	SC502464	SC502476
	60 x 24	1200	SC502453	SC502465	SC502477
	60 x 36	1200	SC502454	SC502466	SC502478
	60 x 48	1200	SC502455	SC502467	SC502479
	72 x 24	900	SC502456	SC502468	SC502480
	72 x 36	900	SC502457	SC502469	SC502481
	72 x 48	900	SC502458	SC502470	SC502482
-	96 x 24	800	SC502808	SC502820	SC502832
	96 x 24	1100	SC502459	SC502471	SC502483
	96 x 36	800	SC502810	SC502822	SC502834
	96 x 36	1100	SC502460	SC502472	SC502484
	96 x 48	800	SC502812	SC502824	SC502836
	96 x 48	1100	SC502461	SC502473	SC502485

ADDITIONAL LEVEL WITH WIRE DECKING

/						
W"x D"	Shelf Cap. Lbs.	Model	W"x D"	Shelf Cap. Lbs.	Model	
48 x 24 48 x 36 48 x 48	1200 1200 1200	SC502486 SC502487 SC502488	96 x 24 96 x 24 96 x 36	800 1100 800	SC502844 SC502495 SC502846	
60 x 24 60 x 36 60 x 48	1200 1200 1200	SC502489 SC502490 SC502491	96 x 36 96 x 48 96 x 48	1100 800 1100	SC502496 SC502848 SC502497	
72 x 24 72 x 36 72 x 48	900 900 900	SC502492 SC502493 SC502494				

HEAVY LOAD RECORD STORAGE CENTER

Boltless 12-gauge steel horizontal beams have 3-hook connectors to install easily without tools and adjust in seconds at 2" increments. **Uprights are 14-gauge steel**. Rack finished in gray powder coating. Rugged 200 test corrugated transfer file boxes protect and organize records with double-thick front and back walls, large label area and hand holes for easy lifting. Boxes fit securely on rugged ⁵/8" thick particleboard decks. **Starter** Unit includes 2 upright frames, 3 or 4 shelf levels. Add-On Unit includes 1 upright frame, 3 or 4 shelf levels. 18"D units store one row of boxes; 36"D store two rows with access from both sides and includes 5 additional supports per level. Easy assembly.

W" x D" x H"	Cap. Lbs./ Level	Levels	Boxes	STARTER Model	ADD-ON Model
60 x 18 x 72	3800	3	28	SC613129	SC613179
60 x 36 x 72	3800	3	56	SC613130	SC613180
72 x 18 x 72	2750	3	35	SC613131	SC613181
72 x 36 x 72	2750	3	70	SC613132	SC613182
96 x 18 x 72	2150	3	49	SC613133	SC613183
96 x 36 x 72	2150	3	98	SC613134	SC613184
60 x 36 x 96	3800	4	72	SC613135	SC613185
$72 \times 36 \times 96$	2750	4	90	SC613136	SC613186
96 x 36 x 96	2150	4	112	SC613137	SC613187

Transfer File/Record Storage with lid for letter and legal size records. Rugged 200 lbs. test corrugated. Ships flat. Easy to set up. Sold in package quantities of 20.

Model	Record Type	$L'' \times W'' \times H''$
SC336246B	Letter/Legal	15 x 12 x 10



EXTRA HEAVY LOAD RECORD STORAGE

Offers quick and easy, tool free assembly for all your document storage needs. Heavy duty one-piece, box formed 13 gauge steel uprights allow easy beam installation. 31/4" x 41/4" x 12 gauge welded base plates allow floor anchoring. Beams feature a positive 6-way locking action that automatically secures beam into place. Welded braces provide maximum rigidity and stability. Long lasting epoxy finish. Dust free wire mesh decking allows light and sprinkler penetration. Stores document boxes on front and back for two rows of storage and allows access from either side. Rack is available with 200 lb. test Corrugated or transparent high density Polyethylene boxes. Easy assembly.

W"x D"x H"	Shelf Cap lbs.	Levels	Boxes	STARTER Model	ADD-ON Model	
15"L x 12"W x 10"H CORRUGATED BOXES INCLUDED						
48 x 36 x 96	6590	4	48	SC258192	SC258207	
96 x 36 x 96	3230	4	112	SC258193	SC258208	
120 x 36 x 96	5630	4	144	SC258194	SC258209	
48 x 42 x 120	6590	5	60	SC258195	SC258210	
96 x 42 x 120	3230	5	140	SC258196	SC258211	
120 x 42 x 120	5630	5	180	SC258197	SC258212	
24"L x 12"W x 10"H CORRUGATED BOXES INCLUDED						
48 x 48 x 96	6590	4	48	SC258198	SC258213	
96 x 48 x 96	3230	4	112	SC258199	SC258214	
120 x 48 x 96	5630	4	144	SC258200	SC258215	
48 x 48 x 120	6590	5	60	SC258201	SC258216	
96 x 48 x 120	3230	5	140	SC258202	SC258217	
120 x 48 x 120	5630	5	180	SC258203	SC258218	
211/2"L x 15"W x 121/2"H POLYETHYLENE BOXES INCLUDED						
48 x 48 x 96	6590	4	48	SC258204	SC258219	
96 x 48 x 96	3230	4	96	SC258205	SC258220	
120 x 48 x 96	5630	4	120	SC258206	SC258221	

L" x W" x H"

15 x 12 x 10

TRANSFER FILE/RECORD STORAGE with lid for letter and legal size records. Rugged 200 lbs. test corrugated. Ships flat. Easy to set up.

Record Type

Letter/Legal

Model

SC336246C

lb. capacity alone. 260 lb. capacity stacked. Sold in package quantity of 6. L" x W" x H" Model SC506151B 211/2 x 15 x 121/2

Low Cost High Density Storage





SC336246C SC506151B POLYETHYLENE FILE BOX with hinged lid. Includes metal hanging file folder rails. 65

SC258196


35

RECORD STORAGE CENTER

Rugged 200 test corrugated TRANSFER FILE with double-thick front/back walls keeps records protected and neatly organized... keeps out dust and dirt. Large printed label area for quick identification of contents and hand holes for easy handling. Boxes store securely on rugged 5/8" thick particleboard decks. Heavy gauge steel rack assembles without tools. Choose durable gray

or tan baked enamel finish. 15"D units store one row of boxes, 30"D allow double row storage or access

from 2 sides.



CART-N-CLIMB® Two 10" hard rubber rear wheels, two 4" lockstep hard rubber casters. 24"W x 35"L platform. 600 lb. capacity. (Not shown).

SC516135

Base W" x L" Top Step Overall Steps Model SC607180 24 x 52 24 x 76 100

TRANSFER FILE/RECORD STORAGE with lid for letter and legal size records. Rugged 200 lbs. test corrugated. Model SC269838 flip top one piece design in color kraft. Sold in package quantities of 20. Ships flat easy to set un

		Size
Model	Record Type	L" x W" x H"
SC336246	Letter/Legal	15 x 12 x 10

SECURE RECORD STORAGE Helps Prevent Theft, Moisture, Dust and Dirt!

SC336246

SC607180



Tough translucent high density polyethylene hanging file boxes keep files organized. Metal rails organize letter hanging folders. Keep confidential documents secured with padlockable interlocking attached lid for stacking strength and eyelets molded-in the easy carry hand grips. Full length stainless steel hinge pins ensure security. 21½"L x15"W x12½"H. 65 lb. capacity. 260 lb. capacity when stacked up to 4 high. Securely store boxes on rugged 5/8" particle board decks with deck supports. Heavy duty steel rack uprights and double rivet beams for positive connection and assemble without tools. Baked enamel finish offered in gray or tan.

STORAGE RAC	K WITH BOXES		Shelf		
Gray	Tan	W" x D" x H"	Cap. lbs.	Levels	Boxes
SC607192GY	SC607192TN	48 x 24 x 60	1200	3	18
SC607193GY	SC607193TN	48 x 48 x 60	1200	3	36
SC607194GY	SC607194TN	$72 \times 24 \times 60$	900	3	24
SC607195GY	SC607195TN	72 x 48 x 60	900	3	48
SC607196GY	SC607196TN	96 x 24 x 60	800	3	36
SC607197GY	SC607197TN	96 x 48 x 60	800	3	72
SC607198GY	SC607198TN	48 x 24 x 84	1200	4	21
SC607199GY	SC607199TN	48 x 48 x 84	1200	4	42
SC607200GY	SC607200TN	72 x 24 x 84	900	4	28
SC607201GY	SC607201TN	72 x 48 x 84	900	4	56
SC607202GY	SC607202TN	96 x 24 x 84	800	4	42
SC607203GY	SC607203TN	96 x 48 x 84	800	4	84

POLYETHYLENE FILE BOX. Includes metal rail for hanging file folders. 65 lb. capacity alone. 260 lb. capacity stacked. Sold in package quantity of 6.

Model	L" x W" x H"
SC506151A	21 ¹ / ₂ x 15 x 12 ¹ / ₂

HIGH CAPACITY Z-BEAM BOLTLESS RACK

W" x D"	STARTER	ADD-ON	STARTER	ADD-ON	
	Model	Model	Model	Model	
7' HIGH R	ACK WITH WO	OD DECK8' HIG	H RACK WITH	WOOD DECK	
48 x 24	SC580890	SC580998	SC580926	SC581034	
48 x 36	SC580891	SC580999	SC580927	SC581035	
48 x 48	SC580892	SC581000	SC580928	SC581036	
60 x 24	SC580893	SC581001	SC580929	SC581037	
60 x 36	SC580894	SC581002	SC580930	SC581038	
60 x 48	SC580895	SC581003	SC580931	SC581039	
72 x 24	SC580896	SC581004	SC580932	SC581040	
72 x 36	SC580897	SC581005	SC580933	SC581041	
72 x 48	SC580898	SC581006	SC580934	SC581042	
96 x 24	SC580899	SC581007	SC580935	SC581043	
96 x 36	SC580900	SC581008	SC580936	SC581044	
96 x 48	SC580901	SC581009	SC580937	SC581045	
7' HIGH RACK WITH WIRE DECK8' HIGH RACK WITH WIRE DECK					
48 x 24	SC580914	SC581022	SC580950	SC581058	
48 x 36	SC580915	SC581023	SC580951	SC581059	
48 x 48	SC580916	SC581024	SC580952	SC581060	

SC581025

SC581026

SC581027

SC581028

SC581029

SC581030

SC581031

SC580953

SC580954

SC580955

SC580956

SC580957

SC580958

SC580959

SC581061

SC581062

SC581063

SC581064

SC581065

SC581066

SC581067

96 x 36 96 x 48	SC580924 SC580925	SC581032 SC581033	SC580960 SC580961	SC581068 SC581069
7' HIGH R	ACK WITH STE	EL DECK' HIGH	RACK WITH ST	TEEL DECK
48 x 24	SC580902	SC581010	SC580938	SC581046
48×36	SC580903	SC581011	SC580939	SC581047
48 x 48	SC580904	SC581012	SC580940	SC581048
60 x 24	SC580905	SC581013	SC580941	SC581049
60×36	SC580906	SC581014	SC580942	SC581050
60×48	SC580907	SC581015	SC580943	SC581051
72×24	SC580908	SC581016	SC580944	SC581052
72×36	SC580909	SC581017	SC580945	SC581053
72 x 48	SC580910	SC581018	SC580946	SC581054
96 x 24	SC580911	SC581019	SC580947	SC581055
96 x 36	SC580912	SC581020	SC580948	SC581056
96 x 48	SC580913	SC581021	SC580949	SC581057



TEE POST KEYHOLE SHAPE MAKES ASSEMBLY EASY.

ROLL FORMED STEEL BEAMS FOR STRENGTH

	HELF ACITIES Capacity
W"	Lbs.
48	1500
60	1300
72	1000
96	800



ADDITIONAL LEVELS

W"x D"	Model	Model	Model
	WOOD DECK	WIRE DECK	STEEL DECK
48 x 24	SC581070	SC581094	SC581082
48 x 36	SC581071	SC581095	SC581083
48 x 48	SC581072	SC581096	SC581084
60×24	SC581073	SC581097	SC581085
60×36	SC581074	SC581098	SC581086
60 x 48	SC581075	SC581099	SC581087
72×24	SC581076	SC581100	SC581088
72×36	SC581077	SC581101	SC581089
72 x 48	SC581078	SC581102	SC581090
96 x 24	SC581079	SC581103	SC581091
96 x 36	SC581080	SC581104	SC581092
96 x 48	SC581081	SC581105	SC581093

Horizontal beams are roll-formed to a Z-profile for added shelf capacity. Decking sits flush to beams for neater appearance and stability. $2^{1}/4^{\prime\prime} \times 1^{1}/2^{\prime\prime} \times 14$ -gauge uprights. Boltless, interlocking beams assemble quickly, without tools.

3 Levels adjust at 11/2" increments.

Choose precut wood, long lasting steel or wire decking (which allows air and sprinkler penetration, reducing insurance premiums). Tan baked enamel finish. Starter Unit: 4 angle posts, 12 beams and decking. Add-On Unit: 2 T-posts, 12 beams and decking.

TIRE RACK

60 x 24

60 x 36

60 x 48

72 x 24

72 x 36

72 x 48

96 x 24

SC580917

SC580918

SC580919

SC580920

SC580921

SC580922


SC580923

HEAVY DUTY TIRE RACK Perfect for automobile through tractor trailer tires, the additional capacity of these racks comes from the formed horizontal Z-beams. Up to 3800 lb. capacity per level. Sturdy units attach to walls using 4 included brackets. Boltless design allows horizontal beams to install easily without tools and to adjust in seconds at 2" increments. Heavy-duty 12-gauge beams have 3 hooks at each end for positive connection. Uprights are 14-gauge steel measuring 13/4" x 13/4". 24" depth models include 5 deck supports per level. Gray powder coat finish. Easy assembly. Built for tires only. Add-On Units extend Starter Units to build runs of any length.

• me to band rand or any longin		9	3001	3133
W" x D" x H"	Levels	Tire Capacity	STARTER	ADD-ON
60 x 18 x 72	3	21	SC613138	SC613141
72 x 18 x 72	3	27	SC613139	SC613142
96 x 18 x 72	3	36	SC613140	SC613143
60 x 24 x 120	3	21	SC795815	SC795818
72 x 24 x 120	3	27	SC795816	SC795819
96 x 24 x 120	3	36	SC795817	SC795820

8" x 2" MOLD-ON RUBBER CASTER KIT 2 SWIVEL, 2 RIGID - 2,400 lb. Cap. For starter units only. Model SC502591

BOLTLESS TIRE RACK Safely store and display automobile and light truck tires with this strong roll formed steel rack with positive interlocking beam and post connection. Construction includes $2^{1/4}$ " x $1^{1/2}$ " x 14 gauge uprights and double riveted horizontal beams that adjust vertically on 11/2" increments. Fast, easy assembly without tools, nuts or bolts. Durable gray baked enamel. **1500 lb. capacity per level.** 84"H units attach to walls using 4 included brackets. 120"H includes 6 brackets. Built for tires only. Single Sided racks attach to wall for access from one side. Double Sided racks are 2 units joined with tie beams in between and provide access from either side.




SINGLE SIDED SECURES TO WALL



SC613144

Model
SC613144
SC613145
SC613146
SC613147
_

EXTRA HIGH CAPACITY BULK RACK Best Value on the Market - Up to 3800 lbs. Per Shelf



THREE HOOKS FOR POSITIVE CONNECTION

14 GAUGE DECK SUPPORTS LOADS

SAFETY PIN LOCKS BEAMS IN PLACE

FOOT PLATES ALLOW RACK TO BE BOLTED TO THE FLOOR



FORMED STEP BEAM CREATES EXTRA SUPPORT FOR INCREASED CAPACITY

								ii toi iii t	DED ON HOUSE
	Cap	NO I	DECK	WOOD	DECK	WIRE	DECK	STEEL	DECK
	Lbs./	STARTER	ADD-ON	STARTER	ADD-ON	STARTER	ADD-ON	STARTER	ADD-ON
W" x D" x H"	Level	Model	Model						
60 x 18 x 72	3800	SC504530	SC504533	SC504590	SC504591	_	_	_	_
$60 \times 24 \times 72$	3800	SC504407	SC504434	SC504281	SC504308	SC504464	SC504491	SC504344	SC504371
60 x 36 x 72	3800	SC504408	SC504435	SC504282	SC504309	SC504465	SC504492	SC504345	SC504372
60 x 48 x 72	3800	SC504409	SC504436	SC504283	SC504310	SC504466	SC504493	SC504346	SC504373
72 x 18 x 72	2750	SC504531	SC504534	SC504536	SC504538	SC504542	SC504544	_	_
$72 \times 24 \times 72$	2750	SC504410	SC504437	SC504284	SC504311	SC504467	SC504494	SC504347	SC504374
72 x 36 x 72	2750	SC504411	SC504438	SC504285	SC504312	SC504468	SC504495	SC504348	SC504375
72 x 48 x 72	2750	SC504412	SC504439	SC504286	SC504313	SC504469	SC504496	SC504349	SC504376
96 x 18 x 72	2150	SC504532	SC504535	SC504537	SC504539	SC504543	SC504545	_	_
96 x 24 x 72	2150	SC504413	SC504440	SC504287	SC504314	SC504470	SC504497	SC504350	SC504377
96 x 36 x 72	2150	SC504414	SC504441	SC504288	SC504315	SC504471	SC504498	SC504351	SC504378
96 x 48 x 72	2150	SC504415	SC504442	SC504289	SC504316	SC504472	SC504499	SC504352	SC504379
60 x 24 x 96	3800	SC504416	SC504443	SC504290	SC504317	SC504473	SC504500	SC504353	SC504380
60 x 36 x 96	3800	SC504417	SC504444	SC504291	SC504318	SC504474	SC504501	SC504354	SC504381
60 x 48 x 96	3800	SC504418	SC504445	SC504292	SC504319	SC504475	SC504502	SC504355	SC504382
72 x 24 x 96	2750	SC504419	SC504446	SC504293	SC504320	SC504476	SC504503	SC504356	SC504383
72 x 36 x 96	2750	SC504420	SC504447	SC504294	SC504321	SC504477	SC504504	SC504357	SC504384
72 x 48 x 96	2750	SC504421	SC504448	SC504295	SC504322	SC504478	SC504505	SC504358	SC504385
96 x 24 x 96	2150	SC504422	SC504449	SC504296	SC504323	SC504479	SC504506	SC504359	SC504386
96 x 36 x 96	2150	SC504423	SC504450	SC504297	SC504324	SC504480	SC504507	SC504360	SC504387
96 x 48 x 96	2150	SC504424	SC504451	SC504298	SC504325	SC504481	SC504508	SC504361	SC504388
60 x 24 x 120	3800	SC504425	SC504452	SC504299	SC504326	SC504482	SC504509	SC504362	SC504389
60 x 36 x 120	3800	SC504426	SC504453	SC504300	SC504327	SC504483	SC504510	SC504363	SC504390
60 x 48 x 120	3800	SC504427	SC504454	SC504301	SC504328	SC504484	SC504511	SC504364	SC504391
72 x 24 x 120	2750	SC504428	SC504455	SC504302	SC504329	SC504485	SC504512	SC504365	SC504392
72 x 36 x 120	2750	SC504429	SC504456	SC504303	SC504330	SC504486	SC504513	SC504366	SC504393
72 x 48 x 120	2750	SC504430	SC504457	SC504304	SC504331	SC504487	SC504514	SC504367	SC504394
96 x 24 x 120	2150	SC504431	SC504458	SC504305	SC504332	SC504488	SC504515	SC504368	SC504395
96 x 36 x 120	2150	SC504432	SC504459	SC504306	SC504333	SC504489	SC504516	SC504369	SC504396
96 x 48 x 120	2150	SC504433	SC504460	SC504307	SC504334	SC504490	SC504517	SC504370	SC504397

COMPARE OUR BULK RACK TO OTHERS

We've compared our 72"W x 36"D x 72"H bulk rack to the competition's and after thorough testing, Our quality comes out on top once again!

Our bulk rack weighed 31 lbs. heavier than the competition, giving it a more durable and stable construction. For added stability, our models include a welded base plate that allows floor anchoring. Our bulk racks include 4 built-in cross braces, giving our units added rigidity under high amounts of weight and pressure.

Our load capacity per shelf for this unit stands strong at 2750 lbs., while theirs stands at only 2000 lbs. Shelf adjustments can be made easily on our unit at 2" increments while theirs offers 3"

Our .0615" deck supports offer greater capacity while theirs is half the gauge at .0335". Our bulk racks include safety pins for secure cross beam installation, and don't forget that our Z-beam designed cross beams allow greater capacity, strength and rigidity.



BUILD YOUR OWN

WOOD DECK	(- 5/8" Tk. Particle.	WIRE DECK	-Epoxy Finish.	UPRIGHTS	6- 13/4" × 13/4"
W"x D"	Model	W"x D"	Model		Gray powdei
60 x 18	SC504592				finish.
60 x 24	SC504568	60 x 24	SC504579	H" x D"	Model
60 x 36	SC504569	60 x 36	SC504580	72 x 18	SC504550
60 x 48	SC504570	60 x 48	SC504581	72 x 24	SC504551
72 x 18	SC504571	72 x 18	SC504582	72 x 36	SC504552
72 x 24	SC504572	72 x 24	SC504583	72 x 48	SC504553
72 x 36	SC504573	72 x 36	SC504584	96 x 24	SC504554
72 x 48	SC504574	72 x 48	SC504585	96 x 36	SC504555
96 x 18	SC504575	96 x 18	SC504586	96 x 48	SC504556
96 x 24	SC504576	96 x 24	SC504587	120 x 24	SC504557
96 x 36	SC504577	96 x 36	SC504588	120 x 36	SC504558
96 x 48	SC504578	96 x 48	SC504589	120 x 48	SC504559
× D					

^{*}Decks ship in 2 pieces

ADDITIONAL LEVELS

Include one pair of beams, 6 deck supports and choice of deck. 18" depth do not include deck supports.

\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	NO DECK	WOOD DECK	WIRE DECK	STEEL DECK
W"x D"	Model	Model	Model	Model
60 x 18	SC504530A	SC504590A		
60 x 24	SC504407A	SC504281A	SC504464A	SC504344A
60 x 36	SC504408A	SC504282A	SC504465A	SC504345A
60 x 48	SC504409A	SC504283A	SC504466A	SC504346A
72 x 18	SC504531A	SC504536A	SC504542A	
72×24	SC504410A	SC504284A	SC504467A	SC504347A
72 x 36	SC504411A	SC504285A	SC504468A	SC504348A
72 x 48	SC504412A	SC504286A	SC504469A	SC504349A
96 x 18	SC504532A	SC504537A	SC504543A	
96 x 24	SC504413A	SC504287A	SC504470A	SC504350A
96 x 36	SC504414A	SC504288A	SC504471A	SC504351A
96 x 48	SC504415A	SC504289A	SC504472A	SC504352A

Our Racks Are Built Better. Here's Why:

BEAMS THEIRS



OURS THREE LARGE 1"

HOOKS FOR POSITIVE FIT .0785" THICK

BEAMS





BOX FORMED WITH 4 BENDS

UPRIGHTS





ROLL FORMED WITH 8 BENDS FOR EXTRA STRENGTH

BEAMS-12 gauge. Gray powder coat finish. Cap.

L" | Ibs./pair Model 60 3800 SC504560 2750 SC504561 SC504562

DECK SUPPORTS -Powder coat D" Model

24

36


Galvanized. W"x D" Model 12 x 24 SC504563 SC504549 12 x 36 SC504564 SC504566 12 x 48 SC504565 SC504567





TEARDROP PALLET RACK

Premium Quality at a Low PriceOffers quick and easy, tool free assembly for all your pallet storage needs. Tear drop, snap-in locking slots ensure a secure and stable unit. Durable heavy 13 gauge steel one piece box-formed reinforced upright frame punched 2" on centers for maximum adjustability and 15 gauge beams for years of service. Positive six-way locking action; right to left; front to back; up/down. Lock automatically snaps into place and secures beam, is visible for easy checking and fast adjustment. Welded braces provide maximum rigidity and stability. Epoxy finish. Step down beam design accommodates cross bars and decking. Interchangeable with Teardrops styles of the following manufacturers: Interlake, Kingway, Unarco, Steel King, USP, Wireway/Husky and Speed Rack. 31/4" x 41/4". 12 ga. base plate anchors upright to floor and distributes weight evenly.



HOW TO SELECT PALLET RACK:

A. Height: Measure all verticals including height of pallet, pallet-load, beam, add an extra 4" to 8" clearance between top of load and bottom of beam above. Top beam should be a minimum of 6" less than the lifting height of your forklift.

B. Depth: Measure depth of pallet. Pallet should overhang frame by 3" front and back. (eg.: 48" deep pallet, use 42" deep frame.)

C. Width: Measure width of pallet, add a minimum of 3" clearance pallet to frame and 4" between pallets to determine correct beam length. Each pair of beams must support weight of pallets per level.

D. Frame Capacity: Add total weight of all pallets for each bay (exclude pallets on floor.) This is your desired frame capacity.

E. A common frame should be used between each section.

UPRIGHT FRAME (GREEN)

H" x D"	Model
3" x 15/8" COLUM	N 23,400 LB. CAP.
96 x 48	SC796346
96 x 36	SC796344
96 x 42	SC796345
120 x 42	SC796347
120 x 48	SC796348
144 x 36	SC796349
144 x 42	SC796350
144 x 48	SC796351
0" V 0" 001 I IB #B I	00 100 I D OAD

96 x 42	SC796345
120 x 42	SC796347
120 x 48	SC796348
144 x 36	SC796349
144 x 42	SC796350
144 x 48	SC796351
3" X 3" COLUMN	38,400 LB. CAP.
192 x 42	SC796352

UPRIGHT FRAME CAPACITIES (in lbs.) Meets 2008 RMI and 2007 AISI specifications. Shelf spacing is measured from the floor to the top of the first beam or the maximum shelf spacing, whichever is greater.

Maximum Shelf Spacing"	Column Size" 3" x 1 ⁵ /8"	Column Size" 3" x 3"	
36	23,400	38,400	l
42	21,900	34,600	l
48	19,300	30,600	ı
54	16,700	26,400	l
60	15,000	23,100	l
66	13,400	20,900	ı
72	11,700	18,700	ı
78	10,300	16,500	l
84	9,100	14,700	ı
90	8,000	13,100	ı
96	7,100	11,800	l


RIGID WALL BRACKET	
	La Con
Increases stability by rack to wall.	connecting 4"H.
Model	L"
SC796359	6

SC796360

12

BEAMS (ORANGE) One pair required per level.

Clear	Cap.	Beam	
Span"	Lbs./Pr.	Ht."	Model
48	6590	3 ⁵ /16	SC245970
96	3230	3 ⁵ /16	SC597001
96	5030	41/32	SC245972
96	7160	5 ¹ /8	SC245973
108	6420	5 ¹ /8	SC245975
120	5630	5 ¹ /8	SC245976
144	5970	6	SC597007



STEEL WIRE MESH DECKING Gray Enamel finish.



W′	D"	Cap.	Model
46	36	3200	SC613261
52	36	3250	SC613262
58	36	3300	SC613263
46	42	2700	SC613264
52	42	2700	SC613265
58	42	2750	SC613266
46	48	2550	SC613267
52	48	2600	SC613268
58	48	2650	SC613269



BEAM Ht'

15/s

FLOOR ANCHOR BOLTS 1/2" x 33/4" SC796365

W" x D"	Beam Ht."	Cap. Pair	STARTER Model	ADD-ON Model
10' HIGH				
48 x 42	35/16	6590	SC796590	SC796591
96 x 42	41/32	5030	SC796592	SC796593
96 x 42	51/8	7160	SC796594	SC796595
108 x 42	51/8	6420	SC796596	SC796597
120 x 42	51/8	5630	SC796598	SC796599
48 x 48	35/16	6590	SC796600	SC796601
96 x 48	41/32	5030	SC796602	SC796603
96 x 48	5 ¹ /8	7160	SC796604	SC796605
108 x 48	51/8	6420	SC796606	SC796607
120 x 48	51/8	5630	SC796608	SC796609
12' HIGH				
48 x 42	3 ⁵ /16	6590	SC796610	SC796611
96 x 42	41/32	5030	SC796612	SC796613
96 x 42	5 ¹ /8	7160	SC796614	SC796615
108 x 42	51/8	6420	SC796616	SC796617
120 x 42	51/8	5630	SC796618	SC796619

RIGID ROW SPACER For uniform spacing between racks and pallets. 4"H. Depth Model SC796353 6

STARTER UNIT

Includes 2

upright frames

and 2 pairs of

shelf beams.

Pair

6590

6420

5630

6590

7160

Beam Cap.

35/16

41/32 5030

51/8 7160

51/8

51/8

35/16

41/32 5030

51/8

51/8 6420

51/8 5630

35/16 6590

41/32 5030

51/8 7160

51/8 6420

51/8 5630

W" x D'

8' HIGH

48 x 36

96 x 36

96 x 36

108 x 36

120 x 36

48 x 42

96 x 42

96 x 42

108 x 42

120 x 42

48 x 48

96 x 48

96 x 48

108 x 48

120 x 48

STARTER

Model

SC796560

SC796562

SC796564

SC796566

SC796568

SC796570

SC796572

SC796574

SC796576

SC796578

SC796580

SC796582

SC796584

SC796586

SC796588

SC796354

SC796355

ADD-ON

Model

SC796561

SC796563

SC796565

SC796567

SC796569

SC796571

SC796573

SC796575

SC796577

SC796579

SC796581

SC796583

SC796585

SC796587



SHIMS FOR FRAMES <u>L" x W "</u> Model SC796363 3 x 3¹/₈ SC796364 $3 \times 4^{1/2}$


WRAP AROUND FRAME GUARD Model H" SC798617 12 SC798618

8

12

STEEL WIRE MESH DECKING


		Α		
	Length	Depth	В	
Capacity	Left/	Front/	Between	
Ĺbs.	Right"	Back"	Step"	Model
2,700	46	36	32 ¹ / ₂	SC798651
2,500	46	42	$32^{1/2}$	SC798654
2,500	46	48	32 ¹ / ₂	SC798657
2,750	52	36	38 ¹ / ₂	SC798652
2,700	52	42	38 ¹ / ₂	SC798655
2,500	52	48	38 ¹ / ₂	SC798658
2,800	58	36	$38^{1/2}$	SC798653
2,750	58	42	38 ¹ / ₂	SC798756
2,500	58	48	38 ¹ / ₂	SC798659



TO	OF	RDE	R

Measure beam length between uprights (left-to-right)
Measure beam depth overall (front-to-back)
Measure depth between beam steps (front-to-back)

vieasure deptir between beam steps (mont-to-back)					
Beam Length"	Use	Beam Length"	Use		
96 108	Two 46" Two 52"	120 144	Two 58" Three 46"		



10,000 lb. HIGH CAPACITY REEL RACK



Adjustable for up to 60" diameter reels. Axle brackets accommodate up to 2" diameter axles for 2000 lb. capacity per pair. Safety pins lock axle brackets and cross beams to upright frames. 12 gauge steel upright frames measure 31/2"W x 3"D. Durable 10 gauge steel axle brackets. Cross beams and brackets adjust on 3" centers. **Starter Unit** includes 2 upright frames with brace set, 2 pairs cross beams, 4 pairs axle **brackets.** Add-on is same as starter except includes one upright frame. **Axle Kit** includes two 1" and two 17/8" diameter axles. Gray powder coat finish. Easy assembly.

Base

STARTER

ADD-ON


		D"x W"x H"	Model	Model
	LE KIT	24 x 24 x 96 24 x 36 x 96 24 x 48 x 96	SC653171 SC653172 SC653173	SC653182 SC653183 SC653184
Width" 24 36	Model SC653193 SC653194	36 x 24 x 96 36 x 36 x 96 36 x 48 x 96	SC653174 SC653175 SC653176	SC653185 SC653186 SC653187
48	SC653195	24 x 24 x 120 24 x 36 x 120 24 x 48 x 120	SC653177 SC653178 SC653179	SC653188 SC653189 SC653190
		36 x 36 x 120 36 x 48 x 120	SC653180 SC653181	SC653191 SC653192

GRAVITY FLOW CARTON RACK



Provides first-in-first-out rotation. Roller tracks have U-shaped galvanized steel channel sides with plastic wheels that support 50 lbs./ft. Guide rails and beams adjust to accommodate carton sizes. Each level includes 4 pairs of roller tracks, 5 guide rails and 1 cross support. 5/8" thick particle board top shelf supports 1000 lbs. of storage. Levels adjust on 11/2" centers. Gray baked enamel finish. Easy assembly.

dray bakeu enamer iinish. Lasy assembly.					
	Gravity				
W" x D" x H"	Levels	Model			
SING	LE DEPTH U	NIT			
96 x 36 x 84	3	SC184054			
96 x 36 x 84	4	SC184055			
96 x 36 x 84	5	SC184056			
96 x 48 x 84	3	SC184057			
96 x 48 x 84	4	SC184058			
96 x 48 x 84	5	SC184059			
DOUBLE DEPTH	UNIT: Bolted	I front to back			
96 x 72 x 84	3	SC235391			
96 x 72 x 84	4	SC235392			
96 x 72 x 84	5	SC235393			
96 x 84 x 84	3	SC235394			
96 x 84 x 84	4	SC235395			
96 x 84 x 84	5	SC235396			
96 x 96 x 84	3	SC235397			
96 x 96 x 84	4	SC235398			
96 x 96 x 84	5	SC235399			



DOUBLE DEPTH

ADDITIONAL LEVELS		ADDITIONAL ROLLERTRACKS	
olltracks a	supports, nd guide rails		
N" x D"	Model	D"	Model
96 x 36	SC653275	36	SC184199
96 x 48	SC653276	48	SC184200
96 x 72	SC653277	72	SC235821
96 x 84	SC653278	84	SC235822
96 x 96	SC653279	96	SC235823



MOBILE REEL DISPENSER

900 lb. capacity

Store, dispense and cut desired lengths of wire, cable, rope, etc. Each 40" long, 5/8" dia. axle holds 150 lbs. and adjusts on 7" centers. axle holds 150 lbs. and adjusts on 7" centers. Tubular steel construction, 32" x 40" base with leveling glides for uneven surfaces. 66" high. Optional casters add 61/4" to height. Gray enamel finish. Assembles easily.

SHOWN WITH **OPTIONAL CASTERS**

Model	
SC184632	
SC184631	

Description 6 axle reel dispenser 5" polyurethane swivel brake caster set




WIRE REEL CADDY

Pays out wire quickly and easily. Designed for wire spools of assorted sizes. Includes 8 axles 3/4" diameter and 2 axles 1¹/₈" diameter. Rugged 16 gauge welded steel frame is constructed of 3/4" tubing with durable powder coated bright orange finish.

> Model SC230002





STEEL PIN LOCKS **RACKS TOGETHER**

SAFETY U-RACK

10,000 lb. capacity per pair

Ideal for storing bars, channels, angles, pipes etc. Stacks up to 4 high. Safety pins lock stacked racks together to help protect employees from injury. Heavy duty welded steel construction. 25¹/₄" wide top x 20" high x $4^{1}/4^{\prime\prime}$ wide bottom channel.

Model SC952201

VERTICAL SHEET RACK



Stores sheet materials. Includes 3 pairs of $1^3/16^{\circ}$ dia. steel pipe uprights at 12", 26" and 36" heights steel framed wooden deck with lacquer finish. $1^1/2^{\circ}$ H $x^{1/2}$ " thick angle iron frame has rounded safety edges. Provisions included for floor anchoring. Blue enamel finish. Frame sockets permit 31/2" upright adjustments (24"W has 7 sockets; 30"W has 9 sockets). Mobile Rack has 6" mold-on rubber wheels and 2,000 lb. capacity.

L"	х	W"	FLOOR RACK Model	MOBILE RACK Model
	•	24	SC652208	SC652214
60	Х	30	SC652213	SC652215

CORROSION RESISTANT CANTILEVER SHELVING & RACK

Offers 800 lb. capacity per pair of arms. Our Nexelon finish protects against bacteria, mold, cold weather and chemicals. 10 Year Limited Lifetime Warranty against rust and corrosion. 12 gauge steel frame adjusts to 36", 48", 60" or 72"W. Frame measures 72"H x 27"D and includes 27"D x 8-1/2"H bottom shelf. Allows arm adjustments at 6" increments. Cantilever Shelving includes frame, 3 pairs of straight arms and 3 wire shelves. Wire Shelves easily rest on straight arms. Configure your own Cantilever Rack using 1 WIRE **SHELVES** Frame and 24"L Straight Arms to store square or flat items or 20° Inclined Arms to store pipes and round stock. Customize



		ight Arms Incline Arms		
CANTILE SHELVI Mode	NG	ADDITIONA WIRE SHELV Model		
SC2456		SC188556		

W" x D"

36 x 24 48 x 24

60 x 24

72 x 24

ial Ves SC188558E SC245645 SC245646 SC188560E SC245647 SC188564E



MODULAR PERIMETER WIRE FENCE PARTITIONS

Modular security partitions are ideal for protecting dangerous machinery, conveyor belts and electrical switchgear from wear and tear as well as theft. Provides a barrier between employees and potential hazards. Durable woven 10 gauge wire construction provides clear visibility. Partitions can be easily installed for quick removal or more permanently for maximum security with the hardware (sold separately). Panels measure 5'H and attach to post 1' above floor for sweep space. Easy to install, remove or expand. Bright yellow enamel finish.







CONNECTING & DOOR POSTS 72"H x 2" square. Model SC184910 HINGED DOOR 48"W x 60"H. Includes lock hasp. Model SC184911 HARDWARE KIT 100 pcs. of 10 x 3/4 slot hex washer type 'A'. Model SC270015

Model	Width'
SC184900	1
SC184901	2
SC184902	3
SC184903	4
SC184904	5

Model	Width'
SC184905	6
SC184906	7
SC184907	8
SC184908	9
SC184909	10

COMPLETE WIRE MESH SECURITY ROOM Convenient and

Convenient and Easy to Order!

Woven wire mesh security rooms provide security safety protection and access control.

Woven wire mean security rooms provide security, safety, protection and access control. These pre-designed rooms are available with or without a roof, in two, three and four sided configurations. Constructed from high quality 10 gauge steel wire, woven into an extremely strong frame. Modular components makes installation easy, usually requires no change to existing heating, lighting or ventilating system. Components bolt together quickly an can be easily relocated. Long-lasting, maintenance-free powder coated gray enamel finish. Available in 8' and 10'H in five standard sizes ranging from 10'x10' to 20'x30'. All models include a 5'W x 8'H sliding gate with mortise cylinder lock.





2 SIDED B		ROOM WITHOUT ROOF					ROOM WITH ROOF	
	2 SIDES Model	3 SIDES Model	4 SIDES Model	A' B'	C'	2 SIDES Model	3 SIDES Model	4 SIDES Model
7/////////	SC603280 SC603281	SC603290 SC603291	SC603300 SC603301	10 10 20 10	8	SC180250 SC180252	SC180350 SC180352	SC180450 SC180452
SIDED B	SC603282 SC603283 SC603284	SC603292 SC603293 SC603294	SC603302 SC603303 SC603304	20 15 20 20 30 20	8	SC180254 SC180256 SC180258	SC180354 SC180356 SC180358	SC180454 SC180456 SC180458
	SC603285	SC603295	SC603305	10 10	10	SC180260	SC180360	SC180460
4 SIDED	SC603286 SC603287 SC603288	SC603296 SC603297 SC603298	SC603306 SC603307 SC603308	20 20 20 20 20 20	10	SC180262 SC180264 SC180266	SC180362 SC180364 SC180366	SC180462 SC180464 SC180466
Jan 1	SC603289	SC603299	SC603309	30 30	10	SC180268	SC180368 d suffix A to any model above.	SC180468

NEW AMAZING PRICE! WIRE MESH SECURITY PARTITION

Never Compromise Quality for Price... MORE FEATURES & QUALITY



Exclusive Features Include:

- Free mortise cylinder lock in every door
- Free 31/2"W stiffener post with each door for superior strength

Create high-visibility security areas with our easy-to-install partitions. Designed for unrestricted ventilation and layout flexibility. Made of 10-gauge wire woven in a 11/2 diamond pattern with a strong 14-gauge cold rolled C-channel frame. Wire mesh is clinched, not welded, into frame for heavyduty strength and enhanced appearance. Panels include floor sockets, nuts, bolts and detailed assembly instructions. Gray powder

Easy To Assemble!





TOP CAPPING FOR ROOMS WITHOUT ROOF

MOUNTING ANGLE FOR ROOMS WITH ROOF

SC603349

10' HIGH

REMEMBER TO ORDER TOP CAPPING

8' HIGH

PANEL	Model	Model				
1	SC603320	SC603325				
2	SC603321	SC603326				
3	SC603322	SC603327				
2 3 4 5	SC603323	SC603328				
5	SC603324	SC603329				
FILL-A-GAP A	DJUSTABLE PANEL					
11/2"- 12"	SC603330	SC603331				
	R with cylinder lock - 8'H (10 W channel stiffener.	0' H room has 2'H transom)				
3	SC603332	SC603334				
4	SC603333	SC603335				
SLIDING GATE with cylinder lock - 8'H (10' H room has 2'H transom) Includes three 31/2"W channel stiffeners.						
3	SC603336	SC603340				
4 5 6	SC603337	SC603341				
5	SC603338	SC603342				
6	SC603339	SC603343				
*TOP CAPPING: 10' length of top capping (see ordering instructions)						

SC603146 **CORNER POST** SC603344 SC603345

CHANNEL STIFFENER POST Recommended every 2 panels.

SC603346 SC603347

"T" configuration. T-SPLICE: joint 3 panels in SC603130

SLIDING SERVICE WINDOW Includes 12"D shelf. Mounted in 5' wide Panel. Padlockable.

SC603348

WALL CLIPS one set required for each wall connection.

SC603350

in or out. FLOOR SOCKET Anchors panel. 3. Be sure to utilize as many 5 ft. wide panels as possible for most efficient pricing. SC237623 Add one channel stiffener post for every 2 panels. (Stiffener posts are included with **ROOF PANEL** Including hardware. each door and gate.) 1' x 10' SC240761 4. Important: You must order TOP CAPPING in 10-foot sections. Calculate the total 5' x 10' SC240720 linear feet and round up to the nearest multiple of 10, then divide by 10 for the number of top capping sections. Example: Actual 63' 7" linear feet: Order 7 top MOUNTING ANGLE FOR ROOF PANEL 1 required per panel. SC240721 10' capping sections (70 ft. total). ROOF BEAM 5. Adding a roof requires 1 ft. or 5 ft. roof panels (hardware included) and mounting angles. Rooms larger than 20' x 10' require a 10'L roof beam. Roof beams can be SC240722 ROOF BEAM SPLICE KIT joined together by using a splice kit when beam requirements exceed 10'L and a SC240723 channel stiffener post is required to support connected roof beams.

Exclusive Features! WIRE COMPONENTS



FLOOR SOCKETS

INCLUDED WITH

31/2"W CHANNEL

STIFFENER POST





CORNER POST





HINGED DOOR (8'H)

SLIDING GATE (8'H)

PANELS

WALL CLIPS











IN MORTISE

CHANNEL

ADJUSTABLE FILL-A-GAP PANEL

SERVICE WINDOW

CYLINDER LOCK

BUILD YOUR OWN

EASY TO PLAN AND ORDER:

- 1. Make a floor plan including measurements. Determine height of partition.
- 2. Indicate doors, gates and service windows and their size and location. Show the direction of the gate slide or door hinges either left- or right-handed and swinging

ENHANCED VISIBLE SECURITY CAGE

Ventilated Wide Span Bulk Storage Lockers are made with a 3" x 3" x 1/4" thick wire mesh with gray epoxy finish to minimize dust accumulation and maximize visibility for simple inventory control. Lockers include one height-adjustable shelf with 600 lb. capacity. Shelf adjusts in 3" increments. Improved latch design to accept padlock. For enhanced security, install shelf at center position to allow use of included padlock. Double doors are welded to side panels and are flush against unit top. Door hinges swing open 270° for full access to interior. Easy assembly. Choose from a variety of sizes. Additional shelves sold separately.

	WITH DOORS	ADDITIONAL SHELF
Model	W" x D" x H"	Model
SC184083	36 x 24 x 36	
SC184084		SC184106
SC184085	36 x 24 x 60	00.00
SC184086	36 x 24 x 72	
SC184087	48 x 24 x 36	
SC184088	48 x 24 x 48	SC184107
SC184089	48 x 24 x 60	00.01.07
SC184090	48 x 24 x 72	
SC184092	60 x 24 x 60	SC184108
SC184093	60 x 24 x 72	
SC184095	72 x 24 x 60	SC184109
SC184096	72 x 24 x 72	
SC184097	48 x 36 x 48	
SC184098	48 x 36 x 60	SC184110
SC184099	48 x 36 x 72	
SC184100	60 x 36 x 48	
SC184101	60 x 36 x 60	SC184111
SC184102	60 x 36 x 72	
SC184104	72 x 36 x 60	SC184112
SC184105	72 x 36 x 72	







CAPITAL STEEL LOCKERS

Best Price Anywhere! Withstands Everyday Abuse



COAT ROD

FIVE KNUCKLE

AND WELDED STEEL DOOR FRAME

EASY GRIP RECESSED HANDLE FOR **QUICK ACCESS**

Quiet **Operation** and an **Excellent Value**



CATCH-FREE RECESSED HANDLE



HAT SHELF AND **COAT HOOKS**

Overall

Opening



Wt. READY TO ASSEMBLE ASSEMBLED

SC652138GY

SC652147GY

Our Capital lockers provide performance and reliability. Reinforced, welded frameand-door assemblies ensure maximum security. Doors are styled with a catch-free and-door assembles ensure maximum security. Doors are styled with a catchinger recessed handle and padlockable friction hasp for quiet operation and ventilated with 2 sets of louvers. Durable powder coat finish resists wear and scratches for years of attractive service. Legs add 6" to height. Includes blank number plates. Optional locks, numbered plate kits and bases sold separately. Choose from tank or gray and assembled or ready-to-assemble styles. Single Tier lockers include a hat shelf and double and single-prong coat hooks (the 18" deep model also includes coat rod). Double Tier lockers include double and single-prong coat hooks. Assembled lockers are not returnable.

W" x D" x H"	Width"	Doors	Lbs.	Model*	Model*	
SINGLE TIER						
12 x 15 x 72	12	1	50	SC652038	SC652138	
12 x 15 x 72	36	3	147	SC652039	SC652139	
12 x 18 x 72	12	1	53	SC652040	SC652140	
12 x 18 x 72	36	3	162	SC652041	SC652141	
DOUBLE TIER						
12 x 15 x 36	12	2	52	SC652046	SC652146	
12 x 15 x 36	36	6	149	SC652047	SC652147	
12 x 18 x 36	12	2	55	SC652048	SC652148	
12 x 18 x 36	36	6	162	SC652049	SC652149	
*All models: specify color suffix Gray (GY) or Tan (TN)						

CLOSED BASE End Base includes left and right sides.

Model* Description

SC652080A 12"W Front Base SC652083A 15"D End Base SC652084A 18"D End Base



Numbered aluminum plates. Includes rivets. Model SC652095A includes rivet gun.

Model Description SC652095A Numbered 1-100 SC652717A Numbered 101-299 SC652718A Numbered 300-499





Accessories

SLOPE TOP KITS

Up to 3 lockers wide. Includes 3 tops, 2 sides and 3 backs. 63/4" Height

- /	Opening	
Model*	Width"	Depth"
SC652705A	12	12
SC652706A	12	15
SC652707A	12	18
SC652708A	15	18



LOCK

Description SC959101X Keyed Padlock (includes 2 keys)









CHROME DOOR LATCH FOR SMOOTH FINGERTIP OPENING



FIVE KNUCKLE HINGES WITH LAPPED AND WELDED STEEL DOOR FRAME



HAT SHELF AND COAT ROD

Model SC652170TN (6 WIDE) SHOWN WITH OPTIONAL CLOSED BASE AND BUILT-IN COMBO LOCK

The Paramount series lockers feature 16 gauge steel doors, 5-knuckle security hinges, quiet operating latch mechanism, and welded, reinforced frame-and-door assemblies for maximum security. Extra wide louvers promote ventilation. Legs add 6" to height. Durable, attractive powder coat finish is available in the 3 most popular locker colors: blue, tan and gray. Includes blank number plates. Lockers feature finished sides; no need for decorative end panels. Optional locks, numbered plate kits and bases sold separately. Assembled lockers are not returnable.

Single Tier lockers have secure 3-point positive locking system, hat shelf, chrome door latch and double and single-prong coat hooks (18" deep model also includes coat rod).

Double Tier & Triple Tier lockers have secure 2-point positive locking system, chrome door latch and double and single prong coat hooks. **Six Tier** Lockers feature padlockable friction latch and hasp closures.

Sixteen Person lockers featured the same as six tier and are arranged around a central coat rod. Each compartment is 12"W x 18"D x 12"H.

Opening	Overall		Wt.	READY TO ASSEMBLE	ASSEMBLED
W" x D" x H"	Width"	Doors	lbs.	Model*	Model*
Single Tier					
12 x 12 x 60	12	1	43	SC652060	SC652160
12 x 12 x 60	36	3	133	SC652061	SC652161
12 x 15 x 60	12	1	47	SC652062	SC652162
12 x 15 x 60	36	3	140	SC652063	SC652163
12 x 18 x 60	12	1	52	SC652064	SC652164
12 x 18 x 60	36	3	154	SC652065	SC652165
12 x 12 x 72	12	1	46	SC652066	SC652166
12 x 12 x 72	36	3	144	SC652067	SC652167
12 x 18 x 72	12	1	55	SC652070	SC652170
12 x 18 x 72	36	3	167	SC652071	SC652171
15 x 18 x 72	15	1	66	SC652072	SC652172
15 x 18 x 72	45	3	181	SC652073	SC652173
*All models: specify color suffix Blue (BL), Gray (GY) or Tan (TN)					



LOCK

Description

Model SC959101V Keyed Padlock (includes 2 keys) LOCKS FROM MASTER LOCK®

SC652867D Combo Padlock SC652864A SC652868A

Built-In Combo Lock (single/double/triple tier)
Built-In Combo Lock (six tier) Built-In Cylinder Lock (single/double/triple tier)

Built-In Cylinder Lock (six tier)

SLOPE TOP KITS

Up to 3 lockers wide. Includes 3 tops, 2 sides and 3 backs. 63/4" Height. Does not work on 16-person lockers.

Accessories

	Opening	
Model*	Width"	Depth"
SC652705	12	12
SC652706	12	15
SC652707	12	18
SC652708	15	18

CLOSED BASE End Base includes

left and right sides. Model* Description 12"W Front Base 15"W Front Base SC652080 SC652081 SC652082 12"D End Base 15"D End Base SC652083 SC652084 18"D End Base

NUMBERED PLATE KITS

Numbered aluminum plates, Includes rivets. Model DP652095 includes rivet gun.

Model	Description
SC652095	Numbered 1-100
SC652717	Numbered 101-299
SC652718	Numbered 300-499





SC652880

SC652879A

STEEL LOCKERS

Top Quality at an Unbelievable Price!





Model SC652155BL

30	032 I33DL			1	
Opening W"x D" x H"	Overall Width"	Doors	Wt. Ibs.	READY TO ASSEMBLE Model*	ASSEMBLED Model*
Double Tier	Width	D0010	100.	Wiodei	Wiodoi
12 x 12 x 36	12	2	51	SC652074	SC652174
12 x 12 x 36	36	6	153	SC652075	SC652175
12 x 15 x 36	12	2	55	SC652076	SC652176
12 x 15 x 36	36	6	159	SC652077	SC652177
12 x 18 x 36	12	2	58	SC652078	SC652178
12 x 18 x 36	36	6	172	SC652079	SC652179
Triple Tier					
12 x 15 x 24	12	3	56	SC238230	SC238233
12 x 15 x 24	36	9	161	SC238231	SC238234
*All models: sr	ecify cold	or suffix E	Blue (BL).	Grav (GY) or Tan (TN)	

Opening	Overall		Wt.			
W"x D" x H"	Width"	Doors	lbs.	Model*	Model*	
Six Tier						
12 x 12 x 12	12	6	54	SC652054	SC652154	
12 x 12 x 12	36	18	161	SC652055	SC652155	
12 x 15 x 12	12	6	65	SC652056	SC652156	
12 x 15 x 12	36	18	175	SC652057	SC652157	
12 x 18 x 12	12	6	72	SC269690	SC269692	
12 x 18 x 12	36	18	197	SC269691	SC269693	
16 Person						
12 x 18 x 12	69	16	168	SC238232	SC238235†	
*All models: specify color suffix Blue (BL), Gray (GY) or Tan (TN)						

38234 †Ships partially assembled.

Accessories

Model	Length'
SC183670N SC183672N SC183674N SC183676N	6 8 9 10

LOCKER BENCH

1¹/₄" thick hardwood has heavily varnished clear top for splinter-free sitting. Mounted on two heavy steel pedestals - 9 ft. and 10 ft. models have three pedestals. 9¹/₂"W x 18"H. MUST BE ANCHORED TO FLOOR FOR MAXIMUM STABILITY.





INFINITY STEEL LOCKERS

Contemporary Styling with Superior Security

NYLON CATCH FOR QUIET DOOR **OPERATION**







RECESSED **STAINLESS** STEEL HANDLE FOR SAFETY AND **APPEARANCE**



					READY TO ASSEMBLE	ASSEMBLED
	Opening	Overall		Wt.		
	W" x D" x H"	Width"	Doors	Lbs.	Model*	Model*
	SINGLE TIER					
	12 x 12 x 60	12	1	43	SC254109	SC968250
	12 x 12 x 60	36	3	133	SC254110	SC968251
	12 x 15 x 60	12	1	47	SC254111	SC968252
	12 x 15 x 60	36	3	140	SC254112	SC968253
	12 x 18 x 60	12	3 1 3 1	52	SC254113	SC968254
	12 x 18 x 60	36	3	154	SC254114	SC968255
	12 x 12 x 72	12	1	46	SC254115	SC968256
	12 x 12 x 72	36	3 1	144	SC254116	SC968257
ı	12 x 18 x 72	12	1	55	SC254119	SC968260
į	12 x 18 x 72	36	3	167	SC254120	SC968261
	15 x 18 x 72	15	1	66	SC254121	SC968262
í	15 x 18 x 72	45	3	181	SC254122	SC968263
,	DOUBLE TIER					
<u>,</u>	12 x 12 x 36	12	2 6 2 6	51	SC254123	SC968264
r	12 x 12 x 36	36	6	153	SC254124	SC968265
	12 x 15 x 36	12	2	55	SC254125	SC968266
	12 x 15 x 36	36	6	159	SC254126	SC968267
<u>'</u>	12 x 18 x 36	12	2	58	SC254127	SC968268
•	12 x 18 x 36	36	6	172	SC254128	SC968269
	SIX TIER		_			
′	12 x 12 x 12	12	6	54	SC652965	SC652969
,	12 x 12 x 12	36	18	161	SC652966	SC652970
ı	12 x 15 x 12	12	6	65	SC652967	SC652971
ı	12 x 15 x 12	36	18	176	SC652968	SC652972
	12 x 18 x 12	12	6	72	SC269694	SC269696
	12 x 18 x 12	36	18	197	SC269695	SC269697
1	16 PERSON	00	40	400	00000440	000004504
	12 x 18 x 12	69	. 16	168	SC239449	SC239450†

12 x 18 x 12 69 † Ships Partially Assembled

Catch-Free Recessed Handle Enhances Safety and Security Door handle with fingertip lift latch is recessed into the door face to create a smooth catch-free surface, to discourage the padlock from being cut off and to provide a neat, clean look. The results are quiet operation and improved safety, security and appearance. These quality lockers feature 16 gauge steel doors, 5-knuckle security hinge and welded, reinforced frame-and-door assemblies. Extra wide louvers promote ventilation. Legs add 6" to height. Includes blank number plate. Optional locks, numbered plate kits and bases sold separately. Durable, attractive powder coat finish is available in the 3 most popular locker colors; add color suffix: Gray (GY), Tan (TN) and Blue (BL). Assembled lockers are not returnable.

Single Tier lockers have secure 3-point positive locking system, hat shelf, stainless steel door latch and double and single-prong coat hooks (the 18" deep model also includes coat rod).

Double Tier lockers have secure 2-point positive locking system, stainless steel door latch and double and single-prong coat hooks.

Six Tier lockers feature padlockable friction latch and hasp closures.

Sixteen Person lockers feature the same as Six Tier and are arranged around a central coat rod. Each compartment is 12"W x 18"D x 12"H.

LOCK Model Description SC959101W Keyed Padlock (includes 2 keys)

Accessories

SLOPE TOP KITS Up to 3 lockers wide. Includes 3 tops, 2 sides and 3 backs. 63/4" height. Does not work on 16-person lockers. Opening

Model*	Width"	Depth'
SC652705B	12	12
SC652706B	12	15
SC652707B	12	18
SC652708B	15	18

CLOSED BASE End base includes left and right sides. Model* Description

12"W Front Base 15"W Front Base 12"D End Base 15"D End Base SC652080B SC652081B SC652082B SC652083B SC652084B 18"D End Base NUMBERED PLATE KITS

Numbered aluminum plates. Includes rivets. Model DP652095B includes rivet gun. Model Description

SC652095B Numbered 1-100 Numbered 101-299 SC652717B Numbered 300-499 SC652718B





^{*}All models: add color suffix: Blue (BL), Tan (TN) and Gray (GY)

Ventilated lockers are made using heavy 16 gauge steel with diamond shaped perforations for improved airflow. Locker doors feature rubber bumpers on framing to ensure quiet operation. Continuous piano hinges provide maximum security. Recessed handle and finger-lift control creates a clean, neat appearance. Lockers include blank number plates. Gray Powder coat color finishes. Steel lockers feature finished sides; no need for decorative end panels. Legs add 6" to overall height. Optional locks and numbered plate sold separately. Assembled lockers are not returnable. Single Tier lockers feature stainless steel door latch, hat shelf and double and single-prong coat hooks (18"D Lockers also includes a coat rod). Double Tier lockers feature stainless steel door latch and double and single-prong coat hooks. Six Tier Box Lockers feature recessed handles and pad-lockable friction hasp closures.

masp crosures.	•				
Opening W" x D" x H"	Overall Width"	Doors	Wt. Lbs.	READYTO ASSEMBLE Model	ASSEMBLED Model
	TTIGGT	Dooro	LDO.	IVICACI	IVIOGOI
SINGLETIER					
12 x 12 x 72	12	1	81	SC493142GY	SC493242GY
12 x 18 x 72	12	1	99	SC493143GY	SC493243GY
12 x 12 x 72	36	3	183	SC493144GY	SC493244GY
12 x 18 x 72	36	3	225	SC493145GY	SC493245GY
DOUBLETIER		-			
12 x 12 x 36	12	2	86	SC493146GY	SC493246GY
12 x 15 x 36	12	2	97	SC493147GY	SC493247GY
12 x 18 x 36	12	2	106	SC493148GY	SC493248GY
12 x 12 x 36	36	6	197	SC493149GY	SC493249GY
12 x 15 x 36	36	6	210	SC493150GY	SC493250GY
12 x 18 x 36	36	6	242	SC493151GY	SC493251GY
SIXTIER					
12 x 12 x 12	12	6	101	SC493152GY	SC493252GY
12 x 15 x 12	12	6	112	SC493153GY	SC493253GY
12 x 18 x 12	12	6	125	SC493154GY	SC493254GY
12 x 12 x 12	36	18	211	SC493155GY	SC493255GY
12 x 15 x 12	36	18	234	SC493156GY	SC493256GY
12 x 18 x 12	36	18	247	SC493157GY	SC493257GY

INFINITY HEAVY DUTY VENTILATED STEEL LOCKERS







SC493155GY

LOCKER BENCHES



A. FREE STANDING 11/8" thick gray plastic top with safety rounded radius corners and black bullnose edging. Rugged steel pedestal with gray enamel finish. 12"W x 18"H. Easily assembled.

Length'	Model
6	SC702908
8	SC702910



C.11/4" thick MAPLE HARDWOOD BENCH top and sturdy steel base. 17"H x 9¹/₂"W. 8 ft., 9 ft., and 10 ft. long benches have three pedestals. B anchor to the floor for maximum stability. Steel pedestals Gray enamel finish. C free standing STAINLESS STEEL 14"W base.

Length'	B. Model	C. Model
6	SC183670	SC184992
8	SC183672	SC184993
9	SC183674	SC184994
10	SC183676	SC184995



CELL PHONE LOCKERS







Cell Phone Lockers provide a convenient, secure, space saving solution for storing electronic device safely. Made with 21 gauge steel doors and 20 gauge body with black powder coat finish for long lasting durability. Mounted to the wall for ease of use, or placed on any flat surface, suggest to fasten to a wall to prevent tipping. Lockers equipped with high security key lock provide additional security. 12 sets of 2 keys per door, each door is keyed differently. Management has master key set to allow immediate access to all locker compartments as needed. Cell phoné lockers are ideal for military facilities, law enforcement, government contractors, fitness clubs, swimming pools, health care and schools to securely store cell phone, tablets, wallets, sun glasses, keys and other personal items. Name plates and blank paper inserts, control sheet, hardware and mounting brackets included. Ships fully

Overall W" x D" x H"	Compartment W" x D" x H"	Opening W" x H"	Openings	Model
28 ¹ / ₂ x 11 ¹ / ₄ x 38	59/16 x 10 x 11 ¹ / ₂	5 x 10	12	SC270150BK
32 ¹ / ₈ x 10 ¹ / ₈ x 46 ¹¹ / ₁₆	6 ¹³ / ₁₆ x 8 ⁷ / ₈ x 6 ¹³ / ₁₆	5 ⁹ / ₁₆ x 6 ⁹ / ₁₆	24	SC270151BK

PARAMOUNT® INDUSTRIAL STORAGE CABINETS Choose 36" or 48" Wide, Assembled or Easy To Assemble

300 LB. SHELF CAPACITY





CHANNEL



COUNTER HEIGHT CABINET

Ways **C**Paramount® Cabinets **Beat the Competition**

Feature for feature, Paramount is strongest where theirs are not. Paramount doors have extra large 4" barrel hinges with 3/8" pins; their hinges are only 21/4" with 1/8" pins. Paramount shelves are box formed on all sides with dual channel reinforcements to maintain their shape; theirs are a single flat layer prone to sagging when loaded. The Paramount 5/16" round latching rods resist prying; their 3/32" flat rods can bend when doors are forced. The Paramount 48C base is supported with an I-beam for rigidity; their base allows the cabinet to flex, affecting proper door closure. Paramount includes 2 door handles for ease of closing.



OUR EXCLUSIVE 4" x 3/8" HINGES PROVIDE EXTRA DURABILITY



BOX FORMED CHANNEL REINFORCED SHELVES ADJUST ON 2" CENTERS








EXCLUSIVE DUAL CHROME DIECAST **KEY LOCKING HANDLE**





3 POINT **LATCHING** SYSTEM WITH **SOLID STEEL** 5/16" ROD









В	SC269878TN
ъ	30203070114
	COMBINATION CABINET
	COMBINATION CADINE

Durable powder coat finish. Add color suffix: Black (BK), Tan (TN) or Gray (GY). Assembled Cabinets are non-returnable.

ADDITIONAL SHELVE	s
Shelves Cabinet	
Model Model	
SC237517 SC603359	5
SC237650 SC603599	
SC493314 SC493310	
SC493316 SC49331	
SC493315 SC49331	
SC493317 SC493313 SC237518 SC60355	
SC237651 SC60360	

		Openings/		UNASSEMBLED	ASSEMBLED
V	V" x D" x H"	Shelves	Color	Model	Model
S	TYLE A: STORA	GE CABINETS, L	EVER HANDLE		
36	6 x 18 x 78	5 / 4	GY,BK,TN	SC603355	SC603599
36	6 x 24 x 78	5 / 4	GY,BK,TN	SC493310	SC493312
48	8 x 18 x 78	5 / 4	GY,BK,TN	SC493311	SC493313
	8 x 24 x 78	5 / 4	GY,BK,TN	SC603357	SC603600
S	TYLE B: COMBIN	NATION CABINE	TS, RECESSED HA	ANDLE	
	6 x 18 x 72	_	GY,BK,TN	SC269878	SC269879
S	TYLE C: COUNT	ER HEIGHT CAE	SINETS, LEVER HA	NDLE	
36	6 x 18 x 42	3/2	GY	SC269870	SC269871
36	6 x 24 x 42	3/2	GY	SC269872	SC269873

PARAMOUNT® WALL MOUNT **CABINETS**





SC269876GY



Create secure locking storage at eye level for valuable equipment, first aid items, sensitive data or inventory. Rugged all-welded construction. Shipped assembled. Model SC269877 has a built in Document Pocket. Clear View Cabinet has a high-impact acrylic window that provides easy visibility of contents. Attractive scratch and chip resistant finish. Add color suffix: Dark Grav (GY) or Off White (WH).

			Adj.	
Model	W" x D" x H"	Door	Shelves	Color Suffix
SOLID FRONT DO	ORS, RECESSED HANDLE			
SC269874	$13^{3}/_{4} \times 12^{3}/_{4} \times 30$	1	2	GY,WH
SC269877	$19^{7}/8 \times 14^{1}/4 \times 32^{3}/4$	1	2	GY,WH
SC269875	18 x 12 x 26	1	2	GY,WH
SC269876	30 x 12 x 30	2	2	GY,WH
CLEAR VIEW DOO	ORS, RECESSED HANDLE			
SC270017	13 ³ / ₄ × 12 ³ / ₄ × 30	1	2	GY,WH
SC270018	18 x 12 x 26	1	2	GY.WH
SC270019	30 x 12 x 30	2	2	GY,WH

STORAGE CABINET With Recessed Handle

Assembles With Only 4 Screws! 185 lb. Shelf Capacity



RECESSED LOCKING HANDLE



We offer the best value on the market with improved features, easy assembly, and stronger, more durable construction. Ideal for storing office and industrial supplies, these storage cabinets are easy to assemble, with steel box formed doors for added strength. 3-point locking system with 5/16" thick locking rod adds strength and rigidity. Recessed locking handle with 2 keys for safety and security. Includes 4 height adjustable shelves with 185 lb. shelf capacity. Reinforced shelves adjust at 11/4" increments. Overall dimensions: 36"W x 18"D x 72"H. Durable powder coat finish. Add color suffix: Gray (GY), Black (BK), or Tan (TN).

CABINET	ADDITIONAL SHELVES (pkg. of 2)
Model	Model
SC237635	SC269840

PARAMOUNT® WARDROBE CABINETS

Wardrobe Cabinets are made of durable cold rolled steel using 24 gauge steel body reinforced with a 22 gauge steel frame. The channel reinforced, box formed doors include 3-point locking mechanism with a super strong 5/16" round locking bar and nylon guides for silent operation and consistent alignment. The cabinets feature one full width fixed shelf and one full width garment rod. Top Shelf allows storage of personal items. Recessed locking handle with 2 keys for safety and security. Durable powder coat finish. Add color suffix: Gray (GY), Tan (TN) and Black (BK).



SC270033TN

Chrome Coat Hangers, Pkg of 6 Model **SC493306**

	UNASSEMBLED	ASSEMBLED
W" x D" x H"	Model	Model
36 x 18 x 72	SC270031	SC270032
36 x 24 x 72	SC270033	SC270034

STAINLESS STEEL WALL & COUNTER HEIGHT CABINETS

Fully welded 18-gauge type 304 stainless steel for resistance to acid, corrosion and rust. Shelves adjust in 2' increments. Features stainless steel recessed paddle locking handle.



		Adj.	Shelf
W" x D" x H"	Shelves	Cap. Lb.	Model
30 x 12 x 30	1	150	SCB592288

PARAMOUNT® SEE THRU CABINETS





Rugged door construction where it matters most! Doors have 3 extra large 4" x 3/8" barrel hinges each for security, 3-point locking system with pry-resistant solid steel 5/16" latching rods, and dual chrome plated die-cast key locking handles with 2 keys. Box-formed 36"W shelves have full width steel channel reinforcement (2 on 48"W) to help prevent shelf deflection. 4 adjustable shelves, hold 300 lbs. per shelf. Clear View Storage Cabinets feature channel reinforced impact resistant acrylic windows. Expanded Metal Door Storage Cabinets feature mesh door front to allow content visibility and ventilation. Add color suffix in Grav (GY). Tan (TN) and Black (BK).

Julia diay (G1)	ran (i i a) ana biaok (Ditj.	i .
-	Color	EASY ASSEMBLY	ASSEMBLED
W" x D" x H"	Suffix	Model	Model
CLEAR VIEW CABINET	S		
36 x 18 x 78	GY, TN	SC237614	SC237620
48 x 24 x 78	GY,TN, BK	SC237615	SC237621
EXPANDED METAL DO	OOR CABINETS		
36 x 18 x 78	GY,TN, BK	SC270020	SC270021
48 x 24 x 78	GY,TN, BK	SC270022	SC270023

"THE ORGANIZER" HEAVY DUTY CABINET



All Welded

38" CABINET HASP

48 CABINET 1

HASP

Assembled 16 gauge steel cabinets are finished in gray baked enamel and have 4 adjustable shelves. Pegboard panel on each door provides room for an array of equipment. Includes padlock hasp, leveling feet and assorted pegboard hooks... create a system that works with your equipment.

١.	Model	W" x D" x H"	Description	Shelf Cap.
	SC500336 SC603314	38 x 24 x 72 48 x 24 x 72	60 Pegboard Hooks 90 Pegboard Hooks Padlock with 2 Kevs	800 lb. 700 lb.
	SC336375P		Padlock with 2 Kevs	

CYLINDER STORAGE CABINETRuggedly Built Cabinets Are Used For Protecting LPG Cylinders From Theft & Unauthorized Access

Cylinder Storage Cabinets are made of solid 14 gauge steel top and bottom for strength. Features 1/8"x13/16" expanded metal door(s) and sides which allow for ventilation and visibility of contents. Rust and acid resistant safety yellow powder coat finish for long lasting durability. Padlock hasp keeps contents secure for safely storing compressed air/gas cylinders and tanks. (padlock not included). Cabinet will accept 20 lb and 33 lb LPG cylinders. "DANGER FLAMMABLE MATERIALS" sign is located on the door(s). Door stoppers have magnets to keep doors safety shut when not locked. Pre-punched lagging holes in feet for anchoring to the ground. Complies with OSHA regulations.

			Unassembled	Assembled
Cylinder Capacity	Style	W"x D" x H"	Model	Model
4	Horizontal	31 x 30 x 35	SC270252	SC493352
8	Horizontal	$31 \times 30 \times 65$	SC270253	SC493353
16	Horizontal	$60 \times 30 \times 65$	SC270254	SC493354
9	Vertical	31 x 30 x 65	SC270256	SC493356
18	Vertical	$60 \times 30 \times 65$	SC270255	SC493355
8 Horizontal/9 Vertical	Horizontal & Vertical	$60 \times 30 \times 65$	SC270257	SC493357





WALL MOUNT CYLINDER BRACKETS

Easily mounts to permanent vertical surface to help you safely store gas cylinders. Supports cylinders from $3^{1}/2^{"}$ to $12^{1}/2^{"}$ in diameter. Reinforced red polyethylene Plastic Bracket is ideal for highly corrosive environments. Durable welded Steel Bracket has protective vinyl edge with enamel finish. All styles include 11/2" polypropylene strap with steel cinch buckle. Mounting hardware not included. Complies with OSHA and NFPA standards.



	Cylinder	
Model	Capacity	Material
SC116036 SC116037 SC116038 SC116039	One One Two Three	Plastic Steel Steel Steel

FORKLIFTABLE CYLINDER CADDY

Made of heavy duty steel for long lasting durability. Features a forkliftable design allowing for easy storage and transport. Holds cylinders up to 9" in diameter, 1500 lb, load capacity. Hinged retainer bars secure cylinders in place during handling. Designed for convenient loading and unloading. Cylinders roll on or off at floor level without lifting or rolling up a ramp. For use with fork width up to 6". Dissipative ground chain included for security.

Model	Style	Cyl. Cap.	Depth'
SC270217	Stationary	4	23
SC270218 SC270219	Stationary Stationary	6 8	33 43
SC270217C	Mobile [']	4	23
SC270218C SC270219C	Mobile Mobile	6 8	33 43



FLAMMABLE CABINETS





4" HINGE



FLUSH PADDLE HANDLE **HEAVIER** DUTY 14 GAUGE DOORS &

Specifications	
Wall Gauge	18
Door Gauge	14
Corners	Safety Radius
Adj. Shelf Increments	21/2
Handle Type	Recessed
Hinge Type	HD 4"
Finish	Powder Coat
Code Approval	NFPA, OSHA, FM
Limited Warranty	12 Year
Shelves	Galvanized Steel



MANUAL CLOSE DOUBLE DOOR

Gal. Cap.	Adj. Shelves	W" x I	D" x H"	Model	Lbs.
MANUAL CLOSE	DOOR				
22	1	34 x	18 x 35	SC237774	170
28	ż	34 x		SC237775	220
30	1	43 x		*SC116053	240
44		34 x		SC237776	290
45	3 2 2 2 2 2	43 x		SC237286	330
60	2		31 ¹ / ₄ x 65		
60	2	34 x 3		SC237289	380
90	2	43 x 3		SC237292	450
120	2	59 x 3		SC237777	540
	2	33 X	J4 A 05		
BI-FOLD DOOR		40		MANUAL CLOSE	
30	1	43 x		SC237284	260
45	2 2	43 x		SC237287	350
60	2	34 x 3		SC237290	400
90	_ 2	43 x 3	34 x 65	SC237293	460
SELF-CLOSE DOO					
22	1	34 x		SC237778	190
28	2 1	34 x		SC237779	240
30		43 x	18 x 44	SC237285	260
44	3	34 x	18 x 65	SC237780	310
45	2	43 x	18 x 65	SC237288	350
60	2	31 ¹ / ₄ x 3	31½ x 65		
60	3 2 2 2	34 x 3		SC237291	400
90	2	43 x 3	34 x 65	SC237294	460
*Chrome lever handl	e and piano hing				





Fusible link holds doors wide open and melts at 165°F to automatically close (on self-close models).







THREE DOOR STYLES:

- 1. MANUAL CLOSE DOORS will not close automatically
- 2. SELF CLOSE DOORS automatically close only when fusible link melts at 165°F
- 3. SELF CLOSE BI-FOLD DOORS close automatically during normal use and at 165°F

Additional Shelves		
W"x D"	Model	
34 x 18	SC237792	
43 x 18	SC237295	
34 x 34	SC237297	
43 x 34	SC237298	
59 x 34	SC237793	

FLAMMABLE CABINETS

COMPACT FLAMMABLE CABINETS are perfect where space is limited. Meet or exceed all NFPA and OSHA requirements. Constructed of 18-gauge steel. MANUAL-CLOSE door must be physically closed. SELF-CLOSE door closes in the event of fire via a fusible link that melts at 165°F and releases the closing mechanism (per Uniform Fire Code). Full-length piano hinges and 3-point locking handle for smooth door operation. Yellow **powder coat** finish accompanied by a large red warning label "FLAMMABLE - KEEP FIRE AWAY".

Gal. Adj. Cap. Shelves	W" x D" x H"	MANUAL CLOSE Model
2 1	15 x 18 x 17 ¹ / ₄ *	
4 1	17 x 17 x 22*	
4 1	17 ¹ / ₂ x 18 x 22 ¹ / ₂ *	
12 1	23 x 18 x 35*	SC962355
16 1	23 x 18 x 44*	SC962356
20 5	43 x 12 x 43†	
22 1	35 x 22 x 35	SC962357
24 3	43 x 12 x 44†	SC962358
Wall Mount Cabinet	*Single Door	



Compact Wall TOUGH Hung or Bench POWDER COAT Mountable









PAINT & INK/ACID CORROSIVE/PESTICIDE CABINETS



Gal.



4" HINGE

FLUSH PADDLE HANDLE Cabinets are constructed of all welded, double double walled 18 gauge steel with 11/2" air space and dual 2" capped vents with flame arrestors. Doors are double walled with 14 gauge outside and 18 gauge inside. All models have heavy-duty 4" welded hinges with brass pins and 3-point locking doors for added security. Features flush mounted, grip padded handle. Galvanized steel shelves have 350 lb. capacity and adjust on 21/2" centers. Ground connection dissipates static charge. Includes 2" leak proof door-sills and adjustable leveling feet. Meets FSPA code 30, OSHA standards and FM approved. Paint & Ink models have a red powder coat finish. Pesticide models have a green powder coat finish. Both Acid and Pesticide models include corrosive resistant polyethylene trays.

STEEL CABINETS FEATURE THREE DOOR STYLES:

- 1. MANUAL-CLOSE DOORS will not close automatically
- 2. SELF-CLOSE DOORS automatically close only when fusible link melts at 165°F
- SELF-CLOSE BI-FOLD DOORS close automatically during normal use and at 165°F

Gal.	Adj.		MANUAL CLOSE DOOR	MANUAL CLOSE BI-FOLD DOOR	SELF CLOSE DOOR	ADDITIONAL SHELVES
Cap.	Shelves	W" x D"x H"	Model	Model	Model	Model
	Γ& INK					
18	2	23 x 18 x 35	SC237691		SC237697	SC237706
24	3	23 x 18 x 44	SC237692		SC237698	SC237706
36	5	23 x 18 x 65	SC237693		SC237699	SC237706
48	5 3 5	43 x 18 x 44	SC237694	SC237703	SC237700	SC237707
72	5	43 x 18 x 65	SC237695	SC237704	SC237701	SC237707
96	5	34 x 34 x 65	SC237696	SC237705	SC237702	SC237708
	CORROS					
12	1	23 x 18 x 35	SC240469		SC240473	SC240478
18	1	23 x 18 x 44	SC240470		SC240474	SC240478
24	1	23 x 18 x 65	SC240471		SC240475	SC240478
30	1	43 x 18 x 44	SC237709	SC237713	SC237711	SC237715
45	2	43 x 18 x 65	SC237710	SC237714	SC237712	SC237715
60	2	34 x 34 x 65	SC240472	SC240477	SC240476	SC240479
PEST	ICIDE					
12	1	23 x 18 x 35	SC240480		SC240486	SC240495
18	1	23 x 18 x 44	SC240481		SC240487	SC240495
24	1	23 x 18 x 65	SC240482		SC240488	SC240495
30	1	43 x 18 x 44	SC240483	SC240492	SC240489	SC240496
45	2	43 x 18 x 65	SC240484	SC240493	SC240490	SC240496
60	2	34 x 34 x 65	SC240485	SC240494	SC240491	SC240497

12 Year

Limited

Warranty!

MA SEI

12 year limited warranty

Cap.	Shelves	W" x D" x H"	Model
MANUAL CLOS	E DOOR		
6	0	23 x 18 x 22	SC240899
12	1	23 x 18 x 35	SC237582
18	2	23 x 18 x 44	SC237584
22	3	23 x 18 x 65	SC237606
54	3	23 x 34 x 65	SC237766
SELF-CLOSE DO	OOR		
6	0	23 x 18 x 22	SC240900
12	1	23 x 18 x 35	SC237583
18	2	23 x 18 x 44	SC237585
22	3	23 x 18 x 65	SC237607
54	3	23 x 34 x 65	SC237769

Adj.

ADDITIONAL SHELVES

W" x D"	
23 x 18	SC237608
23 x 34	SC237794

SLIM FLAMMABLE CABINETS

All welded double-walled 18 gauge steel construction with 11/2" insulating air space. 2" leak-proof door sills contain leaks and spills. Includes two 2" diameter flame arrestor vents, adjustable leveling feet, galvanized steel shelves and grounding connector. Meets OSHA and NFPA code 30 standards. FM approved (Not



Including 6 Gallon). Powder coat finish. These cabinets feature 14 gauge outside wall construction, lockable flush paddle handle and 4" heavy-duty welded hinges with brass pins. Justrite cabinets include full length piano hinge doors and recessed pad-lockable handle. Self-Close Door models will close via a fusible link that melts at 165° releasing the closing mechanism.

SCISSOR LIFT TABLE Simple Foot Pedal Operation

Simple Foot Pedal Operation Simply the Best Value Available...

Convenient and compact. Low effort foot action pump. Smooth rolling 5" casters, two with brakes. Automatic descending speed control; unique hydraulic pump is designed to descend slower with increased weight. Welded steel frame with durable powder coat finish. Includes handy hook-on bin to carry parts. 2 Year Limited Warranty.

	Cap.	Table	Height		Strokes
Model	Lbs.	L" x W"	Min.	Max.	To Max.
SC954850	660	29 ¹ / ₂ x 19 ³ / ₄	103/4	31 ¹ / ₂	16
SC954852	1100	$35^{1/2} \times 23^{1/2}$	11 ³ /4	36 ¹ / ₂	25



WORK POSITIONING LIFT TABLE Foot Control or Battery Operated!

Bring the work to the worker! Use at conveyor or production lines, as an adjustable workbench or positioning table, or at the dock loading/unloading trucks. Solid steel platform and base with durable enamel finish, and central lift point offer sure, stable lifting. Safety floor lock holds table in position. 1 Year limited warranty.

FOOT CONTROL has durable hydraulic jack offering 7/16" of lift per stroke (1/8" on 6000 lb. models). Easy rolling 2 swivel, 2 rigid polyurethane wheel casters.

		Cap.		Heig	ght"	Wheel
Model	Style	Lbs.	L"x W"	Min.	Max.	Dia"
SC501098†	Α	200	16 x 16	29	46	3
SC232054	В	500	18 x 18	30	48	4
SC232056	В	1000	36 x 18	30	48	4
SC241381	С	2000	36 x 24	30	48	4
SC241382	С	2000	48 x 32	30	48	4
SC232066	С	6000	36 x 24	37	59	6
SC232068	С	6000	48 x 32	37	59	6
†Four swive	l casters	, withou	ıt floor lock.			



PALLET POSITIONER

Helps to Reduce Worker Strain and Risk of Injury from Lifting, Bending and Stretching.



This ergonomic tool is ideal for building or unpacking pallet loads. A combination of heavy-duty springs and shock absorbing dampener maintain a constant working height without overshoot or spring bounce, lowering and raising the carousel as packages are removed or added. No power or air supply is required, and it is virtually maintenance free! The 43-5/8" diameter turntable features low-friction bearings for smooth operation. Full 360° access allows for nearside loading without reaching, as the operator can step closer to the unit's platform to add or remove pallet loads. Wide, free-standing base features 36-5/8"L x 6"W x 2"H fork pockets for easy relocation by fork lift. Strong tubular steel frame with durable powder-coat finish for long life. 1Year Limited Warranty.

Model Cap. Lbs. **SC988295** 400 min./4500 max.

ELECTRIC PALLET TRUCK

Increase Worker Productivity, Efficiency and Safety!



Fully powered electric pallet truck easily lifts and lowers loads with a push of a button. Maneuvers loads up ramps and inside trailers. Double reinforced welded forks for years of service. High-torque 24V DC drive and lift motors handle heavy-duty jobs. Ergonomic handle features easy to operate throttle with infinite forward and reverse speeds, lift/lower controls, safety belly reverse button, and horn. Includes a Curtis controller for smooth and responsive control, and an electromagnetic disc brake with automatic dead-man feature that activates when user releases handle. Includes battery, integral battery charger, Curtis battery level gauge and emergency battery disconnect. Rolls smoothly on polyurethane steer and load wheels. Features 0.7 KW drive and 0.8 KW lift motors, 3-5/16" lowered and 8" raised heights. Offers a minimum of 8 hours service per charge. 1 Year Limited Warranty.

-,	cap.	FUIK
Model	Lbs.	W" x L"
SC988294	3300	24 ¹³ / ₁₆ x 47

BEST VALUE PALLET TRUCK

5500 lb. capacity

LOAD WHEELS



SOLID STEEL TIE RODS



REINFORCED FRAME &

ENTRY ROLLERS POLYURETHANE

GERMAN HYDRAULIC SEALS

FLOOR PROTECTIVE POLYURETHANE STEER WHEELS

W" x L" Model SC334475 SC251783 27 x 48 27 x 42 21 x 48 SC251784 SC251785 21 x 36 27 x 60 SC988184

Durable and economical, this truck offers the best value for your material handling needs. Reinforced tapered stéel forks. Spring loaded self-righting safety loop handle. Easy to operate 3-function hand control (raise, neutral, lower) for smooth control. Hardened chrome piston with protective dust cover. Durable powder coat finish.

PREMIUM PALLET TRUCK


A Real Warehouse Workhorse! Proven 6600 lb. capacity

Sealed leak-proof Exclusive Endura Pump with hardened chrome piston and ram offers smooth, trouble-free operation. Steel roller chain mechanism opens and closes valve with precision. By-pass valve helps protect against overload. Super-strong, box flanged structurally reinforced tapered forks. Convenient 3-stage (raise, neutral, lower) fingertip control and safety loop handle. Includes grease fittings to help maintain performance. Articulated 3/4" axle allows load to move smoothly across uneven surfaces. Durable powder coat finish.

Model	W" x I "
CCE0E3E4	27 × 49

SPECIALTY FORK SIZE MODELS - 6600 Lb. Capacity

Model	W"x L"	Model	W"x L"
SC168032	27 x 42	SC168034	21 x 48
SC168033	27 x 36	SC168035	21 x 42
		SC168036	21 x 36
LOW PROFILE M	ODELS - 4500	Lb. Capacity	
SC168037	27 x 48	SC168039	21 x 48
SC168038	21 x 42	SC168040	21 x 36



(QUICK	REFERE	ENCE	PALLE	T TRU	JCK SPECI	FICATIO	NS CHA	RT	Limited
Model	Capacity Lbs.	Lowered Ht."	Raised Ht."	Fork Width"	Steer Arc°	Adjustable Tie Rod*	Steer Wheel	Load Wheel	Entry Rollers	Warranty
BEST VALUE	5500	3	73/4	6	190	No	7" Polyurethane	3" Polyurethane	Yes	1 Year
PREMIUM	6600	3	71/2	61/4	200	Yes	7" Polyurethane	3" Polyurethane	e Yes	5 Year
PREMIUM (Low Prof	file) 4500	21/8	61/4	61/4	200	Yes	7" Polyurethane	2" Solid Steel	No	5 Year
ERGO	5500	3	71/2	61/4	190	Yes	7" Polyurethane	3" Polyurethane	e Yes	2 Year
QUICK-LIFT	5500	3	71/2	61/4	210	Yes	7" Polyurethane	3" Polyurethane	e Yes	5 Year
HIGH CAPACITY	11.000	31/2	8	81/4	210	Yes	8" Steel	3" Steel	No	2 Year

^{*} Helps to keep proper fork alignment.



Specifically designed for corrosive or extremely wet environments and ideal for use in laboratories and clean rooms. Choice of Galvanized Frame or Premium 316 Stainless Steel Frame truck for ultimate corrosion protection. Exclusive Endura zinc-plated pump with chrome-plated components offers reliable service. 27"W x 48"L with 61/4"W tapered forks that include entry rollers for smooth pallet entry/exit. Comfortable self-righting corrosion resistant galvanized or stainless steel handle has 3-function hand control (raise, neutral, lower) for smooth control. 210° turning radius, 3" lowered height and 71/2" raised height. 7" nylon steer wheels and 23/4" nylon load wheels. 1 Year Limited Warranty.

Model Pallet Truck Type

SC241628 Galvanized
SC241629 Stainless Steel

ERGO PALLET TRUCK
The Next Generation of Pallet Truck!

5500 lb. capacity

EXCLUSIVE ENDURA PUMP

Model
SC168119

Offset, contoured handle helps alleviate stress and strain. Slip-resistant plastic grip minimizes vibration and reduces the transfer of cold and heat to the hands. Features a fully sealed **Exclusive Endura Pump** with controlled, variable speed lowering reducing product damage. Spring loaded finger grip automatically stops lowering when released to help reduce foot injury. Includes grease fittings to help maintain performance. Tapered 27" W x 48" L forks. Durable powder coat finish.

SEE QUICK REFERENCE CHART ON OPPOSITE PAGE FOR ALL TRUCK SPECIFICATIONS.



Rugged, double-channel reinforced structural steel frame handles loads up to $5^{1}/2$ tons! Solid steel pump mount and extra heavy-duty pump with high-pressure seals and hardened chrome-plated piston for years of service. Adjustable solid steel tie rods maintain proper rollability of truck. Steel steer wheels and twin steel load rollers assure secure load movement in toughest environments. Frame includes integral tow loops. Safety loop handle has 3-function hand control (raise, neutral, lower). Tapered 23"W x $45^{1}/2$ "L forks. Durable powder coat finish.

SEE QUICK REFERENCE CHART ON OPPOSITE PAGE FOR ALL TRUCK SPECIFICATIONS.



The fastest, most productive truck on the market! Within 2 strokes, pallet is ready to be moved. Highly efficient; achieve maximum lift height in half the time. Pump automatically switches to normal operation when load exceeds 250 lbs. European designed fully sealed Exclusive Endura Pump has integral overload protection valve. Slip-resistant offset handle offers comfort and safety. Welded, high strength, 27"W x 48"L "C" section forks supply extra rigidity. Durable powder coat finish.

SEE QUICK REFERENCE CHART ON OPPOSITE PAGE FOR ALL TRUCK SPECIFICATIONS.



This pallet truck combines the functionality of a standard truck with the versatility of a lateral moving truck. Perpendicular movement is achieved by raising the load to 71/4" high, which automatically activates the side rolling load wheels. Simply turn the steering handle, set the lock detent into place and truck moves loads up to **2200 lbs. in the lateral mode.** Ideal for maneuvering in tight areas, truck can also be used to move oversized items by placing load across the forks. Lateral mode offers 71/4" lowered height and 81/2" raised height. **Standard mode offers 5000 lb. capacity**, 32/5" lowered height and 7" raised height. Ergonomic rubber coated handle improves comfort and grip. 27"W x 48"L with fully adjustable fork connecting rods. 7"W forks. Built-in safety bypass valve prolongs jack life by preventing overloading. Durable powder coat finish. 1 Year Limited Warranty.

PALLET TRUCK CHOCK



The pallet jack stop is engineered to hold any pallet truck in place in a moving truck or trailer. Its unique design helps to reduce freight and trailer damage due to runaway pallet jacks, making it ideal for freight, logistics and trucking companies. Durable rubber skid jack stop prevents any movement on the floor of a truck or trailer, protecting valuable freight from damage caused when a pallet jack rolls or slides unsecured. The chock works on any surface and will not slip. Truck drivers simply pull the pallet jack into the stop and it is securely parked in seconds. Drivers will never again have to tie a pallet truck down or turn the pallet truck on its side. 14"L x 12"W x 2"H overall and weighs only 3.5 lbs.



BATTERY TRANSFER PLATFORM

PALLET TRUCK NOT INCLUDED

4000 lb. capacity

Convert your existing 27"W x 48"L pallet truck into a cost-effective portable battery changer. One person can load, unload and transfer forklift batteries. $2^{1/4}$ " diameter steel rollers and hand-crank winch with 6' cable and safety latch hook safely facilitate horizontal battery transfer. Because the pallet truck's height is adjustable, it aligns easily with forklift's battery compartment; height to top of rollers is $2^{5/6}$ " above pallet truck's forks. Front locking safety tabs secure battery to deck. All-welded steel construction with durable powder coat finish. $48^{\circ}\text{L} \times 33^{\circ}\text{W} \times 7^{\circ}\text{H}$ overall (46"H to top of winch) with $40^{\circ}\text{L} \times 30^{\circ}\text{W}$ usable deck.



PALLET SCALE TRUCK



Model SC242066

A quick and economical solution to determine pallet weights. Use at the dock to estimate incoming and outbound shipments or in the warehouse to avoid overloading pallet racks. Patented frame mounted sensor measures deflection



caused by the load. Displays up to 4400 lb. capacity in 10 lb. increments and accurate to +/- 40 lbs. throughout lifting capacity range. LCD display with ³/₄"H characters offers ZERO, TARE and LB/KG keypads. Scale operates on (4) Abatteries (included) with automatic shut-off after 3 minutes. 6.3"W tapered forks are 27"W x 48"L. 3-position hand control. 7" polyurethane steer wheels, 2⁹/₄" load wheels, 210° steer arc, 2.95" lowered ht., 7.7" raised ht. 1 Year Limited Warranty.

LOW PROFILE PALLET SCALE TRUCK Weigh & Move Loads in Seconds


Quickly verify inbound and outbound freight. Versatile truck combines all features of a pallet truck with a portable Mettler-Toledo HAWK scale/sensor. (242050 has Ravas scale/sensor). UL approved scale operates on C-cell batteries (included) or 7' AC power cord (included). Model SC241414 has an integrated RS-232 port for sending data to serial device. Back-lit LCD display with 1"H characters. 4 color-coded, tactile-feel keys (ZERO, TARE, FUNCTION, PRINT). Displays up to 5000 lb. capacity in 1 lb. increments (or kilograms/grams). Accurate to 0.15%. 7"W tapered forks are 27"W x 48"L. 3 position hand control. 7" polyurethane steer wheels, 2\(^1\)/2" load wheels, 210° steer arc. 2.95" lowered height, 7\(^3\)/4" raised height. Durable powder coat finish. NTEP Approved Legal for Trade Class Ill Truck is certified for commercial transactions and is supplied with certificate of compliance. 1 Year Limited Warranty.

 Model
 Description

 SC241414
 Pallet Scale Truck

 SC242050
 NTEP Legal for Trade Pallet Scale Truck

HI-LIFT SKID TRUCK Raises Load to a Comfortable Work Height



Perfect for loading/unloading operations. Includes Free Slip-On Platform to allow unit to be used as a Lift Table. Continuous welded heavy steel frame handles heaviest loads. Heavy dutly double roller chain with 2:1 ratio for fast lifting. 6"W forks can be raised from 3½" to 33½"H. Manual foot operated pedal model requires 75 strokes to full lift height at maximum capacity and is 65½"L overall. Battery operated model has 12V/90AH battery and 12 amp charger offering 15 second lift time to max. ht. and is 70"L overall. Comfortable handle allows easy steering. Rolls easily on 6" polyurethane steer wheels with locking brakes and 2¾" load rollers. Use with single faced pallets, skids and bulk containers. 2 Year Limited Warranty.

 Model
 Fork Size

 MANUAL FOOT PEDAL − 2200 LB. CAP.
 201/2"W x 44¹/2"L

 SC241716
 201/2"W x 44¹/2"L

 SC241717
 27"W x 44¹/2"L

 BATTERY OPERATED − 2200 LB. CAP.
 27"W x 44¹/2"L



Heavy duty truck has 4mm thick reinforced steel plate for added strength. Forks can be raised from 31/2" to 311/2"H. Support legs automatically extend when the load reaches 161/2" H and help prevent the truck from moving. 2200 lb. capacity manual pump handle model requires 60 strokes to reach full height at maximum capacity and automatically slows the descending speed with heavier loads to help protect cargo. 3300 lb. capacity battery operated model has 12V/63AH battery and 10 amp charger offering 15 second lift time to max. ht. Rolls easily on 7" polyurethane steer wheels and 3" load rollers. Use with single faced pallets, skids and bulk containers. 2 Year Limited Warranty.

Model	Fork Size
MANUAL PUMP HANDLE – 2200 LB. CAP.	
SC983222	27"W x 45"L
BATTERY OPERATED – 3300 LB. CAP.	
SC241719	27"W x 44"L

PANEL AND LUMBER TRUCK

Complete with Uprights Included 60"L x 30"W Deck 2400 lb. capacity

Transport plywood, drywall, lumber, pipe and other long, bulky products with ease. Removable 13/16" dia. steel pipe uprights are 24" and 34" high and offer (2) 7"W and (1) 10"W bays to help keep the oversized cargo stable. Strong 60"L x 30"W 14 gauge channel reinforced steel deck with welded upright sockets for maximum durability. Rolls easily on 2 swivel, 2 rigid casters. 6" wheels offer 91/2" deck height while 8" wheels offer 111/2" height. Scratch resistant enamel finish. Assembles easily. Optional 1/2" thick Carpeted Plywood Deck helps protect cargo, offers quieter transport. Specify Carpeted Deck suffix (C) to model.

Specify Carpeted Deck suffix (C) to model.						
2000 LB. CAP MOLD-ON RUBBER 6" x 2" WHEELS	2400 LB. CAP MOLD-ON RUBBER 8" x 2" WHEELS	1200 LB. CAP FULL PNEUMATIC 8" x 2 ¹ / ₂ " WHEELS				
Model	Model	Model				
SC241443	SC241444	SC241445				

38 x 48

SC585235



ADJUSTABLE PANEL TRUCK Expandable Frame Capacity to Suit Your Needs!

Upright 13/16" dia. pipe frames are available in three different heights to allow easy access of cargo, while keeping materials upright. Uprights adjust on 31/2" increments. (**Upright frames sold separately.**) 24"W truck has 7 available socket positions while the 30"W truck has 9 sockets. Truck platform is constructed of 11/2" x 1/2" thick angle iron frame with rounded safety edges finished in scratch resistant blue enamel. Rugged 3/4" thick plywood deck has a durable lacquer finish. Rolls smoothly on 2 swivel, 2 rigid casters. Choice of high-capacity mold-on rubber or non-marring "cushion-ride" pneumatic wheels. Assembles easily.

capacity mold-on rubber or non-marring "cushion-ride" pneumatic wheels. Assembles easily.							
PANEL TRUCK- (Purchase Uprights Separately)							
	2000 LB. CAP	1200 LB. CAP					
	MOLD-ON RUBBER 6" x 2" WHEELS	MOLD-ON RUBI 8" x 2" WHEEL	FULL PNEUMATIC 8" x 2 ¹ / ₂ " WHEELS				
L" x W"	Model	Model		Model			
48 x 24	SC241543	SC585228		SC585229			
60 x 30	SC241544	SC585231	1	SC585232			
UPRIGHT FRAMES- (Sold In Pairs) H" x L" Model H" x E 1585231 Model 2400 lb.							
H" x L"	Model	H" x 2 10000231	Model	2400 lb.			
12 x 48	SC585233	12 × 60	SC585236	capacity			
26 x 48	SC585234	26 x 60	SC585237	capacity			

 38×60

SC585238





STEEL DECK TRUCK All Welded Construction

All welded heavy duty 14 gauge steel decks, reinforced with internal longitudinal stiffening members for extra strength. Non-marring integral corner bumpers protect walls. Removable pipe handle. Bolt-on casters are double ball race, two swivel and two rigid. Durable baked gray enamel finish. 5" dia. wheels offer 71/2" deck height, 6" dia. have 81/2" height and 8" dia. have 10³/4" height. Optional Ergo Handle helps to reduce strain on the back, wrists and arms. Specify Ergo suffix (E) to any model.

2400 lb. capacity

PROTECTIVE BUMPERS

EXCLUSIVE BETTER BUILT CHANNEL REINFORCED DECK



0 11 11 1	4000 D. O.D.
	1000 LB. CAP.
36 x 24	SC952105
48 x 24	SC952106
48 x 30	SC952107
60 x 30	SC952108
72 x 36	SC952109
5" x 1 ¹ /2"	RUBBER TIRED WHEELS
	1400 LB. CAP.
36 x 24	SC952110
48 x 24	SC952112
48 x 30	SC952113
60 x 30	SC952116
72 x 36	SC952118
6" x 2"	RUBBER TIRED WHEELS
•	2000 LB. CAP.
36 x 24	SC952121
48 x 24	SC952123
48 x 30	SC952122
60 x 30	SC952127
72 x 36	SC952129
o XZ	RUBBER TIRED WHEELS
	2400 LB. CAP.

5" x 11/4" POLYURETHANE WHEELS

Model

Deck L" x W"

36 x 24	SC952130
48 x 24	SC952132
48 x 30	SC952139
60 x 30	SC952136
72 x 36	SC952138
	NEUMATIC SHOCK
36 x 24	SC952110P
10 v 21	CC0E2112D

36 x 24	SC952110P
18 x 24	SC952112P
18 x 30	SC952113P
60×30	SC952116P
⁷ 2 x 36	SC952118P



STAINLESS STEEL DECK TRUCK All welded stainless steel truck is perfect for use in corrosive applications at labs, WHEELS STAINLESS STEEL DECK TRUCK 5" x 1"/4" POLYURETHANE WHEELS WHEELS

All welded stainless steel truck is perfect for use in corrosive applications at labs, restaurants and hospitals. Premium 16 gauge #4 polished deck and 14 gauge caster mounts for years of service. Rolls smoothly on 2 swivel, 2 rigid casters. 5" wheels offer 8" deck height while 8" wheels have 12" height. Comfortable removable stainless steel push handle.

	POLYURETHANE	FULL PNEUMATIC
Deck	WHEELS 1200 LB, CAP.	WHEELS 1200 LB, CAP.
L" x W"	Model	Model
36 x 18	SC241535	SC241539*
36 x 24	SC241536	SC241540
48 x 24	SC241537	SC241541
60×30	SC241538	SC241542
*Semi-Pne	eumatic Wheels	

8" x 2"

RUBBER TIRED

WHEELS

2400 LB. CAP.

SC241552

SC232620

SC232622

Model

ALUMINUM DECK TRUCK Lightweight, Maintenance Free - 2400 lb. capacity

5" x 11/4" POLYURETHANE

Maximum strength, lightweight deck makes this the perfect choice for moving bulk product. All-welded aluminum channel frame and deck ensures long life and resists corrosion. Slip-resistant diamond tread deck surface has more grip cleats per square foot than competitive trucks, helping to prevent items from falling during transport. **Non-marring integral corner bumpers protect walls.** Newly designed offset ergonomic aluminum push handle helps reduce fatigue and increases maneuverability. Reinforced corner sockets on both ends allows use of additional push handle (sold separately). Rolls smoothly on 2 swivel, 2 rigid roller bearing wheels. 5" dia. wheels offer 71/2" deck height, 6" dia. have 81/2" height and 8" dia. have 103/4" height.

6" x 2'

RUBBER TIRED

WHEELS

2000 LB. CAP.

SC241551

SC232610

SC232612

SC241592

Model

5" x 11/2'

RUBBER TIRED

WHEELS

1400 LB. CAP.

Model SC241550

SC232600

SC232602

SC241591

١ ١		Deck	WHEELS 1000 LB. CAF
	All the second s	L" x W"	Model
	NON-SLIP DIAMOND TREAD	48 x 24 48 x 30 60 x 30 56 x 42	SC241549 SC232596 SC232597 SC241590
STEED!			
			6

ALUMINUM HANDLE

SC241593 U 56"L x 42"W Pallet Sized!



8" x 21/2'

FULL PNEUMATIC

WHEELS

1200 LB. CAP.

SC241553

SC232630

SC232631

Model

FREE PROTECTIVE BUMPERS

SC241553

SC241536

STEEL BOUND WOOD PLATFORM TRUCK

Deck L" x W"	5" x 11/4" POLYURETHANE WHEELS 1000 LB. CAP. Model	5" x 11/2" RUBBER TIRED WHEELS 1400 LB. CAP. Model	6" x 2" RUBBER TIRED WHEELS 2000 LB. CAP. Model
48 x 24 60 x 30	SC241706 SC241707	SC241708 SC241709	SC241710 SC241711
		3" x 2" ER TIRED	8" x 2 ¹ /2" PNEUMATIC

00 / 00	002	
	8" x 2" RUBBER TIRED WHEELS	8" x 2 ¹ /2" PNEUMATIC WHEELS
Deck	2400 LB. CAP.	1200 LB. CAP.
L" x W"	Model	Model
48 x 24 60 x 30	SC241712 SC241713	SC241714 SC241715

Rugged, 3/4" thick plywood deck with lacquer finish is surrounded by a sturdy 11/2" x 1/8" angle iron frame with chip-resistant enamel finish. Removable cross-braced tubular steel handle. Corner sockets on both ends are integrated into the frame to accommodate additional removable handle (sold separately). Roll smoothly on 2 swivel, 2 rigid casters. 5" dia. casters offer 71/2" deck height, 6" casters offer 81/2" height and 8" casters offer 103/4" height. Assembles easily.



 Additional Removable Handle

 Model
 Deck W"

 SC241735
 24

 SC241736
 30

OPTIONAL DOCUMENT HOLDER SC489070S

HARDWOOD PLATFORM TRUCK

Superior performance at affordable prices. Flush 7/8" thick, kiln-dried and sealed deck reinforced with cross-battens for long life. Removable cross-braced tubular steel handle. **Stake Handle** models come complete with four 30"H removable pipe stakes. Roll smoothly on 2 swivel, 2 rigid casters. 5" dia. casters offer 71/2" deck height, 6" casters offer 81/2" height and 8" casters offer 10³/4" height. Assembles easily.

	5" x 1 ¹ / ₄ " POLYURETHANE WHEELS	5" x 1 ¹ / ₂ " RUBBER TIRED WHEELS	6" x 2" RUBBER TIRED WHEELS	8" x 2" RUBBER TIRED WHEELS	8" x 2 1/2" PNEUMATIC WHEELS
Deck	1000 LB. CAP.	1400 LB. CAP.	2000 LB. CAP.	2400 LB. CAP.	1200 LB. CAP.
L" x W"	Model	Model	Model	Model	Model
HARDWOO	DD DECK TRUCK				
48 x 24	SC952509	SC952500	SC952516	SC952501	SC952500P
54 x 27	SC952511	SC952503	SC952517	SC952502	SC952502P
60 x 30	SC952513	SC952505	SC952518	SC952504	SC952504P
72 x 36	SC241697	SC952507	SC952519	SC952506	SC952506P
STAKE HA	NDLE TRUCK				
48 x 24	SC241698	SC952508	SC241702	SC952523	SC952524
54 x 27	SC241699	SC952520	SC241703	SC952510	SC952525
60 x 30	SC241700	SC952521	SC241704	SC952512	SC952526
72 x 36	SC241701	SC952522	SC241705	SC952514	SC952527





FOLDING PLATFORM TRUCK Handles fold For Storage and Transport



A wide variety of material handling trucks for route distributors, salespeople and warehousing. Comfortable, ergonomically designed handle folds down for compact storage. Integral vinyl deck bumpers protect doorways and walls. Lightweight, quiet rolling and maneuver easily on 2 swivel, 2 rigid rubber casters. Model SC241580 has dual folding handles for bi-directional use, plus a 5th wheel center mounted caster for additional deck rigidity.





Wheel

ALUMINUM DECK SITION

SC241580

Platform

Wheel Wt.
Dia." Lbs. Ma

Model	Style	L" x W"	Lbs.	Dia."	Lbs.
SOLID STEEL DECK with	Non-Skid	Vinyl Surface	, Bungee	Cord and Decl	K Hooks to
help retain cargo.					
SC241373	F	28 x 18	400	4	25
SC241374	F	35 x 23	600	5	41
SOLID STEEL DECK with	Non-Skid	Vinyl Surface	, Bungee	Cord and Decl	k Hooks to
help retain cargo, and Sho	ck Absorb	ing, Non-Marr	ing Pneur	matic Wheels.	
SC168134	F	35 x 23	600	8	43
TELESCOPING ALUMINI	JM DECK	extends from	n 20" to 2	28" long.	
SC109100	G	28 x 16	300	4	19

Platform

Cap.

Model Style L" x W" Lbs Dia." Lbs		_	i iatioiiii	cap.	VVIICCI	V V C.
SC241419 H 29 x 19 400 4 20 SC241578 H 36 x 24 600 5 35 SC241579 H 48 x 24 600 5 40 ALUMINUM DUAL HANDLE TRUCK has 5 casters for greater deck strength and capacity. SC241580 1 60 x 30 800 5 60 STAINLESS STEEL DECK offers maximum corrosion resistance. SC242092 H 29 x 19 440 4 26	Model	Style	L" x W"	Lbs.	Dia."	Lbs.
\$\frac{\capacity}{24.1578} \text{H} & \frac{36 \times 24}{36.00} & \frac{5}{5} & \frac{35}{40} \\ \$\text{ALVMINUM DUAL HANDLE TRUCK has 5 casters for greater deck strength and capacity.} \\ \$\text{SC241580} & 1 & 60 \times 30 & 800 & 5 & 60 \\ \$\text{STAINLESS STEEL DECK offers maximum corrosion resistance.} \\ \$\text{SC242092} & H & 29 \times 19 & 440 & 4 & 26 \\ \$\text{C34758} & FILL of the control of the	LIGHTWEIGHT ALUMINUM	DECK with	Skid-Resistant	Ribbed Si	urface.	
SC241579 H 48 x 24 600 5 40 ALUMINUM DUAL HANDLE TRUCK has 5 casters for greater deck strength and capacity. SC241580 I 60 x 30 800 5 60 STAINLESS STEEL DECK offers maximum corrosion resistance. SC242092 H 29 x 19 440 4 26	SC241419	Н	29 x 19	400	4	20
ALUMINUM DUAL HANDLE TRUCK has 5 casters for greater deck strength and capacity. SC241580		Н	36 x 24	600	5	35
SC241580 I 60 x 30 800 5 60 STAINLESS STEEL DECK offers maximum corrosion resistance. SC242092 H 29 x 19 440 4 26		Н			5	
STAINLESS STEEL DECK offers maximum corrosion resistance. SC242092 H 29 x 19 440 4 26	ALUMINUM DUAL HANDLE T	RUCK has 5 of	casters for greater	deck streng	th and capac	ity.
SC242092 H 29 x 19 440 4 26		1			5	60
	STAINLESS STEEL DECK offer	s maximum c	orrosion resistano	e.		
SC242093 H 34 x 22 ¹ / ₂ 770 5 37	SC242092	Н	29 x 19	440	4	26
	SC242093	Н	$34 \times 22^{1/2}$	770	5	37

\/\/t



EUROPEAN STYLE PLASTIC PLATFORM TRUCK

Rugged injection molded polypropylene platform is corrosion resistant and easily cleaned. Underside of platform is ribbed for extra strength to help absorb impact. Offset epoxy coated handle and 2 swivel and 2 rigid casters help to ease transport of materials. Models SC241420 and SC241421 offer a folding handle for compact storage. Models SC252812 and SC252814 offer sockets on each

Deck | ADDITIONAL HANDLE

Model	L" x W"	Lbs.	Dia."	Type	Ht."	Model
SC241420	33 x 21	500	4	Polyurethane	61/2	
SC241421	37 x 25	500	5	Polyurethane	8	
SC252812	36 x 24	1000	5	Mold-On Rubber	81/2	SC252813
SC252814	52 x 25	2000	6	Mold-On Rubber	91/2	SC252815

Caster



NARROW AISLE PLATFORM TRUCK

Choose Wood, Steel or Aluminum Deck!

Handles more merchandise than several hand trucks and stock carts combined. Narrow deck width design simplifies movement in confined spaces, aisles or hallways. Sixwheel caster configuration allows truck to turn on its own radius. Twin removable handles allow transport of oversized cargo. Choose steel bound 5/8" Plywood Deck with polyurethane finish, or 13 gauge Steel Deck with slipproof diamond tread surface, both with 1500 lb. capacity for maximum strength in toughest applications; two rigid 8" polyurethane wheels and four swivel 4" rubber casters with a 12" deck height. Durable powder coat finish. Aluminum Deck truck offers aluminum handles and slip resistant diamond tread 6063 T5 aluminum surface riveted to an all-welded aluminum deck. Corrosion resistant and lightweight truck has **1200 lb.** capacity and 9½" deck height, and rolls easily on two 6" rigid and four 5" swivel polyurethane casters. **Optional Shelves** offer additional shelf space, as each truck can accommodate two shelves (350 lb. capacity per shelf).

			STEEL DECK	WOOD DECK	STEEL SHELF
ı	$L'' \times W''$	x H"	Model	Model	Model
	60 x 16 60 x 24		SC330034 SC330036	SC168002 SC330038	SC241690 SC241691

	ALUMINUM DECK	ADDITIONAL ALUMINUM SHELF
L" x W" x H"	Model	Model
63 x 16 x 61	SC242045	SC242046

WOOD DECK PLATFORM TRUCK

2400 lb. capacity

Transport items safely. $51^{\circ}\text{L} \times 23^{\circ}/2^{\circ}\text{W}$ truck has $^{1}/2^{\circ}$ varnished plywood deck with welded steel frame to handle heavy loads. Complete with twin removable 1" dia. tubular steel handles with cross-braces to help retain cargo. Rolls smoothly on 2 swivel, 2 rigid roller bearing wheels. Chip-resistant powder coat finish. Assembles easily.

Model	Wheel Type	Cap. Lbs.	Deck Ht."
SC241682	6" x 2" Mold-on Rubber	2000	8 ¹ / ₂
SC241683	8" x 2" Mold-on Rubber	2400	10 ³ / ₄
SC241684	8" x 21/2"Full Pneumatic	1200	10 ³ / ₄



Rugged steel construction assures years of performance. Ideal for transporting building materials, as well as wet or dirty loads, as water and debris flow through the deck. Strong 2"x 1 tubular steel frame with '\s'' thick steel grates welded to steel understructure for additional support. 1\(^{1}/4\)" cross-braced pipe handle. Durable powder coat finish. Rolls smoothly on 6" x 2" mold-on rubber casters; 4 Wheel Truck has 2 swivel and 2 rigid casters and 10" deck ht.: 6 Wheel Truck has 11" deck ht., two 8" rigid center casters and 4 swivel end casters that allow truck to turn on its own radius. Assembles easily.



Description Model SC241870 4 Wheel Truck SC241871 6 Wheel Truck

2000





HEAVY-DUTY STEEL 2-IN-1 HAND TRUCK



SC185545 600 lb.

HAND

TRUCK



HAND TRUCK POSITION WITH **FOLDING NOSE** RECESSED

3-IN-1 STEEL HAND **TRUCK** 600 lb. capacity

Easily converts to suit your needs! Features a 45° inclined position and can be used as a hand or platform truck. Heavy duty 14 gauge 1" dia. tubular steel construction for maximum durability. Includes folding 29" nose extension. 10" pneumatic wheels and 31/2" urethane swivel casters for smooth mobility. Durable powder coat finish. 51"H and 14"W. Shipped assembled.



MULTI-FUNCTION

5-IN-1 TRUCK Five Trucks for the Price of One!

Versatile truck converts easily for a multitude of uses and weighs just 41 lbs. Ideal for office use and folds compactly for storage and transport. 16 gauge welded tubular steel frame. Comfortable foam grip handle extends from 41" to 56"L. Rolls smoothly on 8" x 13/4" semi-pneumatic wheels and 21/2 rubber swivel casters. Hand truck position offers 300 lb. capacity and 14"W x 61/2"D reversible steel nose-plate. Platform and dolly position offer 400 lb. capacity. Instrument table position has 231/2" x 19" laminate top (25"H) with protective vinyl edge and 175 lb. capacity. Assembles easily.

> Model SC241415









Quickly move a double pedestal desk without removing contents or drawers. Positive safety latch automatically locks in the raised position. Heavy duty 2" rubber wheel swivel casters rotate 360° for easy maneuvering. Overall size - 22" x 32". Height 9³/4" raised, 5¹/2" lowered. Removable handle and tubular lift frame assembly is completely coated with nonmarring material. Chip resistant blue finish.

Model **SC268602**



Compact, collapsible carts fit neatly into overhead luggage compartments; perfect for airline travel. Strong tubular frame cart is lightweight, yet handles heavy loads. Comfort-grip telescopic handle and simple push button operation retracts wheels and folds nose-plate automatically in seconds. Durable cast aluminum nose-plate (150 lb. cart has a steel nose-plate) handles the load.

Model	Cap. Lbs.	Frame Type	Overall W" x D" x H"	Folded W" x D" x H"	Nose-plate W" x D"	Wheel Size	Wt. Lbs.
SC251847	150	Steel	16 x 16 ¹ / ₂ x 39	16 x 2 ¹ / ₂ x 28	15 x 11	5 x 1	9
SC251848	200	Steel	20 x 19 x 39	$20 \times 2^{1/2} \times 29$	19 x 11	$7 \times 1^{1/4}$	$10^{1/2}$
SC241301	275	Aluminum	$19 \times 13^{1/2} \times 42^{1/2}$	$19 \times 2^{1/2} \times 31$	19 x 13 ¹ / ₂	$7 \times 1^{1/4}$	10
SC241627	440	Aluminum	23 x 15 x 50	$23 \times 3^{1/2} \times 40$	23 x 15	$8 \times 1^{1/2}$	21



Model	Truck Type	Wheel Type	Wt. Lbs.	Cap. Lbs.	
SC252605	Steel	8" Mold-on	51	800	



High-strength tubular steel frame with double-welded joints make this the professionals choice in appliance trucks. Smooth rolling continuous belt stair climbers. $2'' \times 14'$ nylon belt won't scratch load surface. Positive ratchet assembly assures secure load. Non-marring rubber on all contact surfaces. Easy rolling ball bearing wheels. $24'' \times 5''$ nose-plate. 2 wheel models are $59''H \times 17''W$; 4 wheel model offers unique handle which releases rear caster assembly from standing position. Gives you 4-wheel stability and 2-wheel maneuverability on $3^1/2''$ rear casters and is $66''H \times 17''W \times 14^1/2''D$. Shipped assembled.

Model	Style	Ht."	Wt. Lbs	Cap. Lbs.	Wheel"
SC168067	2-wheel	59	62	750	8
SC168031	4-wheel	66	69	1200	




Safely transport furniture, computer equipment or any odd-shaped item easily. Simple hand-operated hydraulic jack raises and lowers loads at controlled speeds. 23"W x 21/4"D lift plate raises load to 10"H. Positive ratchet mechanism with 16' nylon strap secures load. Rolls smoothly on 6" polyurethane casters. 261/2"L x 16"W x 42"H overall and weigh 95 lbs. each. Sold in pairs.

Model **SC242044**



LIGHTWEIGHT PLASTIC DOLLY



One piece 30"L x 18"W high-impact molded polyethylene dollies are lightweight and easy to clean. Will not rot, warp or splinter. Steel reinforced in critical areas for added strength. Four swivel non-marring rubber wheel casters assure easy mobility. Convenient steel loop allows dolly to be towed with a rope or chain. Choose flush deck or non-marking rubber padded deck for added cargo protection.

	4" CASTER-1	5" CASTER-1200Lb. Cap.		
Style	Model	Wt. Lbs.	Model	Wt. Lbs.
J	SC241344	14	SC241529	15
K	SC241345	16	SC241530	17

STEEL DOLLY



Move machinery or heavy cases and cartons. **Arc Welded Steel** dolly has $1^1/2^m \times 1^1/2^m \times 3^1/6^m$ open deck frame with durable enamel finish and low profile 5^m deck height.

		Cap.		
Style	L" x W"	Lbs.	Wheel	Model
L	27 x 16	1200	Rubber	SC952164
L	27 x 16	1600	Steel	SC952165
L	36 x 24	1200	Rubber	SC952166
L	36 x 24	1600	Steel	SC952167

HOW TO SELECT THE PROPER WHEELS AND CASTERS

1. SELECT WHEEL TYPE:

HARD RUBBER - Highly resistant to water, oil and animal fats. High load carrying ability and floor protection. STEEL - Carbon steel casting. Unbreakable in normal service. SEMI-PNEUMATIC - For light duty trailers, dollies or hand trucks. "Puncture-proof", no inner tube. FULL PNEUMATIC - For handling delicate instruments or fragile parts. Floats loads over the roughest floors or obstructions.

MOLD-ON RUBBER - For full floor protection where greater capacities, load cushioning and less "load starting" effort is

MOLDED PLASTIC/POLYOLEFIN - For high impact, easy rolling, floor protection, and capacity. Resistance to many chemicals and heat.

POLYURETHANE - For longer wear, floor protection, high capacity and excellent cushioning.

- DETERMINE LOAD CAPACITY per caster by adding load and truck weight and dividing result by number of supporting casters. For specific recommendations consult our engineering department.
- WHEEL DIAMETER The greater the wheel diameter, the easier it is to move.

FULL-PNEUMATIC CASTER

Transport delicate parts and materials virtually on air. Shock-absorbing, full pneumatic tired, roller bearing wheel absorbs vibrations which could be harmful to load, while protecting floors. Corrosion-resistant electroplated casters provide years of dependable service. 4½" x 4" plate size with 25½" to 3" x 3" to 35½" bolt spacing. Gray rubber tires. (6" diameter casters are constructed of black rubber)

Cap.		Width"	O.A	SWIVEL	RIGID
Lbs.	Dia."	/Ply	Ht."	Model	Model
200	6	2.00/4	71/4	SC241532	SC241531
300	8	2.80/4	93/4	SC748042	SC748040
330	10	4.10/4	12 ¹ /2	SC748046	SC748044
CASTE	R KIT -	2 Swivel	, 2 Rigio	d. Capacity lbs.	is per kit.
1200	8	2 80/4	93/ ₄	. ,	SC502592A



FLOOR LOCK

Mount to underside of platform trucks, lift tables and carts to help immobilize while loading or unloading. Simply step down to lock, step again to unlock. Corrosion resistant zinc-plated steel with 3" rubber footpad. 41/2" x 4" top plate with slotted holes for 25/6" to 3" x 3" to 35/6" mounting.

	For	Extended	Retracted
Model	Caster Dia."	Height"	Height"
SC241851A	4	5 ³ / ₄	5 ¹ /16
SC241851B	5	6 5/8	5 5/8
SC241851C	6	75/8	6 5/8
SC241851D	8	9 5/8	85/8
302410010	0	3 °/8	09/8



Use when an economical caster is desired. Hardened steel balls roll in large raceway. 3" swivel caster has $4^1/8$ " x $3^1/8$ " plate size with $3^3/8$ " x $2^3/8$ " bolt spacing. 3" rigid caster has $5^1/8$ " x $2^1/4$ " plate size with 4" x $1^3/16$ " bolt spacing. 4" swivel caster has 5" x 4" plate size with 4" x 3" bolt spacing. 4" rigid caster has $6^1/4$ " x $3^1/4$ " plate size with 5" x 2" bolt spacing.

SWIVEL	Сар.	Cap. Overall					
Model	Lbs.	Dia."	Width"	Ht."	Material	Model	
SC308500	150	3	1 ¹ /4	3 ⁷ /8	Hard Rubber	SC308508	
SC308504	240	4	11/2	5	Hard Rubber	SC308512	

LIGHT DUTY CASTER 150-350 lb. capacity





MEDIUM DUTY CASTER 200-290 lb. capacity

Ideal when increased capacity is required. Plain (PB) and Ball Bearing (BB) wheels ensure smooth, easy movement. $3^5/8'' \times 2^1/2''$ plate size with $2^7/8'' \times 1^3/4''$ bolt spacing except models SC906230, SC906212 and SC502590A which have $4^1/2'' \times 3^3/4''$ plate size with $2^{5/8}$ " to 3" x 3" to $3^{5/8}$ " bolt spacing.

				WHEEL -		
SWIVEL	Cap			Overall	ı	RIGID
Model	Lbs.	Dia."	Width"	Ht."	Material	Model
SC906218	200	31/2	1 ¹ /8	43/4	Soft Rubber PB	SC906200
SC906220	275	$3^{1/2}$	1 ¹ /4	43/4	Hard Rubber PB	SC906202
SC906230	250	5	1 ¹ /4	6	Polyurethane BB	SC906212
SC906232	290	5	1 ¹ /4	. 6	Hard Rubber PB	SC906214
CASTER KIT -		2 rigid.		lbs. is per kit		
	1000	5	1 ¹ /4	6	Polyurethane BB	SC502590A





			WHEE			
SWIVEL	Cap.		Overa		I	RIGID
Model	Lbs.	Dia."	Width"	Ht."	Material	Model
SC748205 SC748207	420 600	4	1 ¹ / ₂ 1 ¹ / ₂	5 ¹ /8	Molded Plastic Polyurethane	SC748305 SC748307
SC601108 SC601110 SC601112	500 500 350	5 5 5	1 ¹ /2 1 ¹ /2 1 ¹ /2	61/2	Plastic Polyurethane Mold-on Rubber	SC601208 SC601210 SC601212
SC601118 SC601120 SC601122	800 800 500	6 6 6	2 2 2	71/2	Plastic Polyurethane Mold-on Rubber	SC601218 SC601220 SC601222
SC601124 SC601126 SC601128	800 800 600	8 8 8	2 2 2	91/2	Plastic Polyurethane Mold-on Rubber	SC601224 SC601226 SC601228
CASTER KIT - :	2 Swivel, 1400 2000 2400	2 rigid. Car 5 6 8	pacity lbs. is 1 ¹ / ₂ 2 2	per kit 6 ¹ / ₂ 7 ¹ / ₂ 9 ¹ / ₂	Mold-on Rubber Mold-on Rubber Mold-on Rubber	SC241630 SC241631 SC502591A
	2400	0	_	3./2	IVIOIU-OII NUDDEI	30302331A

HEAVY DUTY CASTER

350-800 lb. capacity

Ideal for general utility trucks, platform trucks, dollies, etc. Swivel casters have hardened double ball races and heat treated king bolt for longer life. Wheels roll easily on cage type hardened and ground roller bearings. Standardized 41/2" x 4" top plate has slotted holes for $2^5/8"$ to 3" x 3" to 35/8" mounting.





LO-PROFILE CASTER

Low profile design offers low load height and quick swivel response. Ideal for business machines, dollies and carts. Nylon bearing, powdered metal bushing and double ball bearing, heat-treated raceway. Non-marring casters and thread guards are standard. Durable zinc plated finish. $3^3/4^{\prime\prime} \times 2^3/4^{\prime\prime}$ plate size with $3^3/16^{\prime\prime} \times 1^3/4^{\prime\prime}$ bolt spacing.

			VVIICE			
SWIVEL	Cap.		Overall		,	RIGID
Model	Lbs.	Dia."	Width"	Ht."	Material	Model
SC585501	175	21/2	11/8	3 ⁵ /16	Polyolefin	SC585502
SC585503	210	3	1 ¹ / ₄	3 ¹³ / ₁₆	Polyolefin	SC585504



HI-TECH DUAL LOCKING CASTER 400 lb. capacity

Unique patented dual braking system allows you to lock the caster in two ways. You can lock both the swivel and wheel rotation or just lock the caster swiveling feature, while still allowing the wheel to roll. Durable gray thermoplastic rubber construction is non-marring. Plate size $4^{1/2}$ " x 4^{n} with $3^{5/8}$ " x $2^{5/8}$ " bolt spacing.

Model	Dia."	Width"	O verall Ht."
SC585369	6	13/4	8






HAND TRUCK REPLACEMENT WHEEL KIT

Replace broken, faulty and ineffective wheels. Wheel kit includes two wheels, a 5/8" dia. x 18"L axle, 4 washers and 2 cotter pins. Add or subtract washers as necessary to adjust frame spacing. Fits most hand truck frames.

	Cap.	Wheel	Frame	Wheel
Model	Lbs.	Size"	Width"	Material
SC906260 SC906262 SC906261	500 500 500	8 x 1 ³ / ₄ 10 x 2 ¹ / ₂ 10 x 3 ¹ / ₂	14 ⁵ /16 - 14 ⁵ /8 14 ³ /16 - 14 ¹ /2 14 - 14 ⁵ /16	Mold-On Rubber Semi-Pneumatic Pneumatic



ADJUSTABLE WIRE SHELF TRUCK DESIGNED FOR YEARS OF SERVICE



6"x 2" RUBBER (2

8" x 21/2" FULL

Super-strong 4 shelf wire trucks store and transport material safely and efficiently. 1Year Limited Warranty against rust and corrosion when used in a dry storage application. Open design minimizes dust accumulation, maximizes visibility, light penetration and air circulation. Ideal for warehouse, laboratory, factory, hospital, school or hotel use. Assembles quickly and easily without tools, shelves adjust instantly on 1" increments. Numbered posts allow quick positioning at desired height. Bright chrome-plated finish. Convenient 4-way access. Individual shelf capacity not to exceed 600 lbs.

quick assembly.

†CASTERS WITH WHEEL BRAKE FOR ALL 5" DIA. WHEEL MODELS; ADD "B" TO MODEL

5" x 1 ¹ / ₄ " POLYUR SWIVEL CASTERS & 1200 LB. C	DONUT BUMPERS APACITY		SWIVEL, 2 RIGID) TIRED WHEELS, DOLLY BASE AND	PNEUMATIC WHEELS (2 SWIVEL, 2 RIGID) FOR AIR CUSHIONED RIDE. DOLLY BASE AND
W"x D"x H"	Model		CORNER BUMPERS	CORNER BUMPERS. 1200
36 x 18 x 69	SC188500		1600 LB. CAPACITY	LB. CAPACITY
48 x 18 x 69	SC188504	W"x D" x H"*	Model	Model
60 x 18 x 69	SC188508		SC188600	SC188903
72 x 18 x 69	SC188509	36 x 18 x 63		SC188905
		48 x 18 x 63	SC188602	
36 x 24 x 69	SC188512	60 x 18 x 63	SC188604	SC188904
48 x 24 x 69	SC188516			
60 x 24 x 69	SC188520	36 x 24 x 63	SC188606	SC188906
72 x 24 x 69	SC188511	48 x 24 x 63	SC188608	SC188908
		60 x 24 x 63	SC188610	SC188910
36 x 18 x 80 48 x 18 x 80	SC188502 SC188506	36 x 18 x 74	SC188612	SC188912
60 x 18 x 80	SC188510	48 x 18 x 74	SC188614	SC188914
	SC188513	60 x 18 x 74	SC188616	SC188916
72 x 18 x 80	SC 1885 13	00 X 10 X 74	00100010	00100010
36 x 24 x 80	SC188514	36 x 24 x 74	SC188618	SC188918
48 x 24 x 80	SC188518	48 x 24 x 74	SC188620	SC188920
60 x 24 x 80	SC188522	60 x 24 x 74	SC188622	SC188922
72 x 24 x 80	SC188515	*For overall hei	ght, add caster size plu	ıs 1".

	DUETL DIAIDEUS-			
Attaches at any point along shelf. Chrom-				
L" x H"	Model			
18 x 8	SC188595B			
24 x 8	SC188596B			

DOCUMENT HOLDER- 123/8"L x 2"W x 85/8"H. Model SC579210A

ESD CONVERSION KIT-Includes conductive Aluminum Shelf Sleeves and dissapative ground chain Model SC241418A

Simply snap together and slide shelf over sleeve for positive locking.



WIRE LEDGES- Chrome. Prevents items from falling off.

LXH	ivioaei
18 x 4	SC188580H
24×4	SC188582H
36 x 4	SC188584H
48 x 4	SC188586H
60×4	SC188588H
72×4	SC188590H

CLIP

DESIGN YOUR OWN WIRE TRUCK WITH THESE ACCESSORIES

A. SINGLE BOX SLIDE -Allows you to attach a tray below 18" or 24" deep wire shelf. Model SC339004A MULTI-BOX SLIDE - Create a storage area for trays within a shelving unit. Fits between any two 18" or 24" deep wire shelves spaced 22" apart. Slides spaced on 11/2" centers.

apart. Onaco opacca t)
Model	For Shelves
SC188591B SC188592B	18" Deep 24" Deep

BOXES - 22" x 17" O.D. Gray polyethylene.

Model	Ht."	Model	Ht."
SC772036B SC772040B	4 ¹ / ₄	SC772042B SC772048B	7 10
3C//2040B	0	3C//2040D	10

B. STEM CASTERS - Set of 4. Includes donut bumper. Attaches to bottom of post.

D" x W"	Description	Cap. Lbs.	Model
5 x 1 ¹ / ₄	Polyurethane swivel	1200	SC585181
5 x 1 ¹ / ₄	Polyurethane swivel 2 w/brake	1200	SC585182
5 x 1 ¹ / ₄	Stainless Steel Construction Polyurethane swivel 2 w/brake	1200	SC241346
8 x 2.80	Full-pneumatic non-marring	1000	SC585183

C. PLATE CASTERS - For use with dolly base.

		,	Cap.	SWIVEL	RIGID
D" x W"	H"	WHEEL	Lbs.	Model	Model
5 x 1 ¹ / ₄	6	Polyurethane	250	SC585184	SC585190
5 x 1 ¹ / ₄	6	Polyurethane w/brake	250	SC585185	
$5 \times 1^{1/2}$	$6^{1/2}$	Mold-on Rubber	350	SC585186	SC585191
6 x 2	1/2	Mold-on Rubber	500	SC585187	SC585192
6 x 2	$7^{1}/_{2}$	Polyurethane	800	SC585188	SC585193
8 x 2.80	11	Full-pneumatic	300	SC585189	SC585194

D. DOLLY BASE - Instantly creates a heavy duty mobile shelving unit or cart. Strong, durable formed chrome plated steel construction with corner bumpers. Order plate casters separately. Assembles easily.

Model	W" x D"	Model	W" x D"
SC585175	36 x 18	SC585178	36 x 24
SC585176	48 x 18	SC585179	48 x 24
SC585177	60 x 18	SC585180	60 x 24

E. KEYBOARD DRAWER - Attaches under shelf. Holds keyboards up to 21"W x 11"D. Has 6" Height adjustment. 251/4"W x 15"D x 41/4"H. Chrome.

Model SC339042A		63" HIGH	74" HIGH
F. NYLON COVER - Keep contents dust and dirt free. Made of water resistant 400 denier blue nylon with reinforced corners and double stitching for added durability. Two pockets allow	W" x D" 36 x 18 48 x 18 60 x 18 72 x 18 36 x 24 48 x 24	Model SC481100BL SC481101BL SC481102BL SC481103BL SC481104BL	Model SC481108BL SC481109BL SC481110BL SC481111BL SC481112BL
81/2" x 11" documents to travel with products. Simple hook and loop closure.	48 x 24 60 x 24 72 x 24	SC481105BL SC481106BL SC481107BL	SC481113BL SC481114BL SC481115BL

G. POST - Chrome plated finish. Adjusts instantly on 1" increments.

Model	Ht."	Model	Ht."
SC188456A	14	SC188551A	63
SC188457A	34	SC188553A	74
SC188458A	54	SC188555A	86

H. WIRE SHELVES - Provide maximum air circulation. Chrome plated and reinforced for durability.


I. SOLID SHELVES - 18 gauge galvanized steel, coated in wear-resistant epoxy. Raised perimeter lip helps keep products from sliding off.

Model	W"x D"	Model	W"x D"
iviodei	VV X D	iviodei	VV X D
SC188550A	36 x 18	SC189970B	36 x 18
SC188552A	48 x 18	SC189971B	48 x 18
SC188554A	60 x 18	SC189972B	60 x 18
SC188562A	72 x 18	SC189973B	72 x 18
SC188556A	36 x 24	SC189974B	36 x 24
SC188558A	48 x 24	SC189975B	48 x 24
SC188560A	60 x 24	SC189976B	60×24
SC188564A	72×24	SC189977B	72×24
SC188542A	60×30		
CC188E43V	72 ~ 30		

- J. ADDITIONAL SHELF SLEEVES Snap together on post and slide shelf over sleeve for positive locking. Sleeves are included with shelves. Model SC336374A
- **K. DIVIDER** Separates items on shelf. Attaches easily at any point along shelf, simply hooks into place.

D"x H"	FOR WIRE SHELF Model	FOR SOLID SHELF Model
18 x 8	SC188595A	SC189980A
24 x 8	SC188596A	SC189981A





L. LEDGE FOR FRONT, BACK OR SIDES - 4" high. Prevents items from falling off. Chrome finish.

FOR WIRE SHELVES		FOR SOLID SHELVES
Model	L"	Model
SC188580C	18	SC189982A
SC188582C	24	SC189983A
SC188584C	36	SC189985A
SC188586C	48	SC189986A
SC188588C	60	SC189987A
SC199590C	72	SC189988A

M. PUSH HANDLE - Chrome finish. Adjusts easily on 1" increments.

Size"	Model
18	SC703164
24	SC703165

- **N. DOCUMENT HOLDER -** 123/8" x 2" x 85/8"H. Model **SC489070E**
- **O. UTILITY BASKET** $17^3/8'' \times 7^1/2'' \times 10''H$ Model **SC184798A**
- **P. LABEL HOLDER** Plastic snaps onto wire shelf and slide in any standard label $3''L \times 1^1/4''H$. Pkg. of 25 Model **SC481132A**









FOLD-UP SECURITY TRUCK

Protect Against Theft and Damage





2000 lb. capacity

Completely enclose all types of merchandise. Lockable for maximum security. Conserve valuable floor space...folds to 6" thick. Constructed of 1" square tubing and heavy gauge 1" x 2" wire mesh. Top, bottom deck and center shelf are 1" sq. tubing covered with 20 ga. sheet metal for added strength and rigidity. Center shelf folds to allow storage of oversized cargo. Maneuvers easily on 6" x 2" hard rubber casters, 2 swivel with brakes, 2 rigid. Gray epoxy finish. 441/2"W x 27"D x 76"H overall. Shipped Assembled.

Model	Description	
SC912114	Fold-Up Truck	
SC959101E	Optional Keyed Padlock	

QUICK ADJUST WIRE SHELF TRUCK



Unique shelf suspension hooks allow shelves be added, removed or adjusted in seconds without disassembling entire truck. No tools required: simply lift shelf off post hooks and reposition to desired height. Chrome-plated, open wire shelving offers maximum visibility, light and sprinkler penetration while minimizing dust accumulation. Standard top and bottom shelves each have 600 lb. capacity for stability, while Quick-Adjust shelves have 400 lb. capacity each. Truck has 1200 lb. overall capacity. All shelves adjust on 1" increments numbered posts. High capacity Dolly Base.

OPTIONAL PLISH HANDI F

FUSH HANDLE			
Model	Size"		
SC331584B	18		
SC331585B	24		

4 SHELF TRUCK 5" x 11/4" SWIVEL POLYURETHANE WHEELS*

Model	W"	x D"	x H"	Model	W"	x D"	x H"
SC580550A	36	x 18	x 60	SC580554A	36	x 24	x 60
SC580551A	48	x 18	x 60	SC580555A	48	x 24	x 60
SC580552A	60	x 18	x 60	SC580556A	60	x 24	x 60
SC580553A	72	x 18	x 60	SC580557A	72	x 24	x 60
SC580558A	36	x 18	x 69	SC580562A	36	x 24	x 69
SC580559A	48	x 18	x 69	SC580563A	48	x 24	x 69
SC580560A	60	x 18	x 69	SC580564A	60	x 24	x 69
SC580561A	72	x 18	x 69	SC580565A	72	x 24	x 69
*Optional bra	ake c	aster (2	2) add	"B" to truck model	num	ber.	

ADDITIONAL QUICK ADJUST SHELVES

Model	W	" x D"	Model		W"	x D"
SC580582A	36	x 18	SC580586	6A	36	x 24
SC580583A	48	x 18	SC580587	7A	48	x 24
SC580584A	60	x 18	SC580588	3A	60	x 24
SC580585A	72	x 18	SC580589	9A	72	x 24
ECD KIT	Includes	conductive	Aluminum	Shalf	Sloove	00 000

SD KIT - Includes conductive Aluminum Shelf Sleeves and dissipative Ground Chain. Model **SC241418C**

Description with a second seco **OPTIONAL** DOCUMENT HOLDER W" **OPTIONAL BRAKE** CASTERS 1600 lb. **OPTIONAL** capacity **ESD KIT**

SECURITY STORAGE TRU OPTIONAL ADDITIONAL **QUICK ADJUST SHELVES** UNHOOK TO ADJUST

ADDITIONAL **QUICK ADJUST** SHELF

> 36 36 36

48

48

48 60

x 24

OPTIONAL ESD KIT NSF

UNHOOKS TO ADJUST

IN SECONDS



SECURITY TRUCK

The mobility of a standard truck and the security of a lockable storage unit are combined for maximum versatility. Heavy gauge chrome plated 21/2" square wire mesh allows for visibility and air circulation, makes inventory control simple and minimizes dust accumulation. Dual hinged doors with padlock hasp for security. Additional Quick Adjust Shelves are available for greater shelf space. Shelves can be added, removed or adjusted without disassembling truck. Assembles easily.

	SECONITY THOUK	SECONITY THOUK	
5"	X 1 ¹ / ₄ " Polyurethane Wheel*	6" x 2" Rubber Wheels (2 swivel,	ADDITIONAL QUICK
Sw	ivel Casters & Donut Bumpers	2 rigid), Dolly Base & Corner	ADJUST SHELVES
	1200 lb. Capacity-69"H	Bumpers-1600 lb. Capacity-70"H	ADJUST SHEEVES
x D	" Model	Model	Model
x 14	SC334476		SC241290
x 18	SC334477	SC241812	SC241291
x 24	SC184206	SC241813	SC241292
x 14	SC334478		SC241293
x 18		SC241814	SC241294
x 24	SC184207	SC241815	SC241295

*For optional brake casters (2) add "B" to truck model number.

SC334529

SECURITY TRUCK ACCESSORIES

SC241816

SECURITY TRUCK

Model Description SC184210 Document Holder SC959101H Keyed Padlock SC241418D

ESD Kit-Includes conductive Aluminum Shelf Sleeves and dissipative Ground Chain.

SC241296

FOLDING STEEL SECURITY CART



cart provides secure storage for Variable equipment and supplies while allowing easy folding for compact storage. Doors and sides, top and bottom shelves all fold when empty for quick storage and reduced return freight space. Made using 21 gauge steel with a scratch-resistant light gray powder coat finish, and all panels and shelves are channel reinforced for extra strength. Padlockable swing arm for security (lock sold separately). Top is hinged to allow full access to compartment. Moves easily on 4" polyurethane swivel casters. Measures 30"L x 24"W x 35%"H.

Model Description

SC985417 Folding Security Cart
SC959101E Keyed Padlock

NEST-A-WAY FOLDING TRUCK

1200 lb. capacity





Strong 16 gauge tubular steel frame folds and nests for space saving storage. 42" x 30" bottom shelf folds up and right side folds in forming

SC558829A

an "L" shape for easy, compact storage. $6" \times 2"$ mold-on rubber casters, 2 swivel, 2 rigid. Optional shelf is $42"W \times 30"D$, has a 1000 lb. capacity and hangs onto trucks welded cross members. Durable gray enamel finish. $43"W \times 32"D \times 67"H$ overall. Easy assembly.

Model	Description
SC252750 SC252759	Folding Truck Hook-On Shelf (3 Maximum per truck)

WIRE EXCHANGE AND TRANSPORT TRUCK

FOLDS TO

12" WIDE

Up to 1000 lb. capacity

Quickly dispense and replenish supplies throughout your facility. 25 shelf label holders are included for identification and organization. Open Style Truck has 4-way access to contents. 3-Sided Enclosed Truck helps prevent items from falling off back and sides of shelves during transport. 800 lb. capacity truck has 5" polyurethane swivel casters with protective rubber donut bumpers. 1000 lb. capacity truck has sturdy dolly base with corner bumpers and 5" polyurethane swivel casters for heaviest loads. 69"H. Shelves adjust easily on 1" increments on numbered posts. Galvanized Solid Shelves are coated with clear epoxy for maximum corrosion resistance. Genuine Chrome Wire Shelves are electro-plated nickel-chrome offering excellent ventilation and maximum visibility for quick inventory. Intermediate Quick Adjust Wire Shelves have unique shelf suspension hooks that allow shelves to be added, removed or adjusted without disassembling entire truck. Assembles easily.

FOR ACCESSORIES SEE PAGE 69

	OPEN	-SIDED	3-SIDE	ED ENCLOSED	
	800 LB. CAP.	1000 LB. CAP.	800 LB. CAP.	1000 LB. CAP.	
W" x D"	Model	Model	Model	Model	
TWO WIR		ANIZED SHELF TRUC			
36 x 18	SC251281	SC251287	SC251293	SC251299	
48 x 18	SC251282	SC251288	SC251294	SC251300	
36 x 24	SC558812A	SC558830A	SC558815A	SC558833A	
48 x 24	SC558813A	SC558831A	SC558816A	SC558834A	
60 x 24	SC558814A	SC558832A	SC558817A	SC558835A	
		cludes 3 QUICK ADJU			
36 x 18	SC251283	SC251289	SC251295	SC251301	
48 x 18	SC251284	SC251290	SC251296	SC251302	
36 x 24	SC558800A	SC558818A	SC558803A	SC558821A	
48 x 24	SC558801A	SC558819A	SC558804A	SC558822A	
60 x 24	SC558802A	SC558820A	SC558805A	SC558823A	
FOUR WIF	re-one solid gal'	VANIZED SHELF TRU	CK (Includes 2 QUICK A	ADJUST wire shelves)	
36 x 18	SC251285	SC251291	SC251297	SC251303	
48 x 18	SC251286	SC251292	SC251298	SC251304	
36 x 24	SC558806A	SC558824A	SC558809A	SC558827A	
48 x 24	SC558807A	SC558825A	SC558810A	SC558828A	
60 x 24	SC558808A	SC558826A	SC558811A	SC558829A	



ONE SOLID SHELF
3-SIDED ENCLOSED
1000 LB. CAPACITY
(SHOWN WITH OPTIONAL
TRAY SLIDES)
ONE SOLID SHELF
OPEN STYLE TRUCK
1000 LB. CAPACITY
(SHOWN WITH OPTIONAL
DIVIDERS)





FIVE WIRE SHELF OPEN STYLE TRUCK 800 LB. CAPACITY

SHELF TRUCK

Choice of Wood or Laminated Wood Shelves



E-Z ADJUST BOLT-LESS Easy access to items from all sides. Super strong roll formed steel framing with positive interlocking beam and post connection. 21/4" v 11/6" v 14 reuse uprights. Change translation and the strong roll formed steel framing with positive interlocking beam and post connection. post connection. $2^{1}/4^{\prime\prime} \times 1^{1}/2^{\prime\prime} \times 14$ gauge uprights. Choose rugged $5^{1}/6^{\prime\prime}$ thick particle board shelves or attractive, bright, easy to clean white melamine laminated $1^{1}/2^{\prime\prime}$ thick particle board shelves. Shelves are supported by steel beams that "quick adjust" on $1^{1}/2^{\prime\prime}$ increments. Strong 14 gauge angle iron dolly base. Durable gray baked enamel finish. All trucks have a **1200 lb capacity**. Overall height with 5" wheels is 65", 8" wheel trucks are 68" high. Easy assembly. WHEEL CHOICES



CHOOSE THE WHEELS AND SHELVES TO **SUIT YOUR** NEEDS!

NON-MARRING POLYURETHANE RUBBER TIRED



NON-MARRING **PNEUMATIC**

ASSEMBLY				TIRED WHE	ELS	WHEELS	WHEELS	
		Shelf	POLYURETHANE 5" x 1 ¹ / ₄ " Wheels		IBBER Wheels		PNEUMATIC 21/2" Wheels	ADDITIONAL SHELVES
	W" x D"	Qty.	Model	l N	lodel		Model	Model
	WOOD SHELF							
	36 x 18	4	SC585410	SC	585411	S	C585412	SC585457
	36 x 18	4 5	SC585413		585414		C585415	SC585457
	36 x 24	4	SC585416		585417		C585418	SC585458
	36 x 24	5	SC585419		585420		C585421	SC585458
	48 x 24	4	SC585422		585423		C585424	SC585459
	48 x 24	5	SC585425		585426		C585427	SC585459
	60 x 24	4	SC983111		983112		C983113	SC983114
	60 x 24	5	SC983115	SC	983116	S	C983117	SC983114
LAMINATED WOOD								
			POLYURETHANE		IBBER		PNEUMATIC	ADDITIONAL
		Shelf	5" x 11/4" Wheels		" Wheels		21/2" Wheels	SHELVES
	W" x D"	Qty.	Model	l N	lodel		Model	Model
	36 x 18	4	SC330410	SC	330411	S	C330412	SC330434
	36 x 18	5	SC330413	SC	330414	S	C330415	SC330434
	36 x 24	4	SC330416	SC	330417	S	C330418	SC330435
	36 x 24	5	SC330419	SC	330420	S	C330421	SC330435
	48 x 24		SC330422	SC	330423	S	C330424	SC330436
	48 x 24	4 5 4	SC330425	SC	330426		C330427	SC330436
	60×24	4	SC330428		330429		C330430	SC330437
	60 x 24	5	SC330431	SC	330432	S	C330433	SC330437

ADJUSTABLE SHELF CART





SC188892

Assembles quickly without tools. Shelves adjust at 1" increments. Numbered posts allow quick positioning at

desired height. Convenient 4-way access. 5" polyurethane wheel swivel casters with donut bumpers, **Open Wire** Chrome plated shelves minimize dust accumulation, maximize visibility and air circulation. Solid galvanized steel, 18 gauge, shelves are corrosion resistant for long life and double walled for maximum rigidity and strength. Overall height for all carts is 40".

	2 SHELF	CART	3 SHELF	CART	
W"x D"	OPEN	SOLID	OPEN	SOLID	
36 x 18	SC188679	SC188879	SC188687	SC188887	
48 x 18	SC188680	SC188880	SC188688	SC188888	
60 x 18	SC188681	SC188881	SC188689	SC188889	
72 x 18	SC188682	SC188882	SC188690	SC188890	
36 x 24	SC188683	SC188883	SC188691	SC188891	
48 x 24	SC188684	SC188884	SC188692	SC188892	
60 x 24	SC188685	SC188885	SC188693	SC188893	
72 x 24	SC188686	SC188886	SC188694	SC188894	

PUSH HANDLE. Chrome finished handle aids in steering. Adjusts easily on 1" increments.

Size" Model 18 SC703164A 24 SC703165A

DOCUMENT HOLDER Model SC489070A

ESD KIT. Includes conductive Aluminum Shelf Sleeves and dissipative Ground Chain. (For chrome wire carts only). Model SC241418B

WIRE TRAY CART & TRUCK 600 lb. capacity

Open chrome-plated wire construction permits easy access and removal of contents. Allows maximum air circulation while minimizing dust accumulation. Rolls easily on 5' x 11/4" rubber swivel casters, 2 with brakes. Rubber bumpers help to protect walls. 11/2" spacing between shelves. Accepts Optional Trays sold separately; 40" H Cart holds 19 Trays while 69" H Truck holds 39 Trays. Choose easy access 30" L x 18" W Side-Load style or 30" L x 21"W End-Load style for smaller work areas and aisles. Optional Tray

Stop Kit available to help prevent trays from sliding out.

Optional ESD Conversion Kit offers effective protection for handling PC boards and electronic components in assembly, package and storage areas.

account, promise and ordered account					
Model	Description				
SC168315	Side-Load Cart				
SC168317	End-Load Cart				
SC168316	Side-Load Truck				
SC168318	End-Load Truck				
Tray Stop Kit - re	equires 2 per Cart or Truck.				
SC168319	Fits Side or End Cart				
SC168320	Fits Side or End Truck				
ESD Conversion	on Kit - Includes conductive				
Aluminum Shelf	f Sleeves and dissipative ground				
chain. For Carts	or Trucks.				
SC241288	ESD Kit				



STOP KIT



OPTIONAL TRAYS - 26" x 18" trays are temperature resistant from -60° to 250° F. **Standard Trays** are molded of off-white Fiberglass and have reinforced edges for extra strength. ESD Conductive Trays are molded of black thermo-set composite material with permanent surface resistivity of <105 ohms/sq.

Model	Tray Style		
SC585301	Standard		
SC241289	ESD		

GALVANIZED OR STAINLESS STEEL SHELF TRUCK



OPTIONAL ACCESSORIES AND BRAKE CASTERS

Choose between 18 gauge clear epoxy coated galvanized steel or Type 304 stainless steel shelves. Shelves are corrosion resistant, adjust at 1" increments and feature a raised shelf edge to keep items from falling during transport. 5" diameter polyurethane swivel casters feature donut bumpers to help protect walls. Individual shelf capacity not to exceed 400 lbs. Fast, easy assembly.

Casters with wheel brakes available. Add "B" to model.

		_		4 SHELF	ADDITIONAL
OPTIONAL ACCES	SSORIES			TRUCK	SHELVES
OUDONE BUOUL	IANIDIE	W" x D"	x H"	Model	Model
CHROME PUSH F Model	Size"	GALVANIZ	ED SHEL		
SC703164G	18	36 x 18	x 69	SC489042	SC189970C
SC703164G SC703165G	24	48 x 18 60 x 18	x 69 x 69	SC489043 SC489044	SC189971C SC189972C
		72 x 18	x 69	SC489045	SC189973C
SHELF LEDGES		36 x 24	x 69	SC489046	SC189974C
Prevent items from Chrome finis		48 x 24	x 69	SC489047	SC189975C
Model	Size"	60 x 24	x 69	SC489048	SC189976C
SC189982B	18	72 × 24	x 69	SC489049	SC189977C
SC189983B	24	36 x 18 48 x 18	x 80 x 80	SC489052 SC489053	SC189970C SC189971C
SC189984B	30	60 x 18	x 80	SC489054	SC189972C
SC189985B	36	72 x 18	x 80	SC489055	SC189973C
SC189986B	48	36 × 24	x 80	SC489056	SC189974C
SC189987B SC189988B	60 72	48 x 24	x 80	SC489057	SC189975C
3C 103300D		60 × 24	x 80	SC489058	SC189976C
WIRE SHELF DIVID	DER. 8"H.	72 × 24	x 80	SC489059	SC189977C
Chrome fini		STAINLES			
Model	D"	36 x 18	x 69	SC585110	SC585119
SC189980E	18	36 x 24 48 x 24	x 69 x 69	SC585111 SC585112	SC585120 SC585121
SC189981E	24	36 x 18	x 80	SC585113	SC585119
DOCUMENT HO	I DFR	36 x 24	x 80	SC585114	SC585119
12 ³ /8" x 2" x 8 ⁵ /		48 x 24	x 80	SC585115	SC585121
Model		36 x 18	x 92	SC585116	SC585119
SC489070I	3	36 x 24	x 92	SC585117	SC585120
		→ 48 x 24	x 92	SC585118	SC585121



SECURITY TRUCK

Transport materials easily and securely. Sturdy 11/2" x 1/8" angle iron frame has rounded safety edges and is finished in scratch resistant blue enamel. Rugged 3/4" thick plywood decking with lacquer finish helps reduce noise during transport. Wire panels 23" H with 21/4" DP. grids allow for air circulation and inventory control. Security Truck Model can be locked with optional padlock to protect contents. Each truck includes 2 swivel and 2 rigid casters. Cross-braced 29"H dual handles (except Style A one handle). Assembles easily.

OPTIONAL ACCESSORIES

Model	Description
SC489070D	Document Holder
SC959101C	Keved Padlock

			MOLD-ON RUBBER	MOLD-ON RUBBER	FULL PNEUMA	TIC
Description		L" x W"	6" x 2" WHEELS	8" x 2" WHEELS	8" x 21/2" WHE	ELS
WOOD SIDES A	AND DE	CK	Model	Model	Model	
Flat Deck	A	48 x 24	SC241501	SC952661	SC952662	
Flat Deck	A	60 x 30	SC241502	SC952664	SC952665	
Closed Ends	B	48 x 24	SC241503	SC952667	SC952668	
Closed Ends	B	60 x 30	SC241504	SC952670	SC952671	
Three Sides Three Sides	CC	48 x 24 60 x 30	SC241505 SC241506	SC952673 SC952676	SC952674 SC952677	
Four Sides	D	48 x 24	SC241507	SC952679	SC952680	
Four Sides	D	60 x 30	SC241508	SC952682	SC952683	
WIRE SIDES W	ITH WO	OD DECK				
Three Sides	E	48 x 24	SC241509	SC952685	SC952686	
Three Sides	E	60 x 30	SC241510	SC952688	SC952689	
Four Sides	F	48 x 24	SC241511	SC952691	SC952692	
Four Sides	F	60 x 30	SC241512	SC952694	SC952695	
Security Truck	G	48 x 24	SC241513	SC184300	SC184302	
Security Truck	G	60 x 30	SC241514	SC184301	SC184303	
						72



PLASTIC SERVICE CART

"The Industry Standard" BEST PRICE ANYWHERE!

Rugged structural plastic cart for all types of applications including industrial, medical and food preparation. Won't rust, dent, peel or chip, is easily cleaned and is virtually maintenance free. 3" deep trays (except model **SC241749** with 2¹/₂" trays) with leakproof top shelf. Comfort-grip push handle allows easy steering. Lightweight cart rolls easily on 2 swivel, 2 rigid non-marking casters. Choose Optional Full-Pneumatic Wheels for a soft ride and easy rolling over rough surfaces. Personalize your cart with our great accessories. Assembles easily.



OPTIONAL ACCESSORIES


L" x W" Model Description Model Qty. Type SC241581* Utility Bin 21"L x 21/2"W x 4"H
SC241678* Hook-On Refuse Bin 14"W x 10"D x 19"H
Locking Steel Drawer 10³/4"W x 18"D x 4¹/2"H
SC241635 3 Outlet Power Strip with 10' cord
*Does Not Fit SC241749 Tray Cart SC241749 x 33 x 33 5" Rubber 5" Rubber 34 x 17¹/₂ SC498526 40 x 26 8" Pneumatic SC241567 40 x 26 x 38 5" Rubber SC241568 40 x 26 x 33 40 x 26 x 38 8" Pneumatic SC241569

FLAT SHELF SERVICE CART

Durable structural plastic cart is easily cleaned and virtually maintenance free! Smooth, level Flat Top Shelf is ideal for loading and unloading oversized cargo. Lower shelf offers a 3" deep tray (except Model SC985087 with 21/2" tray) to help retain cargo during transit. Comfortable ergonomically designed push handle allows easy steering. Lightweight cart rolls easily on 2 swivel, 2 rigid non-marking casters. Choose Optional Full Pneumatic Wheels for a soft ride and easy rolling over rough surfaces. Personalize your cart with our great accessories. Assembles easily.

capacity

Model	L" x W" x H"	Qty.	Type	
SC985087	$34 \times 17^{1/2} \times 33$	2	5" Rubber	
SC498529	40 x 26 x 33	2	5" Rubber	
SC241587	40 x 26 x 38	2	8" Pneumatic	500 lb.
SC241588	40 x 26 x 33	3	5" Rubber	capacity
SC241589	40 x 26 x 38	3	8" Pneumatic	capacity



Description Utility Bin 21"L x 21/2"W x 4"H Hook-On Refuse Bin 14"W x 10"D x 19"H Locking Steel Drawer 103/4"W x 18"D x 41/2"H SC241581A* SC241678A* SC241720A* SC241868 3 Outlet Power Strip with 10' cord Does Not Fit SC985087 Flat Shelf Cart



DELUXE PLASTIC SERVICE CART

Versatile cart offers molded-in tool storage trays, cup holder and towel rack conveniently located in the ergonomically designed push handle. Heavy duty, tough structural foam plastic construction resists scratches, dents and cleans easily. 3" deep trays help to retain cargo during transit. Lightweight, quiet rolling cart maneuvers easily on 2 swivel, 2 rigid casters. Choose Optional Full Pneumatic Wheels for a soft ride and easy rolling



over rough st	irraces. Assemble	s easily.		No. of Concession, Name of Street, or other Persons, Name of Street, or ot	
Model	Overall L" x W"x H"	Shelf Qty.	L" x W"	Wheel Type	PUSH HANDLE HAS
SC242080	40 x 17 x 33	2	31 x 17	5" Rubber	MOLDED-
SC242082 SC242083	40 x 17 x 35 40 x 17 x 33	2 3	31 x 17 31 x 17	6" Pneumatic 5" Rubber	IN TOOL STORAGE
SC242084 SC242081	40 x 17 x 35 46 x 25 x 33	3	31 x 17 37 x 25	6" Pneumatic 5" Rubber	TRAYS AND
SC242085	46 x 25 x 35	2	37 x 25	6" Pneumatic	CUP HOLDER
SC242086 SC242087	46 x 25 x 33 46 x 25 x 35	3 3	37 x 25 37 x 25	5" Rubber 6" Pneumatic	

OPTIONAL ACCESSORIES Model Description Utility Bin 21"L x 21/2"W x 4"H Hook-on Refuse Bin 14"W x 10"D x 19"H SC241581C* SC241678C* 3 Outlet Power Strip with 10' cord SC241868B *Only fits 46"L x 25"W Carts

500 lb. capacity



MOBILE WORK CENTER

Rugged structural plastic cart has steel locking doors and sides with steel pegboard at both ends for secure storage and organization. Cable management opening allows cart to be used as a mobile charging station for rechargeable tools. Pegboard end panel prevents heat build-up from electronics, and casters allow cart to be parked near electric outlets. When charging is complete, simply unplug and go.

Steel enclosure secures valuables with 2 point locking mechanism that captures and locks both doors. Locking chrome door handle includes 2 keys. Perforated end panels serve as a pegboard with handy organizing hooks (sold separately). Gray powder coat finish and gray structural foam. Choose Tray Shelf with 3" deep leak-proof top or Flat Shelf style. All include molded-in push handle with 2 swivel, 2 fixed non-marking casters. Choose optional Pneumatic Wheels for a cushioned ride. Assembles easily.

Model	Style	Wheel Type	L" x W" x H"			
SC241864	Tray Shelf	5" Rubber	40 x 26 x 33			
SC241865	Tray Shelf	8" Pneumatic	40 x 26 x 38			
SC241866	Flat Shelf	5" Rubber	$40 \times 26 \times 33$			
SC241867	Flat Shelf	8" Pneumatic	$40 \times 26 \times 38$			
SC241868A		Optional 3 Outlet Power Strip				
SC241869	Optional 30 PC.	Optional 30 PC. Pegboard Hook Kit				



WIRE UTILITY CART 800 lb. capacity

All purpose cart has 1001 uses. Bright chrome plated finish, open wire construction allows air circulation, reduces dust and dirt build-up. Adjustable shelves. 5" polyurethane wheel swivel casters with protective bumpers. Optional snap-on ledges help to prevent fall-off, ledges stack to create a basket effect. 38" high. Assembles easily.

DOCUMENT HOLDER

Model SC489070N

ESD KIT - Includes conductive Aluminum Shelf Sleeves and dissipative Ground Chain.

Model SC241418F

			4"H LED	GES
	2 SHELF	3 SHELF	Model	Size"
L'' x W''	Model	Model	SC188580B	18
36 x 18	SC188704	SC188724	SC188582B	24
36 x 24	SC188708	SC188728	SC188584B	36
48 x 24	SC188710	SC188730	SC188586B	48



FOLD-A-WAY STOCK CART

750 lb. capacity

Heavy-duty stock cart offers easy transport and removal of contents. High side walls contain cargo. Folds easily to 18" deep for compact storage. Convenient latch holds cart in folded position. Durable 14 gauge steel construction with 1" tubular frame and handle. Open wire 31/2" x 31/2" grid allows visibility to contents. Folding, smooth top shelf provides additional storage space. 25" clearance between shelves. Bottom shelf features slip resistant tread plate surface. Features two 5" polyurethane swivel casters and two 8" axle mounted thermoplastic rubber wheels for easy mobility. 38"L x 28"W x 39"H overall with chip resistant blue powder coat finish. Easy assembly.

FOLDS TO 18" FOR COMPACT STORAGE



MAIL/SERVICE CART with Removable Baskets



Collect and deliver mail, packages, inventory and tools. **Removable baskets make sorting and loading simple**. Heavy duty 18 gauge x 1" diameter tubular steel construction is chrome plated for long life. File rails included to accommodate hanging files. Carts feature non-marring wheels, two 5" dia. rubber swivel casters and two 10" semi-pneumatic rear wheels. Cushioned push handle for comfort. **STANDARD CART** has a 25"L x 171/4"W x 11"D upper basket and a 25"L x 171/4"W x 71/2"D lower basket. **DELUXE CART** has a 36"L x 171/4"W x 11"D upper basket and a 36"L x 171/4"W x 71/2"D lower basket. Easy assembly.

Model	Description	L" x W" x H"	Cap. Lbs.
SC168029	Standard Cart	33 x 24 x 38	200
SC168030	Deluxe Cart	43 x 24 x 38	250

WIRE SHELF INSTRUMENT CART



Securely transport and store valuable, sensitive equipment. Ideal for bulky items, too. Nickel chrome-plated wire is attractive and rust resistant. Non-conductive 0.035" clear polypropylene shelf liners included. Shelves are adjustable on 1" increments. Shock absorbing 8" pneumatic wheels (2 swivel, 2 rigid) are smooth rolling and highly maneuverable. Donut bumpers help protect walls. 44" overall height. Assembles easily.

	2 SHELF	3 SHELF
L'' x W''	Model	Model
36 x 24	SC188780	SC188786
48 x 24	SC188782	SC188788
60 x 24	SC188784	SC188790

4"H LEDGES					
Size"	Model	Size"	Model		
24	SC188582D	48	SC188586D		
36	SC188584D	60	SC188588D		

Model SC489070F

ESD KIT - Includes conductive Aluminum Shelf Sleeves and dissipative Ground Chain. Model SC241418E

STAINLESS STEEL UTILITY CART



400 lb. capacity

Simply the best stainless steel cart value on the market! Ideal for use in clean rooms, restaurants and other corrosive environments. Premium 304 polished stainless steel throughout, with 20 gauge shelves and strong 16 gauge shelf uprights for years of service. 24"L x 161/4"W x 33"H with 12" clearance between shelves. Top and middle shelves have 11/4" lips on 3 sides to help retain cargo during transit, while flush lower shelf is ideal for oversized items. Comfortable tubular push handle. Rolls smoothly on four 4" swivel non-marring rubber casters, 2 with brakes. Assembles easily.

Model SC241586

PICKING & DISTRIBUTION UTILITY CART



Ideal for pickup and distribution of parts, tools, mail, etc. Rugged 1" round tubular steel frame. Extra large heavy duty welded steel baskets transport bulky items easily. 36" x 16" x 11"H upper basket. Removable 35" x 153/4" x 7"H lower basket. File rails included to accommodate hanging files. Two 4" swivel rubber wheel casters in front. Two rigid semi-pneumatic wheels in back for easy mobility. 44"L x 22"W x 35"H. Nickel-chrome plated. Assembles easily.

200 lb. capacity

Model SC500154

FOLD-N-STORE SERVICE CART



350 lb. capacity

Folds down compactly for easy, out of the way storage. Chrome plated 1" steel tubing construction with a laminated plastic top. Handy 21"L x 13"W x 3" H heavy duty wire storage basket included. Four swivel 4" polyurethane ball bearing casters offers easy mobility. 28"L x 19"W x 29"H overall and folds to 44"L x 19"W x 12"H. Assembles in minutes.

Model SC912110

GALVANIZED STAINLESS STEEL



800 lb. capacity



SC184285 SHOWN WITH **OPTIONAL** ACCESSORIES

Durable, corrosion resistant carts are perfect for hospitals, clean rooms and labs. Galvanized models have 18 gauge steel shelves with clear epoxy coating to provide years of service. Stainless steel models offer Type 304 stainless steel shelves for maximum rust resistance. Choice of 2 or 3 shelf carts; shelves adjust on 1" increments on numbered posts to accommodate various sized loads. Handles have a bright, chrome plated finish. 5" x 11/4" polyurethane swivel casters with donut bumpers to help protect walls. 38"H. Easy assembly.

	2 SHELF	3 SHELF	SHE
$L'' \times W''$	Model	Model	N
GALVANIZEI	SHELF		SC'
36 x 18	SC489062	SC489065	SC'
36 x 24	SC489063	SC489066	SC'
48 x 24	SC489064	SC489067	SC
STAINLESS S	STEEL SHELF		DI
36 x 18	SC184285	SC184288	
36 x 24	SC184286	SC184289	N
48 x 24	SC184287	SC184290	SC1
DOCUMENT	HOLDER Model	SC489070P	SC1

SHELF LEDGES. 4	'H/ Chrome.
Model	Size"
SC189982E	18
SC189983E	24
SC189985E	36
SC189986E	48
DIVIDERS. 8"H.	Chrome.

Model	W'
SC189980F	18
SC189981F	24

BEST VALUE BELLMAN CART

These luggage carts provide an attractive appearance for hotels while maintaining strength and durability. #201 stainless steel uprights and framing offer excellent corrosion resistance. Tubular frame is cross-braced for added reinforcement and includes garment bar

for hanging wardrobe. Slip-resistant red carpeted plywood deck protects luggage and has a perimeter bumper to protect walls. Moves easily on 2 swivel, 2 rigid casters. Assemble easily. Specify upright color suffix: Gold Plated (GD) or Silver Stainless (SL) finish.





1100 lb. capacity

> Wheel Type 6" Rubber

6" Rubber

8" Pneumatic

8" Pneumatic

L" x W" x H"

41 x 24 x 73

41 x 24 x 73

41 x 24 x 75

41 x 24 x 75

STRAIGHT	CURVED
Model	Model
C985116SL	SC985118SL
C985116GD	SC985118GD
SC985117SL	SC985119SL

SC985117GD SC985119GD

UPRIGHT STYLE

VINYL AND CANVAS BULK TRUCK

Perfect for warehouse, laundry or mail, these durable trucks get the job done. Includes elastic band nylon cap to help contain and protect contents. Strong Kiln-dried hardwood base, welded steel frame and 4 swivel non-marking rubber casters easily move heavy loads. Wear-guard edge offers maximum abrasion protection. Two large document pockets and twin reinforced pull handles. Choice of fabric body: VINYL coated nylon body, available in Blue or Yellow, offers a



INCLUDES FREE NYLON CAP

smooth, puncture resistant, and easily cleaned surface. **CANVAS** body affords maximum abrasion resistance and durability. Heavyweight canvas is treated with water repellent to resist weather and liquid damage. Shipped assembled. Specify Vinyl Truck color suffix: (BL) Blue or (YL) Yellow.

Cap Bushel	Inside L"	e X	W" ×	H"	O.A. H"	VINYL TRUCK Model	CANVAS TRUCK Model	REPLACEMI VINYL Model	ENT LINER CANVAS Model
8	34	х	22 ³ / ₄ x	231/2	301/4	SC241982	SC241302	SC241987	SC241315
12	36 ¹ / ₄	Х	$24^{3}/4 x$	$25^{1/2}$	321/4	SC241983	SC241303	SC241988	SC241316
16	40	Х	28 ¹ /4 x	$30^{1}/2$	37 ¹ /4	SC241984	SC241304	SC241989	SC241317
20	48	Х	32 x	$30^{1/2}$	37 ¹ /4	SC241985	SC241305	SC241990	SC241318
24	$53^{1}/4$	Χ	36 ¹ /4 x	$30^{1/2}$	37 ¹ /4	SC241986	SC241306	SC241991	SC241319



HOPPER FRONT BULK TRUCKS

Cutaway Design Speeds Loading and Unloading!

Bulk Linen Trucks are designed to be reliable workhorses for commercial laundries and distribution companies serving hospitals, nursing homes, hotels and other institutions. Rugged, seamless rotationally molded polyethylene (LLDPE) truck has smooth walls for easy cleaning, and thrives in punishing indoor or outdoor conditions. Convenient cutaway opening offers easy access for loading/unloading of goods, and integral hand holes in the body offer easy steering. Security Truck has folding white plastic closure panels with a padlock hasp for securely storing contents. Padlock not included. Rolls easily on 6" non-marring rubber wheel casters (2 swivel, 2 rigid). Specify color suffix: (BL) Blue, (GN) Green, (GY) Gray or (RD) Red.

	Ca	p. —	Overall Dim.	
Type	Cu. Ft.	Lbs.	L" xW" x H"	Model
BulkTruck	43	500	46¾ x 27½ x 64	SC987556
SecurityTruck	43	500	46¾ x 27½ x 64	SC987557







CONVENIENT TILT HANDLE

STEEL FRAME SUPPORTS TRUCK DURING TILT STEEL IMPACT NOSE

STRONG FRAME SUPPORTS HEAVY LOADS

Ruggedly built for transporting and dumping bulky materials. One piece seamless molded polyethylene body cleans easily, won't dent, corrode or absorb moisture. Convenient push and lift handles provide secure handling. Push handle includes integrated trash bag hooks.

SC242089
BLUE RECYCLE TRUCK

1/2 Cubic Yard Trucks feature two 9" roller bearing mold-on rubber load wheels and two 4" polyurethane swivel casters.

1 Cubic Yard Standard Duty Trucks feature two 8'' roller bearing plastic load wheels and two 4'' plastic swivel casters.

Heavy Duty 1 Cubic Yard Trucks offer steel extended support rails to help prevent against bulging while under load, two 12" roller bearing mold-on rubber load wheels and two 5" rubber swivel casters for easy rolling of heavy loads.

Extra Heavy Duty 1 Cubic Yard Trucks incorporate the features of the Heavy Duty Trucks plus offer upper steel extended support rails and a steel impact nose plate to protect the nose of the truck for the heaviest loads.

Blue Trucks include a white "We Recycle" logo on both sides. Optional Hinged Gray Lid helps control odors and protect cargo. Allows access to cargo without removal. 9 Pocket Vinyl Utility Bag easily attaches to 1 cu. yd. tilt trucks using straps and ties to carry various cleaning products and supplies. Measures 19"W x 27"H overall. (*Does not fit ½ cu. yd. Models).

		Cap.			
Model	Description	Lbs.			
1/2 CUBIC YARD TILT	TRUCK - 461/2"L x 31"W x 33"H - Asser	nbles Easily			
SC984613	Gray Truck	750 [′]			
SC984614	Blué Truck	750			
SC984612	Gray Lid for 1/2 Cu. Yd. Tilt Trucks				
	FRUCK - 70"L x 35"W x 411/2"H - Shippe				
SC501600	Standard Duty Gray Truck	1000			
SC501600BK	Standard Duty Black Truck	1000			
SC501600RD	Standard Duty Red Truck	1000			
SC242088	Heavy Duty Gray Truck	1250			
SC242088BK	Heavy Duty Black Truck	1250			
SC242088RD	Heavy Duty Red Truck	1250			
SC242096	Extra Heavy Duty Gray Truck	2100			
SC242096BK	Extra Heavy Duty Black Truck	2100			
SC242096RD	Extra Heavy Duty Red Truck	2100			
SC241847 SC242089	Standard Duty Blue Truck	1000 1250			
SC242089 SC242097	Heavy Duty Blue Truck				
	Extra Heavy Duty Blue Truck Gray Lid 1 Cu. Yd. Tilt Trucks	2100			
SC241969 SC251582	9 Pocket Vinyl Utility Bag				
30231362	a rocket villyi otility bag				









STEEL FRAME SUPPORTS TRUCK DURING TILT

Transports and dumps bulky recyclable materials. One piece seamless **molded polyethylene body** cleans easily, won't dent, corrode or absorb moisture. Steel chassis provides maximum support. Convenient push and lift handles provide secure handling. Push handle includes integrated trash bag hooks. Features a white "We Recycle" logo on both sides.

Standard $^{1/2}$ Cu. Yd. Truck features two 9" axle mounted rubber wheels and two 4" plastic swivel casters.

Standard 1 Cu. Yd. Truck features two 8" plastic wheels and two 4" plastic swivel casters.

Heavy Duty 1 Cu. Yd. Truck offers steel support rails, two 12" mold-on rubber wheels and two 5" rubber swivel casters.

Extra Heavy Duty 1 Cu. Yd. Truck has the features of the Heavy Duty truck plus offers upper steel support rails and a steel impact nose plate.

Optional Hinged Lid helps control odors and hides cargo.

 $\label{thm:continuous} \begin{tabular}{ll} \textbf{Utility Bag} easily attaches to 1 cu. yd. tilt truck using straps and ties to carry various cleaning products and supplies. Measures 19"W x 27"H overall. (Does Not Fit \(^1/2\) Cu. Yd. Model). \end{tabular}$



EXTRA HEAVY DUTY 2100 LBS. CAPACITY

Model	Description	Lbs.
	ARD TILT TRUCK - 461/2"L x 31"W x 33"H - Assembles Easily	
SC240924	Standard ½ Cu. Yd. Tilt Truck	750
SC240925	Gray Lid for 1/2 Cu. Yd. Tilt Truck	
1 CUBIC YA	RD TILT TRUCK - 70"L x 35"W x 411/2"H - Shipped Assembled	
SC501601	Standard 1 Cu. Yd. Tilt Truck	1000
SC237872	Heavy Duty 1 Cu. Yd. Tilt Truck	1250
SC237899	Extra Heavy Duty 1 Cu. Yd. Tilt Truck	2100
SC237649	Gray Lid for 1 Cu. Yd. Tilt Trucks	
SC240705	9 Pocket Vinvl Utility Bag	

PLASTIC RECYCLING CONTAINERS

Made using corrosion resistant polypropylene. Containers offer a 15 gallon capacity. Includes built-in grip handle for easy lifting. Measures 12"W x 18"D x 24"H overall. Add an ${\bf Optional\ Lid}$ (sold separately) with designated restricted openings that

help prevent unwanted waste disposal. Lid options are Swing Trash Lid, Bottle & Can Lid, or Paper Slot Lid. Combine 3 containers with 3 different lid styles to create a recycling station. Specify Color Suffix: Gray (GY) or Green (GN).







	-	_					
POTTI		Ω.	•	ΛI	N	п	ID

SWING TRASH	ILID BUILE	BUTTLE & CAN LID		
Model	Description	W"x D" x H"	Suffix	
SC260590 SC260591 SC260592 SC260593	15 Gallon Container Swing Trash Lid Bottle & Can Lid Paper Lid	12 x 18 x 24 13 x 18 x 9 13 x 18 x 9 13 x 18 x 9	GY, GN GY GY, GN GY, GN	



OUTDOOR STEEL RECYCLING RECEPTACLE



SC261800BL

Endures extreme climate conditions making them great for outdoor use. Features a rugged, long lasting flat bar steel body that deters graffiti and vandalism; three recycling logos on lid and a RECYCLE decal on body for clear identification. Metal band top for extra strength. Includes security cable, anchor kit and black rigid plastic liner. Flat Lid or Rain Cap Lid available. Powder coat finish in blue.

	Gai.		
Model	Cap.	Dia." x H'	Lid
SC261800BL	36	28 x 36	Flat
SC261850BL	36	28 x 41 ³ / ₄	Rain Cap

PLASTIC RECYCLING TOTES | WASTE CONTAINERS



Offers high nesting ratios for low cost shipping. Durable impact resistant plastic features 35% post consumer content. Includes recycling decals on 2 sides and easy grip handles. Nests when empty and allows cross stacking. Base includes impact feet.

Сар.	Size
	15 ³ / ₄ x 13 ¹ / ₂ 16 x 14 ¹ / ₂
	4 19 ³ / ₄ x

MOBILE



Store and move trash or recycling waste with ease. Made using impact and corrosion resistant high density polyethylene. Reinforced at stress points for durability. Hinged, tight fitting lid contains odors and keeps out rain. Allows easy tilt and roll mobility using a grip handle and two axle-mounted wheels. Specify Color Suffix: Gray (GY) or Blue (BL).

Model	Gal. Cap.	W" x D" x H"	Color
SC241077	32	19 x 22 x 36	BL, GY

DOLLY

HEAVY DUTY WASTE CONTAINER



DOLLY FITS EASILY ON CONTAINER



EASY LIFTING

HANDLE

The unbeatable, economic choice that won't compromise quality or durability. Made with durable, long lasting polyethylene resin. Leak-proof seamless plastic allows easy cleaning and won't corrode, chip or crack. Nests when empty to save valuable storage space. Rugged rolled formed top rim is reinforced for added strength. Strong grip handles make lifting easy. **Optional Lids** protect contents and help keep odors in. Lids allow receptacle stacking when in use. Optional Dolly simply twists on and off the base of 20, 32, 44 & 55 gallon waste containers to convert trash receptacles into easy-to-move containers. Dolly includes five 3" non marring swivel casters. NSF approved, OSHA listed.

Model	Description
SC240456GY	10 Gallon Container
SC240457GY	10 Gallon Flat Lid
SC240458GY	20 Gallon Container
SC240459GY	20 Gallon Flat Lid
SC240460GY	32 Gallon Container
SC240461GY	32 Gallon Flat Lid
SC240462GY	44 Gallon Container
SC240463GY	44 Gallon Flat Lid
SC240464GY	55 Gallon Container
SC240465GY	55 Gallon Flat Lid
SC240466BK	Dolly-Fits 20, 32, 44, 55

PLASTIC FLIP TOP TRASH CONTAINER



Corrosion resistant polypropylene. Includes built-in side grip handles for easy lifting. 15 gallon capacity; measures $18^{\prime\prime}W \times 12^{\prime\prime}D \times 24^{\prime\prime}H$. Gray color only. **Flip Top Lid** (sold separately) helps keep contents out of sight.

CONTAINER	LID
Model	Model
SC260597GY	SC260596GY

SC240466BK

STEEL STEP-ON WASTE **CANS**

Step-on receptacles are self closing for sanitary use and have tight fitting lids for odor control. Rugged steel construction. Medical Step Cans feature zinc-plated powder coat finish with plastic inner bin with carry handle. Specify color suffix: White (WH), Red (RD) or Stainless Steel (SS).



MEDICAL STEP (CANS	00207	/ OLI ID
Model	Gallon Cap.	Dia."x H"	Color
SC237752WH	31/2	10" x 16	White
SC237752RD	31/2	10" x 16	Red
SC237752SS	3 ¹ / ₂	10" x 16	Stainless

PLASTIC WASTEBASKETS



Ideal for a variety of applications ranging from classroom, office, commercial or institutional use. Includes rounded corners for extra strength. Durable plastic won't chip, rust or dent. Available in Beige or Black. Add color suffix

	•	
when ordering.	Qt.	Color
Model	Cap.	Suffix
SC261747	13 ⁵ /8	BG, BK
SC261748	28 ¹ /8	BG, BK
SC261749	41 ¹ /4	BG, BK

WOODEN TRAY TOP RECEPTACLE



Industrial grade receptacle is designed to compliment office and commercial cafeteria settings and to endure heavy use. Constructed of 5/8" thick particle board with melamine finish. Open door to easily empty 36 gallon plastic liner (sold separately). Tray area measures 19"W x 181/4"D x 21/4"H. Push door features Thank You message.

Model	W" x D" x H"	Color
SC603589	20 ¹ / ₂ x 19 x 44	Oak
SC237175	$20^{1/2} \times 19 \times 44$	Gray
SC237141	36 Gallon Plastic Liner	Black

TRASH CAN **LINERS**



are USDA and FDA approved. Black Liners are made with minimum 85% recycled material including 10% post consumer recycled resins; Leeds Approved. High Density Polyethylene liners are an excellent choice for office and restroom paper products. Star sealed bottoms. USDA and FDA Approved. Ideal for commercial and industrial use only.

LOW DENSITY POLYETHYLENE

		Gal.			Case
Model	W" x H"	Cap.	Gauge	Color	Count
SC261757	24x32	12-16	0.50 Mil	White	500
SC261758	30x36	20-30	0.70 Mil	White	200
SC261759	40×46	40-45	0.70 Mil	White	100
SC261760	38x58	55	0.70 Mil	White	100
SC261766	40×46	40-45	0.75 Mil	Clear	100
SC261770	38x58	55	0.75 Mil	Clear	100
SC261761	33x39	33	1.00 Mil	Black	100
SC261762	33x39	33	1.40 Mil	Black	100
SC261763	40×46	40-45	1.00 Mil	Black	100
SC261764	40×46	40-45	1.40 Mil	Black	100
SC261765	40×46	40-45	1.70 Mil	Black	100
SC261767	38x58	55	1.00 Mil	Black	100
SC261768	38x58	55	1.40 Mil	Black	100
SC261769	38x58	55	1.70 Mil	Black	100
SC261771	32x50	33	3.00 Mil	Black	50
HIGH DENSI					
SC261772	24x33	12-16	5.4 Mic	Natural	1000
SC261773	30x37	20-30	9 Mic	Natural	500
SC261774	33x40	33	14.4 Mic	Natural	250
SC261775	40x48	40-45	14 Mic	Natural	250
SC261776	38x60	55	14.4 Mic	Natural	200

OUTDOOR STEEL MESH **RECEPTACLES**

Expanded metal waste receptacles are attractive, durable and ADA compliant. Rugged expanded steel body is reinforced with circular bands, vertical ribs and curled edging for extra strength and support. Endures extreme climate conditions to make them great for outdoor use. Perfect for parks, universities, apartment and office complexes and city streets. Choice of Galvanized or Black Powder Coat Finish.



Model	Gal. Cap.	Dia."x H"	Color	
SC237633	48	23 x 33	Galvanized	
SC237634BK	48	23 x 33	Black	



OUTDOOR SLATTED STEEL RECEPTACLES

Feature a rugged, long lasting flat bar steel body that deters graffiti and vandalism. Metal band top for extra strength. These cans endure extreme climate conditions making them ideal for outdoor use. Lid with large 7" diameter opening for easy waste disposal. Includes an anchor kit and black plastic liner. Powder coat finish. Choose between Flat Lid or Rain Cap Lid that prevents rain, snow and unwanted debris from entering container. Specify Color Suffix: Black (BK) or Green (GN).

Model	Gal. Cap.	Dia." x H"	Lid
SC237725	24	23 x 36	Flat
SC237726	36	28 x 36	Flat
SC260803	24	23 x 41 ³ / ₄	Rain Cap
SC260804	36	28 x 41 ³ / ₄	Rain Cap



EXCLUSIVE STAINLESS STEEL ASH PLATE SELF-EXTINGUISH TECHNOLOGY SC261391BK BLACK BEIGE Model

OUTDOOR ASHTRAY



Our most popular outdoor ashtray gets even better! The flame retardant polyethylene housing keeps out rain and airflow to extinguish butts and fight odor. Exclusive stainless steel ash plate keeps urn looking fresh and clean. Unique design helps extinguish butts. Restricted opening keeps out noncigarette waste. Includes tiedown eye to secure receptacle. Add color suffix: Beige (BG), Black (BK), Green GN), Gray (GY) or Terracotta (RG).

Available In 5 Colors

Model	Color	Dia." x H"	Gallon Cap.
SC261391 SC245133 SC238151	BG, BK, GY, RG BG, BK GN, GY, RG Security Cable Kit includes cabl	11 x 30 15 x 39 e and padlock (3 keys)	1 6

SC245133GY GRAY **ALUMINUM OUTDOOR ASHTRAY** SILVER BLACK WEATHER RESISTANT INTERLOCKING TOP WITH ANTI THEFT SECURITY REMOVABLE CONTAINER CABLE Aluminum Butt-Tainer keeps grounds clean and butt-free. Interlocking top with removable steel container for easy emptying. Large 10" diameter base with provisions for mounting and tie down lugs to prevent theft. Moisture protective design keeps rain out and prevents waste smells. 29" High. Add color suffix: Silver (SL) or Black (BK). **SILVER** Dia." x H" Model SC603028 10 x 29 SC238152 Security Cable Kit Includes cable, padlock (3 keys)

WALL MOUNT OUTDOOR ASHTRAY



Weather and fire resistant 20 gauge stainless steel. The 215 cu. inch inner receptacle holds over 700 butts and is easy to empty. 9"W x 5"D x 13"H.

Model SC238068



SC238242BN

SC238240GY





STONE PANEL ASH/TRASH RECEPTACLE

Withstands extreme weather conditions and long-term daily use with a fire safe and attractive stone finish. Stone panels provide a maintenance and vandalism free finish. Top removes easily for emptying. Includes leak-proof, fire resistant removable galvanized steel liner with handles. Heavy steel frame construction provides stability. Includes fixed height feet for anchoring. Choose the Lift-off Sand Urn Top or the Weather Urn. Weather urn conceals cigarette waste and features a piano hinge lid for easy cigarette butt disposal. Ships assembled. Sand sold separately. Specify color suffix: Brown Frame with Brown Stone (BN) or Gray Frame with Gray Stone (GY).

Model	Gal. Cap.	Тор	H" x Sq."
SC238242	21/2	Trash/Sand Urn	24 x 10 ¹ / ₄
SC238240	21/2	Trash/Sand Urn w/Weather Top	28 x 10 ¹ / ₄
SC239577	12	Trash/Sand Urn	32 x 13 ¹ / ₂
SC239576	12	Trash/Sand Urn w/Weather Top	35 x 13 ¹ / ₂
SC238243	24	Trash/Sand Urn	32 x 17 ¹ / ₂
SC238241	24	Trash/Sand Urn w/Weather Top	36 x 17 ¹ / ₂

UNIVERSAL SPREADER

100 LB. CAPACITY Ideal for spreading ice melt, salt, seed, fertilizer, lime and similar materials. Spreader features a welded steel frame and large 100 lb. capacity plastic hopper with screen that helps prevent materials from amming. Comfort grip handle with flow regulator for ease of use. Large 13" pneumatic tires make pushing through slush, ice, and grass easy. The 3-flap adjustable deflector controls spread pattern, while the rear deflector protects the operator's feet. Includes plastic cover to SC640788 protect materials from the elements. Blue color finish. Easy assembly.

COATED GRANULAR ICE MELT

Coated Granular Ice Melt is a blend of rock salt coated with liquid deicer. It is quick and effective and less corrosive than standard rock salts. Biodegradable formula is safer for grass and plants. Spreads evenly. Non-staining. Continues to work to -20°F. Coated Granular Ice Melt with Slip Grip adds liquid calcium chloride infused traction granules to melt ice and snow while also providing grip and traction. Traction granules crush to dust for less cleanup.



Model	Description	Cap.
SC640831 SC640832	Coated Granular Ice Melt Coated Granular Ice Melt with Slip Grip	40 Lbs. 40 Lbs.



Model	Type	Width	Material	Material
SCB599512	Combo	18"	Poly	Poly
SCB363079	Combo	18"	Poly	Wood
SCB501232	Ice Scraper	7"	Steel	Wood
SCB363074	Snow Pusher		Poly	Wood
SCB363076	Snow Pusher	26"	Poly	Aluminum
SCB599516	Roof Rake	24"	Poly	Aluminum

Corrosion resistant yellow polypropylene. Mop bucket offers a 91/2 gallon capacity. Moves easily on non-marring

3" diameter swivel casters. Available with Side Press or Down Press wringer. Wringers feature a comfort grip handle. Sentiment screens trap dirty residue to keep the mop and water clean longer. Mop capacity is 32 oz. Down Press offers more efficient water removal from mop.

Model	Side/Down Pressure
SC260594	Side
SC260595	Down



MOP BUCKETS WITH



transport on janitor carts. Choose between an **English** or **Multi-Lingual** message in English, French and Spanish.

Model Description

SC261725 English Multi-Lingual



Jaws Mate plastic jaws firmly clamp mop heads. Twist action secures mop head in place. Recommended for 5" wide headband mops.

Quick Change plastic head and wheel clamp firmly holds mops in place. Hinged side gate allows quick and easy mop changes.

Grip style steel head uses spring action to secure any size mop. The stirrup opens wide, allowing to change soiled mops without the need to touch.

THOUS WILHOUL THE HEED TO LOUCH.				
	· Style	Size	Material	Model
	Jaws Mate	1" x 60"	Fiberglass	SC261835
	Quick Change	1" x 60"	Fiberglass	SC261836
	Grip	1 ¹ /8" x 60"	Wood	SC261837

Mop heads are durable and provide superior performance. Compatible with all of our mop handles (Sold Separately). Mop heads are Sold individually. Add Suffix: Narrow Band (N) or Wide Band (W).

- A & B. Looped-end mop heads are constructed from cotton/ rayon synthetic blend for less unraveling, linting and increased floor coverage. Style B is Blue Blend. For institutional and food service industry.
- **C.** Cut-end mop heads are constructed from cotton, 4-ply yarn, and natural color. For all purpose scrubbing and cleaning.
- **D.** Finishing looped-end mop heads are made of a tight twist poly blended yarn, White/Blue color. Specifically intended for applying floor finishes. Narrow band only.

Style Size		Model
A	Medium Large	SC261826 SC261827
A B B B	Small Medium Large	SC261828 SC261829 SC261830
C C	16 oz. 24 oz.	SC261831 SC261832
D D	Medium Large	SC261833 SC261834

MOP HEADS AND HANDLES



HAND SOAP & SANITIZERS



LUXURY FOAM HAND SOAP SC640801

Pka.

	_			ı kg.
Model	Description	Capacity	Color	Qty.
DISPENSE	RS			
SC640805	Manual Dispenser	1250 ml	Black	1
SC640806	Manual Dispenser	1250 ml	White/Gra	av 1
SC640807	Automatic Dispenser	1250 ml	Black	-' i
SC640808	Automatic Dispenser	1250 ml	White/Gra	av 1
				-, .
Model	Description		Capacity	Pkg. Qty.
SOAP & SA	ANITIZERS			
SC640801	Luxury Foam Hand So	nan	1250 ml	6
SC640802	Antibacterial Foam Ha		1250 ml	6
SC640803	Instant Foam Hand Sa		1200 ml	6
SC640804	Instant Foam Alcohol		1250 ml	6
	Free Hand Sanitizer			-
		Dispe		Pkg.
Model	Description	Typ	oe Col	or Qty.
STARTER I	(ITS- ONE DISPENSER/ 6 R	EFILLS		
SC640809	Luxury Foam Hand Soap I	Kit Man	ual Blad	ck 1
SC640810	Luxury Foam Hand Soap I			
SC640811	Luxury Foam Hand Soap I			
SC640812	Luxury Foam Hand Soap I			
SC640813	Instant Foam Hand Sanitize			
SC640814	Instant Foam Hand Sanitize	er Kit Man	ual White/	Gray 1
SC640815	Instant Foam Hand Sanitize	er Kit Auton		







AUTOMATIC DISPENSER SCB640808

Hand Soaps & Sanitizers help kill germs, and are ideal for use in offices, schools, warehouses, food service, and more. Our Manual & Automatic Dispensers are constructed of durable plastic with large site windows for easy refill. Includes easy-to-slide product identification window cards. Top dispensing technology reduces risk of leaking valves. High 1250mL capacities help reduce maintenance. Our Hand Soaps feature rich, soft foam formulations with pleasant scents that quickly clean away light to medium soils. Contains Aloe and Vitamin E to help nourish the skin. Our Hand Sanitizer is effective and convenient to sanitize hands when soap and water are not available. Fast-acting alcohol and alcohol-free formulas kill 99.9% of common germs within 15 seconds. All our hand soap and sanitizers are for use with our manual and automatic dispensers only.



Our cleaning chemicals are ideal for a variety of cleaning and maintenance applications in offices, schools, warehouses, hotels and more. Floor Cleaners offer solutions for buffing, stripping, and cleaning and deodorizing resilient tile, terrazzo, and more. General Purpose Cleaners and De-greasers cut through dirt, grease, oil, grime, ink, and food soils. Liquid Drain Opener dissolves and removes grease, hair, food, and other organic materials from drains and grease traps. Bathroom Cleaners are designed to clean,

Model	Description	Size	Case Qty.
Floor Cleaners			
SC640403	Ultra High Speed Floor Finish	Gallon Bottle	4/1 Gallon
SC640404	Floor Cleaner & Deodorizer	Gallon Bottle	4/1 Gallon
SC640405	Super Concentrated Floor Stripper	Quart Bottle	6/1 Quart
	e Cleaners & De-greasers		
SC640406	Heavy Duty Cleaner & De-greaser	Gallon Bottle	4/1 Gallon
SC640407	Multi-Purpose Cleaner & De-greaser	Gallon Bottle	4/1 Gallon
Drain Opener			
SC640408	Liquid Drain Opener	Quart Bottle	12/1 Quart

deodorize and remove stains from toilet bowls, urinals, partitions and floors. Foam and Liquid Hand Soaps offer a rich lather that leaves skin clean and refreshed. Glass and Mirror Cleaner offers streak-free, non-ammoniated cleaning that will not scratch or haze surfaces. Multi-Purpose Cleaner and Protectant removes dirt, oil, smears and smudges, and adds a shine to hard surfaces including metal.

Model	Description	Size	Case Qty.
Bathroom Cleaners			
SC640409	Clinging Bowl Cleaner Bacterial Enzyme Odor Eliminator	Quart Bottle	12/1 Quart
SC640410	Bacterial Enzyme Odor Eliminator	Quart Bottle	6/1 Quart
Hand Soap SC640411	Foam Hand Soap	Gallon Bottle	4/1 Gallon
SC640411 SC640412	Liquid Hand Soap	Gallon Bottle	4/1 Gallon
Glass & Mirror Cleaner	·		
SC640413	Glass & Mirror Cleaner	Quart Bottle	12/1 Quart
SC640414	Glass & Mirror Cleaner	Gallon Bottle	4/1 Gallon
Metal Cleaner SC640415	Multi-Purpose Cleaner & Protectant	Quart Bottle	6/1 Quart

Professional Cleaning Equipment...Exceptional Value

SC261122

AUTOMATIC SCRUBBERS

Electric Scrubbers - Model SC261122

- · Rotationally molded polyethylene housing
- 18" Cleaning Path/Deck
- 8 gal. solution/ 11 gal. recovery tanks
- 28"W cast aluminum squeegee assembly
- 1 HP, 2-stage motor that offers 65" water lift
- 250 RPM, 66 lbs. of pad pressure
- · Coverage rate of 18,000 sq. ft. per hour
- · 82'L power cord

ACCESSORIES

Model	Description
PAD* Case of 5 SC261169	17" Floor Pad

*Specify color suffix for pad type: Green Scrubbing (GN), Red Buffing (RD)

REPLACEMENT PARTS

Model	Description		
SC261127 SC261180 SC261181	18" Pad Driver 18" Front Squeegee Blade 18" Rear Squeegee Blade		

Auto Battery Scrubbers

- 20" Scrubbers provides 21,000 sq. ft. per hour coverage
- Two 12V batteries. SC261123 is 105 amp with 3 hr. run time and SC261124 is 130 amp with 4 hr. run time per charge. SC261125 is 215 amp with 5 hr. run time
- 26" Scrubber offers variable speed control with 3-stage motor. Provides 26,000 sq. ft. per hour coverage. Includes two 215 amp batteries for 41/2 hr. run time per charge
- Includes on-board charger and set of replacement squeegee blades

ACCESSORIES

ACCECCCINEC		
Model	Description	
PAD* Case of 5		
SC261163†	13" Floor Pad	
SC261170	20" Floor Pad	
(†Model SC26112	26 Requires 2)	

* Specify color suffix for pad type: Green Scrubbing (GN), Red Buffing (RD)

REPLACEMENT PARTS

Model	Description	
SC261128	13" Pad Driver (Req. 2)	
SC261129	20" Pad Driver	
SC261182	20" Front Squeegee Blade	
SC261183	20" Rear Squeegee Blade 26" Front Squeegee Blade	
SC261184	26" Front Squeegee Blade	
SC261185	26" Rear Squeegee Blade	

	Cleaning Path/	Pad	Squeegee	Water	Tank Cap. Gal.
Model	Deck"	Pressure Lbs.	Width"	Lift"	Solution/Recovery
SC261123	20	50	28	55	13/15
SC261124	20	50	28	55	13/15
SC261125	20	Up to 200	28	55	16/16
SC261126	26	Up to 150	32	67	17/17

SC261123

18 GALLON WET & DRY VACUUM

Front-mount 24" squeegee assembly is great for wet pick-up, while included tools allow dry clean-up. Made using rotationally molded polyethylene housing. 24"W cleaning path. 10" stair climbing wheels. On-board tool storage includes crevice tool, dusting brush, 3-piece stainless steel wand, wet & dry pick-up tools and 9'L vacuum hose. 2-stage, 1.17 HP motor offers 95 CFM and 110" water lift. 50'L safety yellow power cord. 110V. 5 Year Motor; 12 Year Housing Limited Warranty.

Model	Description
SC261750	18 Gal. Wet/Dry Vac
SC261751	Optional 30" squeegee



SC261126

FLOOR MACHINES

- · All metal construction
- · Low speed for use on wet hard floors and carpets
- Heavy duty 1.5HP motor
- · Triple planetary, all steel gear box
- Safety lock-out switch with easy thumb control throttle
- Pad driver included
- 50'L safety yellow power cord
- SC261117 & SC261118 have dual capacitor motor
- SC261119 has DC rectified motor

	Cleaning Path/	
Model	Deck"	Speed
SC261117	17	175 rpm
SC261118	20	175 rpm
SC261119	20	185-330 rpm

ACCESSORIES

Model	Description
Pad* Case of 5 SC261164 SC261165	17" Floor Pad 20" Floor Pad
Solution Tank SC261130	2.5 Gallon



SC261118

Shown


with

*Specify color suffix for pad type: Black Stripping (BK), Green Scrubbing (GN), Purple Heavy Duty Stripping (PL), Red Buffing (RD), White Polishing (WH).



HIGH VELOCITY HAND DRYERS







Ideal for public restrooms in schools, offices, theaters and more. Dries hands in 15 seconds or less with 60-second auto shutoff. Features an adjustable infrared sensor for sanitary touch-free operation. Constructed of durable stainless steel with satin finish. 110-120V, 500W operation. GREENSPEC® approved.

Model	Description	Color Finish
SC640305	High Velocity Hand Dryer - Stainless Cover	Stainless
SC640800	High Velocity Hand Dryer - Steel Cover	White



Model	W" x D" x H"	Color Suffix	Type
SC269902	36 x 18 x 72	BK, GY, TN	Unassembled
SC269903	36 x 18 x 72	BK, GY, TN	Assembled

JANITORIAL CABINET



RECESSED LOCKING **HANDLE** Organizes maintenance and cleaning

supplies. Provides storage for brooms, mops, vacuum cleaners and more. Locking

handle for safety and security. Box formed, channel reinforced doors for added strength. Retaining lip on bottom level contains spills.

INDUSTRIAL PUSH SWEEPER SC442972

- · 32" cleaning path covers 17,000 square feet per hour for maximum productivity
- Only 30 lbs. and easy to maneuver
- · Height adjustment allows for cleaning on various terrains
- · Quadra Brush System for efficient dust and debris containment
- 9 gallon hopper empties easy
- Durable polyethylene body with tubular steel fold up handle



ROLLING STEP STOOL

Spring loaded casters permit rolling and retract to allow base to hug the floor for stability. Over 17" top step height with top step diameter of 11\(^1/2\)". Durable steel construction with non-slip surface steps. 10 Year Limited Warranty.

> 500 lb. capacity!

3/4 HP FLOOR DRYER

SC261031

Injection molded housing and fan assembly for quiet operation. 3/4 HP, 3-speed motor provides up to 2,455 CFM for superior floor drying capability. 3 height adjustments for optimum drying. Built-in handle for easy lifting. Includes 20'L power cord. 16"W x 18"D x 17"H. 120V/60Hz. ETL approved.

LOBBY BROOM &

DUST PAN

one upright dust pan and one lobby broom.

FOLD-DOWN MAINTENANCE PLATFORM

Folds down in seconds for compact storage; side rails, gate and safety screen stores within the 5½"D base, with 16" overall height. Includes a 37" x 37" slip resistant checker floor plate and a 60" expanded metal screen that protects operator from forklift masts. 42"H handrails with mid-rail and locking gate secures operator on platform. For added protection, safety lock and chain are included for secure forklift attachment. $3^7/8^{\prime\prime} \times 7^3/4^{\prime\prime}$ fork pockets are 26" on center. Steel with durable high visibility yellow powder

coat finish. Includes four 5" swivel casters,

2 locking.





Description Dimension Qty. Model Lobby Broom 8 x 1 x 36 6 SC261728 13 x 11 x 37 Upright Dust Pan SC261727 Broom/Dust Pan Combo Kit SC261790

Lobby Broom is cut and shaped for easy sweeping under tables, fixtures and hard to reach areas. Flagged polypropylene fill bristles that pick up fine dirt particles. Upright Dust Pan features a quiet

hinge pin design, durable and ergonomic. Wear pads and wheels on the back extend product life. Built-in-handle on back lets you empty without touching pan. 13"W x 4"H bin opening. Combo Kit includes

> Model Description SC309225 Fold Down Maintenance Platform SC237232 Fluorescent Bulb caddy



CHAIN HOIST

Drop forge steel swivel hook with safety latch. Hardened steel load chain for long life. Lubrication free load brake offers positive load control. Tempered molybdenum steel gears. Lightweight and ideal for low ceiling applications.

Model	Cap. Lbs.	Head- Room"	Wt. Lbs.		
	10' LI	FT			
SC241638	2000	12	23		
SC241639	4000	15	31		
SC241640	6000	18 ¹ / ₂	50		
SC241641	10000	23 ¹ / ₂	82		
20' LIFT					
SC241642	2000	12	36		
SC241643	4000	15	50		
SC241644	6000	18 ¹ /2	77		
SC241645	10000	23 ¹ / ₂	118		





"I" BEAM TROLLEY

Adjustable to fit width of beam. Self-aligning frame and ball bearing wheels. Usable on straight or curved track.

Model	Cap. Lbs.	Beam Width"
SC241646 SC241647	1000 2000	2 ¹ /2-5 ¹ /2 2 ¹ /2-5 ¹ /2
SC241648	4000	3-61/2
SC241649	6000	3-8
SC241650	10000	31/2-8





Heavy duty steel construction with welded safety heel restraint. Fork extensions affect truck capacity. Refer to your lift truck manufacturer for a derated capacity. 2" maximum fork thickness. Durable powder coat finish.

NOTE: OSHA requires contacting the manufacturer of your truck for written approval for the use of any fork

NOTE: OSHA regulations state that the length of fork extensions may not exceed fork length by more than 50%

FORK EXTENSION Extend Reach 50%

Extension width is 1¹/8" greater than fork width.

Model	Extension L"	Fork W"
SC774102	60	4
SC774106	72	4
SC774110	60	5
SC774114	72	5
SC774122	72	6
SC241679	96	5

Other sizes can be made to order; specify length, width and thickness of fork that will be used. Call for more information

PORTABLE EXPANDABLE CONVEYOR 175 lb. capacity per foot



Instantly set-up conveyor lines for shipping, receiving, assembly and packaging areas. Flexible, portable gravity conveyor expands from 6'2" to 24'8". Rugged ⁵/16" steel axles and self-tracking skate wheels with enclosed steel ball bearing offers smooth material flow. 175 lbs. per foot capacity. 11/4" (compressed) to 4" (expanded) axle centers for 7" minimum package size. Seven zinc

plated telescopic legs with 4" thermoplastic rubber swivel casters adjust independently from 31³/4" to 40¹/2"H to achieve maximum gravity flow and create banked curves. All units bend around a 27" radius. End legs have locking brakes. Includes convenient box-stop and hook couplers to connect additional conveyors. Simply insert legs into integral sockets and conveyor is ready to use.

Order optional Swing Stick for "dockless" receiving. Eases unloading/ loading of truck. 5' long with 2 dia. steel wheels and 4" axle centers. Attaches easily with included hardware and folds atop conveyor when not in use.

Model	W"
SC168114	18
SC168115	24

W"	Wheels Per Axle	NYLON WHEELS Model	STEEL WHEELS Model	
18	6	SC168110	SC168112	
24	8	SC168111	SC168113	









PALLET GRABBER

Pull loaded pallets and slide heavy crates to edge of dock or truck. Variable jaw width grabs pallet securely and automatically releases. 3.3" maximum jaw opening, primarily used for center stringer pulling.

> Model SC132600

PULLING CHAIN - 1/4" dia. with Hook on both ends.

Model	Length'	Cap. Lbs.
SC501920	20	1250
SC501922	40	1250



Diamond tread surface provides more traction points per square foot than competitor's surface. Lightweight 3/8" thick aluminum withstands heavy traffic but lifts easily using hand-holds. The 11" apron with beveled edges and an 11° crown provide smooth, efficient entry and exit. Bottom includes a bolted safety stop to keep plate in position. Note that width should be 12 wider than load. Not for use with rider type trucks.

Model	W"x L "	Ht."*	Cap. Lbs.	Wt. Lbs.
SC241742	36 x 24	1	3350	35
SC241743	36 x 36	3	2000	46
SC241744	48 x 24	1	3700	51
SC241745	48 x 36	3	2700	66
SC241746	48 x 48	5	2050	86
SC241747	60 x 48	5	2660	100
*Hoight ic tho d	ifforonce above o	r holowy dook		



TRAILER STABILIZING JACK

A. ECONOMY MODEL. 50,000 li. static capacity. 5,000 li. lifting capacity. Twin handles angled for fast, easy 44"-51" height adjustment. 5" x 5' top plate. 14" diameter base plate for stability. Includes convenient carrying handle.

Model SC500001

B. STANDARD MODEL. 100,000 li. static capacity. 40,000 li. lifting capacity. Removable pipe handle for quick 39½"-51" height adjustment with ratcheting screw mechanism. Permits worker to stay upright while operating, acts as steering lever. 14" base provides maximum rigidity. 7³/4" top cap. Accommodates up to 9° tilt-off level. Heavy duty 8" solid rubber transport wheels. Model SC132050

C. HEAVY DUTY MODEL. 100,000 li. static capacity, 50,000 li. lifting capacity. Adjusts from 391/2"-51" high with ratcheting screw mechanism. Features easy-to-use two-way reversible hand ratchet with sure-grip handle. Hand truck design permits quick-and-easy positioning. Large 24"L x 6"W beam for sure trailer stability. 16" triangular base. (2) 8" diameter solid rubber wheels and (1) 4" diameter steel wheel.

Model SC500106



SURE GRIP WHEEL CHOCK

Chock trailers, off-highway construction equipment, buses, jets and other heavily loaded vehicles...helps protect against runaway vehicle accidents. Built-in traction grippers create maximum friction between tire and parking surface.

RUBBER - 101/2"L x 41/2"W x 7"H. Model SC241741

RUBBER - 10"L x 8"W x 6"H. Model SC129100

Model SC117100 **URETHANE** - 11"L x 8"W x 8"H.

STEEL - 71/2"L x 71/2"W x 81/2"H. Model SC241965

LAMINATED RUBBER- 8"L x 8"W x 8"H. Model SC955070

ALUMINUM - 103/4"L x 7"W x 8"H. Model SC133108

SECURITY CHAIN helps prevent chocks from being stolen. 10' long chain with attaching ring. Model **SC500050**

ENERGY SAVING STRIP DOOR

Installs in 30 Minutes Based on 8' x 8' opening

FASTEST INSTALLATION OF ANY STRIP DOOR ON THE MARKET. **EXCLUSIVE GLASS FILLED POLYPROPYLENE MOUNTING BRACKET REDUCES** INSTALLATION TIME BY 90%. PRE-PUNCHED STRIPS SIMPLY HOOK ON AND WILL NOT ACCIDENTALLY COME OFF.

• Permits non-stop movement of all plant traffic; 2-way visibility • 12"W x .125" thick strips have 66% overlap (4" each side) to reduce A/C, heat loss; reduces noise, dust, fumes, drafts . Heavy duty flexible vinyl has outstanding clarity and warp-resistance . Round edge strips with concave/convex overlap improves seal, eliminates dangerous sharp protrusions · Effective thermal barrier and provides excellent temperature resistance from -10°F to 150°F • Special UV stabilizers help reduce fading or yellowing · Safety orange end panel strips · Fire-resistant, as well as self-extinguishing, and registered as such by the California state Fire Marshal's office.

SCRATCH-RESISTANT STRIP DOOR. Ribbed on both sides to help reduce scratches and abrasions to the strips. Strips retain clarity for lasting visibility and increased service life. Overlapping strips interlock to help provide a tighter, more energy efficient seal. Ideal for heavy traffic applications.



NOTE: For surface mounted installation, order strip door one foot wider and higher than door opening.

RECESSED MOUNTED (Under Header)

SURFACE MOUNTED (On Wall)



PEDESTRIAN DOOR

8"W x .080" thick strips have 50% overlap (2" each side). Ideal for passageways or outdoor entrances where temperature, noise or dust control is required.

PEDESTRIAN DOOR **Door Opening**

Model	W' x H'
SC786146	3 x 7
SC786147	4 x 7
SC786148	5 x 7
SC786149	6 x 7
SC786150	3 x 8
SC786151	4 x 8
SC786152	5 x 8
SC786153	6 x 8
SC786154	7 x 8
SC786155	8 x 8



	ı			ı	
Door	STANDARD	SCRATCH RESISTANT		CTAND ADD	SCRATCH
	DOOR	DOOR	Door	STANDARD	RESISTANT
Opening			Opening	DOOR	DOOR
$W' \times H'$	Model	Model	W' x H'	Model	Model
6 x 7	SC786001	SC786103	6 x 10	SC786011	SC786124
7 x 7	SC786156	SC786104	7 x 10	SC786167	SC786125
8 x 7	SC786002	SC786105	8 x 10	SC786012	SC786126
9 x 7	SC786157	SC786106	9 x 10	SC786168	SC786127
10 x 7	SC786003	SC786107	10 x 10	SC786013	SC786128
12 x 7	SC786004	SC786108	12 x 10	SC786014	SC786129
14 x 7	SC786005	SC786109	14 x 10	SC786015	SC786130
6 x 8	SC786006	SC786110	6 x 12	SC786016	SC786131
7 x 8	SC786158	SC786111	7 x 12	SC786169	SC786132
8 x 8	SC786007	SC786112	8 x 12	SC786017	SC786133
9 x 8	SC786159	SC786113	9 x 12	SC786170	SC786134
10 x 8	SC786008	SC786114	10 x 12	SC786018	SC786135
12 x 8	SC786009	SC786115	12 x 12	SC786019	SC786136
14 x 8	SC786010	SC786116	14 x 12	SC786020	SC786137
6 x 9	SC786160	SC786117	6 x 13	SC786021	SC786138
7 x 9	SC786161	SC786118	7 x 13	SC786171	SC786139
8 x 9	SC786162	SC786119	8 x 13	SC786022	SC786140
9 x 9	SC786163	SC786120	9 x 13	SC786172	SC786141
10 x 9	SC786164	SC786121	10 x 13	SC786023	SC786142
12 x 9	SC786165	SC786122	12 x 13	SC786024	SC786143
14 x 9	SC786166	SC786123	14 x 13	SC786025	SC786144

HEAVY DUTY DOCK BUMPER

Tough plies of fabric impregnated rubber pads are compressed and secured by $^{3}/^{4}$ " thick steel rods and mounted to $^{1}/^{4}$ " thick angle iron brackets. **Absorbs over 80%**

of impact force. Pre-drilled 13/16" anchor bolt holes offer quick installation, Allow 12" between each bumper for dependable protection.

	Overall
Model	W"* x D"x H"
SC988026	12 x 4 ¹ / ₂ x 10
SC988027	$18 \times 4^{1/2} \times 10$
SC988028	$24 \times 4^{1/2} \times 10$
SC988029	$36 \times 4^{1/2} \times 10$
SC988030	$11 \times 4^{1/2} \times 20$
SC988031	$11 \times 4^{1/2} \times 24$
* Width is co	enter-to-center
of bolt holes	3



STRIP DOOR ACCESSORIES

REPLACE	MENT STRIP
W" x H'	Model
STANDA	ARD STRIP
	/8" THICK
12 x 7	SC504077
12 x 8	SC504078
12 x 9	SC504079
12 x10	SC504080
12 x12	SC504081
12 x13	SC504082
	SISTANT STRIF
12"W x	1/8" THICK
12 x 7	SC504083
12 x 8	SC504084
12 x 9	SC504085
12 x10	SC504086
12 x12	SC504087
12 x13	SC504088
PEDESTRIAI	N DOOR STRIP
8"W x .0	80" THICK
8 x 7	SC504089
8 x 8	SC504090

STANDARD MOUNTING	Model	Length'
BRACKET. Durable glass filled polypropylene. Add or cut to length as needed.	SC585346 SC585347 SC585348	4 6 8

FLEXIBLE TRANSPARENT

12" WIDE x 1/8"

SCRATCH-

RESISTANT

STRIPS

HIGHLY

VISIBLE

SAFETY

ORANGE

END

PANELS


DELUXE MOUNTING BRACKET. Heavy duty .090" thick aluminum bracket will not rust or corrode. Patented design offers quick install and locks strips in place. Predrilled and ready to mount. Add or cut to length as needed. Limited Lifetime Warranty.

Model	Length'
SC241824	1
SC241825	2
SC241826	3
SC241827	4



FOLDING SECURITY GATE

Protect Against Pilferage and Unauthorized Entry



Constructed of strong 3/4" 14 gauge steel channel. Exclusive design protects the durable gray powder coat finish from scratching when folded for a longer life. Assembled with non-corroding zinc-plated rivets. Includes smooth rolling wheel and padlock lug. Double Gates have a cane bolt that holds left half in position and both halves open fully. **Gates fold completely and swing 180**° for unobstructed access. Gates can be either recess or surface mounted. Easy to install.





			Width"
	Model	W' x H'*	Retracted
	SINGLE FOLD	ING GATE	
	SC968130	$5^{1/2} \times 5$	10
	SC968132	$5^{1/2} \times 6^{1/2}$	12 ¹ /2
	SC968136	$5^{1/2} \times 8$	14
	SC968138	$6^{1/2} \times 6^{1/2}$	13
_	SC968142	$6^{1/2} \times 8$	15
1	SC968144	$7^{1/2} \times 6^{1/2}$	14 ¹ / ₂
۱	SC968148	$7^{1/2} \times 8$	18
ı	DOUBLE FOLI	DING GATE	
ı	SC968100	$8 \times 6^{1/2}$	12 ¹ /2
ı	SC968102	8 x 8	14
ı	SC241689	10 x 5	10
ı	SC968104	$10 \times 6^{1/2}$	12 ¹ / ₂
ı	SC968106	10 x 8	14
ı	SC968108	$12 \times 6^{1/2}$	13
ı	SC968110	12 x 8	15
ı	SC968116	$16 \times 6^{1/2}$	14 ¹ /2
ı	SC968118	16 x 8	18
		Retracted Height	
	SC959101D	Keved Padlock	









REMOVABLE CAP

*Models do not feature padlockable base

INDOOR/OUTDOOR SAFETY GUARDS AND BOLLARDS

Configured in 3 styles to protect various equipment and machinery in warehouses and parking and loading areas. Safety yellow powder coat finish with black visibility stripes. Mounting kit sold separately. **Bolt-On Models** are made with all welded 4½" diameter steel. Base plates measure 8" x 8". **Removable Base Models** feature a detachable base plate that allows quick, easy and temporary removal. Made from 5½" diameter steel tubing. Base plates measure 12½" x 12½". All **Removable Base Bollards** feature a removable rubber cap that allows bollard to be filled with concrete for extra reinforcement. **Removable Cap Bollards** with Chain Slots connect to other bollards using an optional Steel Chain to create a barrier. Made with 5½" diameter tubular steel and are available in 2 styles: **Existing Concrete Bollards (Suffix M)** allow floor anchoring and **Underground Bollards (Suffix G)** install in fresh, wet cement.



a	ind Onderg	ji odila bollarus (Si	unix d) motan m neon	, wet cernent.
	1	BOLT ON	REMOVABLE BASE	REMOVABLE CA
	H" x L"	Model	Model	Model
ł	STEEL BC	LLARD		
	24"H	SC337326R	SC238794	SC652898
	36"H	SC337327R	SC238795	SC652899
	42"H	SC337328R	SC238796	SC652900
	RACK GU			
1	9 x 36	SC337320R	SC238802	
	9 x 48	SC337321R	SC238803	
П		RY GUARD		
П	24 x 36	SC337322R	SC238806	
П	24 x 48	SC337323R	SC238807	
1	36 x 48	SC337324R	SC443480	
	48 x 48	SC337325R	SC443481	
	42 x 36		SC238810*	
	42 x 48		SC238811*	
		Mounting Kit (include	des 4 bolts)	SC442198
	Keyed Pag	dlock with 2 Keys		SC269322
	10 Foot St	teel Chain		SC269500



OVERHEAD DOOR TRACK PROTECTOR

Protect delicate overhead door tracks from forklift, cargo or vehicle damage with this heavy duty steel guard. The 6" x 6" base plate has a 3" x 3" notch out to accommodate track, includes mounting holes and requires only 3 bolts (sold separately) for easy installation. Safety yellow powder coat finish.

Model	Height"
SC652894	24
SC652895	36
SC652896	48
SC652901	Concrete Installation Kit
	Includes 4 bolts

CORNER GUARDS



Fits snug around corners to protect machinery, buildings and offices. Heavy duty welded steel with yellow powder coat finish and 3"W black stripes. Constructed of 4" schedule 10 steel pipe with 41/2" outer diameter. Base plates measure 8" x 8" and allow floor anchoring.

Model	Overall H"	L"
SC239799	24	24
SC239800	36	24
SC239801	42	24
SC239802	24	30
SC239803	36	30
SC239804	42	30
SC442196	Concrete Mo	untina Ki

PROTECTIVE RAIL BARRIER

Highly visible safety yellow finish. Welded base plates measure 10" sq. x 5/8" thick and are pre-drilled for easy installation. Assembly hardware included. Choose 18"H Post to support a single rail or 42"H Post to support a double rail barrier system. Steel Posts measure 4" sq. x 1/4" thick. Rails are made with ribbed 10 gauge high-tensile steel. Bracket Kit includes 2 drop-in style brackets that attach to posts to allow rail sections to slide onto brackets for installation. Purchase Concrete Mounting Kit to mount base plate to floor.

Description
4'L Rail
5'L Rail
6'L Rail
8'L Rail
10'L Rail
18"H Post-Single Rail
42"H Post-Double Rail
Bracket Kit (pair)
For Drop-in Style
Concrete Mounting Kit

Madal







PEDESTRIAN BARRIER

Ideal for directing personnel or traffic flow. Heavy duty 15/8" diameter 42" high steel pipe frame with mid-rail for rigidity. For permanent installations order single or double sockets to form a straight row or angles up to 30 degrees to create a curved barricade. Use free standing base with or without casters for portability.

Model	Description
	36"L Barrier
SC940371	48"L Barrier
SC940372	72"L Barrier
SC940373	96"L Barrier
SC940374	Single Socket
SC940375	Double Socket
SC940377	Base w/casters
SC940378	Base w/feet
SC940379	Concrete Anchor Bolts
	(Set of 4) 3/8"x 3"







CROWD CONTROL BARRIER





COUPLERS JOIN BARRIERS FOR EXTENDED BARRICADE

Direct pedestrians with these all-welded steel barriers. Easy to transport, they also include removable feet that allow flat stacking and storage. Sections include couplers that join units in runs of any length. Measure 102"L x 40"H each with 51/4" spaces in between vertical bars.

Model	Raii Dia."	Description
SC652833	1 ¹ / ₄	Galvanized
SC652835 SC695008 SC695009	1 ¹ / ₄ 1 ⁵ / ₈ 1 ⁵ / ₈	Powder Coat Safety Yellow Galvanized Heavy-Duty Powder Coat Safety Yellow Heavy-Duty
0000000	1.70	Towaci Coat dalety Tellow Fleavy Buty

SAFETY BARRICADE GATE



SIX SWIVEL CASTERS, 4 WITH BRAKES





Quickly and easily block access to dangerous or restricted areas with this industrial grade gate that weighs a generous 154 lbs. All steel construction with powder coat finish. Gate expands to $20^\prime L \times 52^1/2^\prime H$ and folds to a compact $23^1/2^\prime L \times 24^\prime W \times 64^\prime H$. Moves easily on 6 heavy duty casters (4 braking, 2 swivel). Includes warning sign shown.





Create lines and block off restricted areas in banks, offices, retail environments and more. Self retracting 61/2′L belt helps direct lines and crowds to or away from desired areas. Locking belt receivers included to prevent accidental belt release. Capped belt ends prevent nylon belts from raveling. Steel Post is made using 141/s″ diameter weighted base for stability. Measures 39″H overall. Available in Stainless Steel or Black powder coat finish. Easy assembly. Specify Belt Color Suffix: Black (BK), Red (RD), Blue (BL) or Black & Yellow Stripe (YB). Note: Blue Belt available for Steel Post only.

V1475
SC269545

Model	Description	Length
SC695010	Black Steel Post with Belt	71/2
SC269383	Polished Stainless Steel Post with Belt	61/2
SC269387	Black Wall Mount with Belt and Receiver	61/2
SC269545	Merchandising Bowl with Adapter	

BLACK SIGN WITH ADAPTER

Description	7" × 11"	11" x 14"
2 Sides "Please Enter Here"	SC443081	SC443084
2 Sides "Exit" 1 Side "Please Enter Here"	SC443082 SC443083	SC443085 SC443086
Sign Frame w/Clear Acrylic	SC239324	SC239325

CROWD CONTROL POST & ROPES

Post accepts Ropes (sold separately) to create effective and easy to use portable crowd control barriers. Easy to set-up and move where you need them. 34"H post is made using a 10¹/4" diameter weighted base for stability. Stainless steel post has a gold plated finish. Die cast, zinc alloy hanger accepts Rope Belts (sold separately). Belts are 59". and include gold plated stainless steel ends for easy connection to post. Rope is available in plush, stain resistant Velour or leather-like Braided Vinyl. Easy assembly. Specify Rope Color Suffix: Blue (BL), Red (RD) or Black (BK).

Model	Description
SC269384	34"H Gold Finished Stainless Steel Post
SC269385	59"L Velour Rope with Ends
SC269386	59"I Braided Vinyl Rone with Ends





HANDICAP PARKING STENCIL Heavyduty black vinyl is reusable. Meets ADA requirements. 37" x 43".

STENCIL KIT includes 9"H A to Z and 0 to 9, extra large NO PARKING, VISITOR, IN and OUT and arrow symbol.

 Model
 Model

 SC505199
 SC219400

TRAFFIC CONTROL SIGNS Reflective cience in 0%0 reflective aluminum with pre-drilled

Reflective signs in .080 reflective aluminum with pre-drilled holes for easy mounting.

Model	Description	Size"
SC652645	STOP	24 x 24





INDOOR/OUTDOOR PEDESTRIAN CONTROL

Keep aisles clear from moving traffic and secure sensitive areas. 41"H \times 2" diameter. **Plastic Post** is available with portable 14" diameter base or ground stake. Fill base with sand for stability. Heavy-duty $1^1/2$ " **plastic link chain** hooks easily to post; choose white or alternating black and yellow links. Use one post for every 8 ft. of area secured. Plastic Post sold 6 per carton.

Post Style	WHITE	YELLOW
Portable Base	SC822002W	SC822022Y
Ground Stake	SC822003W	SC822003Y

50' LINK CHAIN
SC954112W White
SC954112Y Yellow/Black



SPEED BUMP AND CABLE PROTECTOR

Versatile design handles the heaviest of vehicle loads while also acting as a dual channel protector. Prevents damage to air lines, water lines, and electrical cable. Flexible design fits contour of road or factory floor. High-density polyethylene construction with non-skid surface

resists weather, UV and chemical damage. High visibility yellow. Anchor bolts included. 72"L x 10"W x 2"H. Cable channel dimension: 11/4"W x 7/8"H.

Model Wt. Lbs. SC506847 15

Save When You Buy Any PARKING LOT SIGNS



SC649151



SC932136

Impact and corrosion resistant .063" aluminum signs are finished in glossy baked enamel. Pre-drilled for easy mounting. Add "H" suffix for heavy duty reflective .080 mil version.



Riveted grid design secures bicycles in upright position. Powder coated galvanized, industrial grade steel withstands years of outdoor use. Framing uses 15/8" dia. tubular steel; grids are 3/4" dia. steel. Double-Sided accommodates bikes on either side. 3 anchor styles: Cement for use in fresh concrete or asphalt, Earth for soil and lawns or 6" Spikes for permanent mounting in existing pavement. Easy assembly.

ivioaei	Description
SC652770	5-Bike Single
SC652771	9-Bike Single
SC652772	10-Bike Double
SC652773	18-Bike Double
SC652774	Anchor-Cement / 4pk.
SC652775	Anchor-Earth / 4pk.
SC652776	Anchor-6" Spike / 4pk.



Wave design eliminates shard edges for safety and allows double sided bike attachment to secure bikes in upright position. Made using rugged 15/8" tubular steel with polyester powder coat finish that withstands the elements. Choose from 3 available mounting types. **Below**

Grade Mount (add suffix G) installs in fresh, wet cement or soil. Flange Mount (add suffix M) for floor anchoring in existing cement. Free Standing (add suffix F) with base feet for easy portability (not available for 2-bike rack). Add color suffix after mount code: Black (BK) or Green (GN).

τ			
r	Model	Description	L"
3	SC442804	2-Bike Wave	14 ¹ /2
/	SC652777	5-Bike Wave	41
r	SC652778	7-Bike Wave	68
	SC652779	9-Bike Wave	94

STADIUM BIKE RACKS

U-rail bike rails allow double sided bike storage. Black powder coat finish. Easy Assembly racks are made using 15/8" diameter x .098 thick tubular steel. U-rails easily attach to U-channel base rails for assembly. Base rails allow freestanding, portable use or can be anchored (mounting hardware not included). Heavy Duty Racks are made of 23/8" diameter x 9 gauge schedule 40 pipe for strength that lasts. Heavyweight, freestanding steel to eliminate need for anchoring.

			٧٧L.	
Model	$L'' \times D'' \times H''$	Spacing"	lbs.	Model
EASY A	SSEMBLY			
6-Bike	74 x 15 x 35	34 3/8		SC269319
8-Bike	110 x 15 x 35	343/8	94	SC269320

r x sts. eed	C	SC269319	6	_			
				Rail	Wt.		
		L" x D" x H			lbs.	Model	
HE	A۷۱	DUTY ALL-V	VELD				_
6-B	ike	98 ³ / ₄ x 21 x 3	71/4	46	154	SC44281	2

190 SC442813

KD BIKE **RACK**

The KD Bike Rack is constructed with durable steel and features an epoxy powder coat finish. Secures up to (3) big and (3) small bikes. 3 Anchor styles: Cement for new pavement, Earth for soil and lawns or 6" Spikes for existing pavement. Easy assembly and withstands years of outdoor use.



	Description
1	6-Bike Single KD Rack
4 5	Anchor-Cement / 4 pk. Anchor - Earth / 4 pk.
6	Anchor - 6" Spike / 4 pl
U	Allerior o opike,

CHROME TRIPLE GLOVE BOX HOLDER

Glove box holder provides a convenient, simple storage solution for examination rooms. Chrome steel for long lasting durability. Wall mounted. Measures 11¹⁵/16"W x 31³/16"D x 14³/16"H overall.

Model	Color
SC436802	Chrome



8-Bike 110 x 21 x 371/4

MEDICINE CABINETS

Provide a convenient storage area for first aid supplies, prescription drugs and other pharmaceutical supplies. Cabinets are made using cold rolled steel with white powder coat finish. Pull-out shelf provides a convenient work area. 3 fixed interior shelves are welded into place. Cabinet is lockable using cylinder lock and 2 keys. Available in Solid Metal or Pléxiglass models. Color White.



Door Type	W" x D "x H"	Handle	Model
Solid Metal	18 x 8 x 27	Pull Handle	SC269940

OFFICE DEHUMIDIFIERS

SC65277

SC65277

SC65277




Energy Star Units with easy access and remote controller. Mobile, 24 hour on/ off timer. Plastic construction. Model **SC653556** has a built-in pump. 120 volt. 6' power cord. 1 Year Limited Warranty.

Brand	Pints/Day	W"x D" x H"	Model
_	30	12 x 9 x 20	SC653550
_	50	16 x 11 x 32	SC653552
_	70	16 x 11 x 23	SC653555
_	70	16 x 11 x 23	SC653556

OSCILLATING DELUXE 1/2 HP PEDESTAL FAN

This 30" diameter industrial fan features a heavy-duty base and a hand screw knob for easy, tool free height adjustments. Rugged 3-speed, 10000/8750/7300 CFM, 1/2 HP ball bearing motor uses PSC technology. Height adjustable from 60"- 81"H. Oscillating motion distributes airflow in a 90° sweep or allows fixed fan positioning. Pivotaction fan head allows tilt angle adjustments. Steel wire guards safely enclose 3 metal blades that are precision balanced for optimum performance. "Y" suffix Model offers a safety yellow powder coat finish on the guard and pedestal. 18'L cord with 3-prong plug. 120V. UL listed. 3 Year Limited Warranty.

> Model SC652299 SC652299Y



OPTIONAL FAN DOLLY

OSCILLATING INDUSTRIAL PEDESTAL FAN

24" diameter fan features a 1/4 HP motor which provides up to 7,525 CFM. Has a 24" diameter pedestal base. **30" diameter fan** features a 1/3 HP motor which provides up to 8,775 CFM. Has a 27" diameter pedestal base. Fans feature 3-speed motor and 3 precision balanced metal fan blades. Oscillating motion distributes airflow in a 90° sweep or allows fixed fan positioning. Pivot action fan head allows vertical airflow adjustments. Tool free, hand screw fan height adjustments possible. Wire guards safely enclose metal blades. Includes an 18'L power cord with a 3-conductor, 120V plug; no need for extension cord. Meets OSHA standards, UL listed. 1 Year Limited Warranty.



SWIVEL TILT

HEIGHT **ADJUSTABLE** FROM 56" TO 65'







OSHA



Dia." Model SC585279 SC585280

OSCILLATING DELUXE 1/2 HP WALL FAN

24" and 30" diameter fans mount to the wall for safe, out of the way operation. Both fans feature a Heavy Duty 1/2HP, 3-speed motor which uses PSC type ball bearing technology and is permanently lubricated for long life. Fans are configured for either fixed positioning or 90° oscillation by using a safety clutch mechanism.
3 precision balanced blades are enclosed in steel wire guards for safety. Pivot action fan head allows tilt angle adjustments. Assembly contents include wall bracket, angle support bracket with right and left supports. Also includes pull chain control and 12'L, 3-conductor, 120V power cord. UL listed. 3 Year Limited Warranty. 24" diameter fan provides up to 8,650 CFM. 30" diameter fan provides up to 10,000 CFM.



SERVICE PLAN			1
5	Dia."	HP	Model
200	24	1/2	SC258321
	30	1/2	SC258322

OSCILLATING INDUSTRIAL WALL FAN

24" and 30" diameter fans mount to the wall for safe, out of the way operation. 24" diameter fans feature a 1/4HP motor and provide a max of 7,525 CFM and 30" diameter fans feature a 1/3HP motor and provide a max of 8,775 CFM. Both motors are 3-speed and are permanently lubricated for long life. Fans are configured for either fixed positioning or 90° oscillation by using a safety clutch mechanism, 3 precision balanced blades are enclosed in steel wire guards for safety. Pivot action fan head allows tilt angle adjustments. Assembly contents include wall bracket, angle support bracket with right and left supports. Also includes pull chain control and 12'L, 3-conductor, 120V power cord. UL listed. 1 Year Limited Warranty.





Dia."	HP	Model
24	1/4	SC607050
30	1/3	SC607051

INDUSTRIAL BLOWER FANS















These industrial fans feature a quiet 2-speed motor with thermal cutoff for overheat protection. Blower fans have a roller bearing motor that is heat resistant and maintenance-free. The sturdy steel housing of these drum fans have formed channels for enhanced rigidity and a black powder coat finish. These portable fans include a grip handle for easy transport. Grills have curved grid supports. Fans include an 18'L 3-conductor power cord with plug. 120V. Direct Drive 24" & 36"diameter fans feature 3 blades and a pivot mount that allows blower tilt to direct airflow. 24" diameter fan tightens in place with a hand screw knob and include 5" rubber wheels, 36" diameter fan is enclosed in wire safety guards with a tubular steel pivot-action stand allowing 360° swivel for tilt angle airflow adjustments. 2 - 6" axle-mounted wheels provide mobility. Belt Driven 42" & 48" diameter fans have 4 balanced blades and 7" solid rubber wheels. Meets OSHA standards, UL listed. 1 Year Limited Warranty.

Dia."	Drive Type	HP	CFM High	Amps.	H" x D"	Model
24	Direct	1/3	8,575	2	30 ¹ / ₂ x 13 ¹ / ₄	SC607220
36	Direct	2/3	13,000	4.2	42 x 24	SC258320
42	Belt	1	17,600	6.5	45 ¹ / ₂ x 16 ¹ / ₂	SC600554
48	Belt	1	15,20	5.8	52 x 16 ¹ / ₂	SC600555

BEST VALUE AIR CURTAIN



SC246608



Maintains indoor air quality and saves energy by minimizing heated and air conditioned air loss through open doorways. Powerful airflow prevents dust, odors, fumes, flying insects and outside air from entering indoors. Features 2-speed fan operation. Can be easily mounted above or next to doors using included hardware. 120V, UL listed. Replacement remote available online, Model SC292339.



W"	CFM	Amps	Model
36	815	2.85	SC246608
48	990	3.5	SC246609
60	1 280	4.8	SC246610

EVAPORATIVE COOLERS

These evaporative coolers utilize efficient housing that is designed to produce effective cooling in highly humid conditions. Portable evaporative coolers help increase worker productivity by creating a more comfortable working environment. Onepiece, corrosion resistant molded plastic housing with built-in water tank. Water is supplied to internal tank using a standard 3/4" hose (not included). Energy efficient motor and submersible pump assembly. SC246560BK and SC245881BK models have a centrifugal air system that eliminates the need for fan blades and reduces noise. These models also come in Brown.



	Blade			Tank Cap.	Drive	Cooling	
Manufacturer	Size"	HP	High	Gal.	Type	Sq. Ft.	Model
_	20	3/8	3,531	15.	Direct Drive	538	SC600580
_	30	3/4	10,595		Direct Drive		
_	36	1	5,300	32	Direct Drive	3,229	SC600581



OUTDOOR PEDESTAL & WALL FANS WITH MISTING

Optional Misting Kit Available!





Our Industrial Outdoor Oscillating Pedestal and wall Fans with misting kit have a 3-speed industrial motor powering three precision balanced Steel fan blades. Pedestal fan is height adjustable from 58"-65"H. Fans come with 10' x 18AWG Cord with GFCl Plug. Black Powder Coat Finish, rated for outdoor use. Front Fan Grille with Misting feature mounts easily. UL Listed.



		OUTDOOKFAN	FAIN WITH MISTING KI
Fan Type	Dia"	Model	Model
Pedestal	24	SC292448	SC292454
Pedestal	30	SC292449	SC292455
Wall	24	SC292450	SC292456
Wall	30	SC292451	SC292457

INDUSTRIAL WALL & PEDESTAL FANS



Fans include an open air over ball bearing single-phase motor and 3 quiet aluminum blades that are enclosed in chrome wire guards. Pivot-action fan head allows vertical tilt angle adjustments. 2-speed pull chain operation. 12'L SJT type, 3-conductor power cord. 120V. Easy assembly with pre-assembled fan heads and mounts. Meets OSHA standards, UL listed. **Pedestal Fans** allow tool free fan height adjustments. Includes 27" diameter base. **Wall Mount Fans** include a wall bracket with swing-action arm for side-to-side placement.

REPLACEMENT MOUNTS



Fan Type	Model
Wall Non-Oscillating	SC246545
Wall Oscillating	SC246544
Pedestal Non-Oscillating	SC246543
Pedestal Oscillating	SC246542

		CFM		l	WALL		PEDESTAL
Dia"	HP	High	Low	Brand	Model	Brand	Model
25	1/4	5,400	4,300	CD	SC246578	CD	SC246586
25	1/3	7,000	5,200	CD	SC246579	CD	SC246587
25	1/2	8,600	7,100	CD	SC246580	CD	SC246588
30	1/4	6,000	4,800	CD	SC246581	CD	SC246589
30	1/3	8,200	6,200	CD	SC246582	CD	SC246590
30	1/4	7,900	6,000	CD	SC246585	CD	SC246593

WINDOW & WALL AIR CONDITIONERS



The lightweight, compact design of window air conditioners fit in most windows to provide efficient cooling. Window ACs feature digital temperature display, auto-restart, timer mode, remote controls and filters that slide out easily for cleaning. Some models have electric heat for year-round temperature control. Through-the-wall air conditioners feature digital displays that show set temperature, sleep mode and a remote control for ease of operation. Installation kits included. Air conditioner BTU's range from 5K-28K. See website for additional models.

VVALL	Cooming	01	0				VVali Diceve
Brand	Sq.Ft.	Cool	Heat	Volts	EER	Model	Model
	350	8,000		115	9.4	SC246540	SC600501
_	550	12,000		115	9.4	SC246541	SC600501
WINDOW							
	Cooling	E	BTU				
Brand	Sq.Ft.	Cool	He	eat	Volts	EER	Model
_	350	8,000			115	10.8	SC292458
_	550	12,000			115	10.8	SC240111
_	1,050	18,500	16,	000	208/230	9.7	SC246538
_	1,400	25,000	16,	000	208/230	9.4	SC292460





		CFM		Warranty	
Brand	Dia."	High	Amps	Years	Model
	56	20,500	0.5	1	SC246496
Canarm	56	20,500	0.9	5	SC653104
Canarm	56	27,500	0.83	5	SC653105
_	60	42,500	0.61	1	SC653548
Canarm	60	46,000	0.84	5	SC653106
J & D	60	43,500	0.74	Lifetime	SCB735658

CEILING FAN

Ceiling Fans cool in the summer and move stagnant air during heating season. Metal construction with aluminum blades finished in white epoxy. All models are 115V and contain a permanently lubricated, sealed ball bearing motor for long life and provisions for hardwire. 16" down rods provide safety clearance from ceiling as well as interior safety cables for secure positioning. Model SC246496 includes aluminum blades and 5 speed fan controller. Model SC653548 includes 4 speed wall mount control. Canarm's optional Variable speed switches help control multiple fans, models SC653107 and SC653108 (sold separately).

EXHAUST FANS WITH SHUTTER



I Wall Sleeve

TPI and CD Exhaust Fan with Shutter feature a 120V 1-phase totally enclosed permanently lubricated direct drive motor with provisions for hardwired installation. These shutter mounted fans install on inside wall and eliminate the need for external framing. Aluminum blades are enclosed in a sturdy steel spiral wire guard. Note: Rough-in hole size is 1/2" larger than fan blade size. Multiple Speed Exhaust Fans come with pull chain. Meets OSHA standards. UL listed. 1 Year Limited Warranty.

CFM Brand Dia." HP High Speeds Model

-	F (5)	-		SC2	94497	TPI	16	1/8	2,100	3	SC248450
						CD	18	1/8	1,976	3	SC246619
			CFM			CD	18	1/8	2,300	1	SC294496
Brand	Dia.	" HP	High	Speeds	Model	CD	18	1/8	2,300	3	SC294496A
CD	10	1/30	680	1	SC248448	TPI	20	1/4	2,925	2	SC248451
CD	10	1/12	680	3	SC248448A	CD	24	1/4	3,400	1	SC29449
CD	12	1/12	825	1	SC294495	CD	24	1/4	3,400	2	SC294497A
CD	12	1/12	825	3	SC294495A	CD	30	1/4	3,950	1	SC294498
TPI	14	1/8	1,520	3	SC248449	CD	30	1/4	3,950	2	SC294498A

INDUSTRIAL PORTABLE AIR CONDITIONERS

Industrial Portable Air Conditioners provide reliable and economical spot cooling in a variety of professional and residential environments including industrial plants, server rooms, hospitals and offices, and especially where electrical equipment creates a heat load. Cooling range from 400-4,000 sq. ft. Kwikool Air Cooled Air Conditioners bring in air from an outside source to cool its condenser, cycling hot air to an outside source. Kwikool Water Cooled Air Conditioners are unique because the units eliminate the need for vents and ducting but require access to a circulating water system. Tap water should not be used. All units come with a 1 Year Limited Warranty. All of our Industrial Air Conditioners Are Air Cooled and Portable. Model SC292256 comes with a heat pump for heating as well as cooling. All units come with a 1 Year Limited Warranty. Optional Ceiling Kits sold separately, 12" model SC292311, 16" model SC292322. Package of two 5" Cold Air Nozzles are required and included with all of our models except SC292256 which does not use nozzles.

			C	Cooling		CFM			
Brand	System	Tons	BTU	Sq. Ft.	Speeds	High	Amps	Volts	Model
_	Air	1.2	13,600	440	2	440	13	115	SC292253
_	Air	1.5	16,800	600	2	460	17	115	SC292254
_	Air	2	23,500	800	2	460	12.6	230	SC292255
_	Air/Heat Pump	1.5	16,800/18,500	600	2	460	16	115	SC292256

WALL

Cooling

FLOOR FANS

Floor fans permanently lubricated 3-Speed, 120V sleeve bearing motor. Portable floor fans include 3 aluminum fan blades enclosed in steel wire guards. Fan head pivots 360° for tilt angle adjustments. These Models include a 7'L cord. Portable Stand models feature steel wire guards with a welded carry handle that acts as a cord wrap. TPI Models include a 10'L SJT type 3-conductor cord, epoxy coated black steel frame, comfort grip handles and 2 wheels for mobility. Meets OSHA requirements, UL listed. 1 Year Limited Warranty.



ODTIONIAL

Fan Style	Brand	Blade Dia."	НР	CFM —— High/Med./Low	Model
Α	_	12	1/12	2,030/1,400/1,190	SC258323
Α	_	18	1/8	4,550/3,675/2,800	SC258324
Α	TPI	24	1/8	6,350/5,200/3,600	SC606680

VENTILATOR & EXHAUST FANS SC246432

Ventilate and cool manholes, tanks and crawl spaces. Lightweight and portable with an easy-carry handle. Rubber feet on base to minimize noise and reduce vibrations. **Style A Steel Blower** has steel housing with powder coated steel wire safety guards. Includes 10°L power cord. **Plastic with Ducting** easily converts blower to an exhaust fan with convenient, flexible ducting. Quick-connect coupling for easy attachment and canister for storage. Horsepower rating based upon maximum speed/load. 1 Year Limited Warranty.

Style	Dia."	CFM	Duct L'	HP	Model	Style	Dia.	CFM	Duct L'	HP	Model
Α	8	1,589		1/8	SC246340	Α	12	2,931		3/8	SC246343
Α	8	1,589	16	1/8	SC246429	Α	12	2,931	16	3/8	SC246431
Α	8	1,589	32	1/8	SC246430	Α	12	2,931	32	3/8	SC246432

PTAC HEATING & COOLING

PTACs & Accessories are made of heavy duty plastic construction for long lasting durability. The models listed below feature both heating and cooling capabilities for enhanced versatility. Optional remote thermostat offers customized control for greater dependability. Sound reduction package ensures quiet operation. Corrosion-resistant fin coating extends operation life for increased reliability. Restart feature automatically resumes operation at previous settings when power is restored for ease of use. Smart Self-Check provides diagnostic points for correction of fault conditions. Uses R410A refrigerant for increased efficiency. Available in a variety of styles. Area coverage, BTUs and energy efficiency ratings vary per model. Meets EPA requirements. 1 Year Full/5 Year Sealed System Limited Warranty.

						OLIN	JINAL
	BT	U				WALL SLEEVE	WALL GRILLE
Brand	Cool	Heat	EER	Volts	Model	Model	Model
_	9000	8100	11.3	230/265	SC292463	SC600502	SC600503
_	12000	10800	10.5	230/265	SC292464	SC600502	SC600503
_	14700	13500	9.6	230/265	SC292467	SC600502	SC600503



PORTABLE AIR CONDITIONERS

Portable Air Conditioners Are Designed For Safe And Energy Efficient Cooling Operation.

Portable Air Conditioners have a sturdy construction for long lasting durability and strength. Ideal for use in homes, offices, garages, shops and more. Provides reliable cooling for increased comfort. Choose from models with different operational modes, including Cooling, Heating, Fan and Dehumidifier for increased versatility. Cooling coverages range from 350 Sq. Ft. to 700 Sq. Ft. and cooling BTUs range from 8000 to 14,000. Dimensions vary per model.

Brand	Cooling Sq. Ft.	Cool	Heat	EER	Model
_	350	8,000		8.9	SC600506
_	700	14,000	11,000	8.9	SC246535







FORK MOUNTED DRUM GRAB



1500 lb. capacity

Lift, transport and deposit drums without leaving the seat of the fork truck. Grab mounts easily on the forks with hand tightened lock screws, no tools required. The knuckle gripping system is lowered around the drum, gripped tightly, and then lifted. The weight of the drum holds grab jaws in place to minimize slippage. Drum is

automatically released by lowering the forks. Welded steel construction. Hinged folding arm design to save storage space. Powder coat yellow finish.

Model	Description	Drum Gallon	Cap Lbs.	Fork Pockets W" x D" x OC"
SC795332	Single Steel	55	1500	5 ¹ / ₄ x 2 x 16
SC795333	Double Steel	55	3000	7 ¹ / ₄ x 2 ¹ / ₄ x 24



SC795332

HEAVY DUTY DRUM CRADLE



DRUM DUMPER

Use Your Forklift as a Drum Handler... Raise, Tilt and Drain Drums Easily





Raise, tilt and drain 55 gallon steel
drums easily without leaving forklift;
pouring is controlled with 10' pull
chain. Attaches quickly to forks. Fork
pockets are 7"W x $2^{1}/_{2}$ "H x $26^{5}/_{8}$ "D,
spaced 24 ¹ / ₂ " apart (39" O.A.).

Description 800LB. CAP. (500LB. TILTING HALF FULL DRUM CAPACITY) 55 Gallon Dumper SC191700 1500LB. CAP. (500LB. TILTING HALF FULL DRUM CAPACITY) SC190702 55 Gallon Dumper

LOW COST DRUM CRADLE



Quickly move and drain 55 gallon steel drums. One man loading. Heavy gauge steel, retractable handle.

INDUSTRY STANDARD CRADLE

21/2" non-sparking polyolefin wheels for easy mobility. Assembles easily. Model SC233572

EASY STEER CRADLE

polyolefin load wheels, 3" polyolefin swivel casters for maximum maneuverability. Assembles easily Model SC233581

HEAVY DUTY DRUM DOLLY

Wheel Them - Don't Carry Them!





STAINLESS STEEL



Increase usage of your drums. Drum dolly increases portability, allowing drums to be taken to and from work areas with ease. Move up to 55 gallon metal, fiber and plastic drums and containers. Rugged 3" casters provide maximum stability and easy maneuverability.

STEEL DOLI	LY
Model	Dia
SC233886	19

_ 1								
Dia."	Drum Size	Wheels	Cap Lbs.					
19 ¹ / ₂	30 Gallon	Rubber	600					
19 ¹ / ₂	30 Gallon	Steel	1000					
24	55 Gallon	Rubber	600					
24	55 Gallon	Steel	1000					
DLLY			_					
241/4	30 & 55 Gallon	Rubber	900					
STAINLESS STEEL DOLLY								
19	30 Gallon	Rubber	800					
24	55 Gallon	Rubber	800					
	Dia." 19 ¹ / ₂ 19 ¹ / ₂ 24 24 DLLY 24 ¹ / ₄ STEE 19	Dia." Drum Size 19½ 30 Gallon 19½ 30 Gallon 24 55 Gallon 24 55 Gallon 55 Gallon 55 Gallon 51 Gallon 50 Gallon	Dia." Drum Size Wheels 19½ 30 Gallon Rubber 19½ 30 Gallon Steel 24 55 Gallon Rubber 24 55 Gallon Steel DLLY 24¾ 30 & 55 Gallon Rubber 5TEEL DOLLY 19 30 Gallon Rubber					

MOBILE DRUM CARRIER

Raise, transport, rotate, agitate, tilt, and drain fully loaded drums. Self-supporting, transports drum upright to avoid spills. Automatic handle-locks prevent unintentional lowering. Tilt locks used to keep upright or horizontal to dispense. Unlock for manual tipping to any angle or end-over-end tumbling to agitate. Two 8" polyurethane load bearing wheels and 4" swivel caster for optimal maneuverability.

Drum Model Drum Type SC952800 55 Gal. Steel 221/2



SC952800



DRUM PALLETIZER Moves and transports drums easily to or from pallets with a maximum height of 8". Dual ratchet stops hold the weight of the drum, and provide several positions where the handle stays until operator takes hold. Operator holds no weight and does not need to balance drum truck. Two 6" polyolefin load wheels and two 4" swivel casters provide smooth movement. Designed for rimmed 55-gallon steel drums.

800 lb. capacity



POLYETHYLENE CONTAINMENT SUMP Choose Plastic or Wire Deck

Helps prevent costly, illegal environmental contamination. Chemical resistant, high density black polyethylene, 85 gallon capacity sump collects leaks and overflow for easy clean-up. Extra-rigid 50½"sq. x 15½"H sump holds four 55 gallon drums. 4000 lb. static load capacity. Nests for compact storage. Accepts standard 48"sq., or 40" x 48" pallet. Sump is available with or without decking. **Polyethylene Pallet** has molded in barrel rings for stability and allows fourway forklift access. Wire Decking is durable, lightweight and includes a powder coat finish for long life. Polyethylene Decking is chemical resistant and easily removes for cleaning. Meets EPA secondary containment standards. Weather resistant, reinforced Vinyl Cover with vents features a cinch closure and clear plastic document pouch.

Description Model Sump Without Deck SC298437 Sump With Wire Deck SC298441 SC298442 Sump With Plastic Deck SC298438 Sump With Plastic Pallet SC846021 Vinyl Cover 51"Sq.x 50"H/5.3 lbs

MEETS EPA REQUIREMENTS









SUMP WITH PLASTIC DECK

37"H POST **CONVERTS IN**

MINUTES TO A

BENCH SCALE

SUMP ONLY

SUMP W/PLASTIC PALLET

SUMP WITH WIRE DECK

VINYL COVER

INDUSTRIAL BENCH/FLOOR SCAL

This digital shipping scale is ideal for multiple uses and environments. Can be used for weighing, counting or as a system to accept or reject items from production line based on weight. 10"H and removable 37"H posts allow display height adjustment for bench and floor scale use. Hand screw knob on post allows quick post removal. Stainless steel platform measures 161/2"W x 201/2"L. Plastic display measures 93/4"W x 6"H and includes LCD screen displaying six 1"H digits for easy-to-read viewing. Hand screw leveling feet allows quick and easy deck height adjustments up to 7"H. Includes leveling indicator for proper weighing. Operating functions include auto-zero, tare, accumulate and counting. Features auto shutoff with sleep mode function. 115V, AC with built-in rechargeable battery, 6'L power cord. 1 year Limited Warranty.

> Capacity Readability Model Lbs. Kg. Lbs. Kg. W" x L" x H" SC236463 0.04 113/4 x 153/4 x 43 330 150 0.1 SC653295 660 300 0.25 0.11 15³/₄ x 19³/₄ x 51



EASY TO READ 1"H **NUMBERS**



POST HEIGHT ADJUSTS FOR TABLE TOP OR FLOOR APPLICATIONS

DIGITAL SHIPPING/RECEIVING SCALE

Simple to operate. Rugged low profile steel platform 12¹/4" x 11³/4". Large, easy to read 1" LCD digital display comes with a 6'coiled cord; includes bracket for wall or surface mounting. Features large keys for tare/ hold, units, on and off. Powers off after 2 minutes of non-use. Includes an RS232 serial port. Operates with either an AC adapter (included) or 6-AA batteries (not included). 1 Year Limited Warranty.

	Capa		Accuracy		
Model	Lbs.	Кg	Lbs.	Kģ.	
SC300625	400	181	0.5	0.2	



400 lb. capacity





660 lb.

capacity





ELECTRONIC WEIGHT COUNTING SCALE

With a default division of 1/30,000 and Class III accuracy, this scale is capable of counting the smallest of parts. Features sample weigh, count and percent mode functions. Weighs in pounds and kilograms. Includes easy-to-read LCD display and RS232-port. Stainless steel platform with protective finish measures 10¹/₂" x 8¹/₂". Features 60 lb. maximum capacity & 0.5 lb. minimum capacity with .002 lb. increments. Powered by internal rechargeable battery or 110/220V AC adapter (included). 10¹/₂"W x 13"D x 4"H overall.

60 lb. capacity

	Capacity		Graduation	
Model	Lbs.	Ŕg.	Lbs.	Kg.
SC240878	60	30	.002	0.00



ELECTRONIC CRANE SCALE



With Remote 2000 lb. Capacity!

Provides a versatile and economic solution for overhead material handling and weighing applications. Makes load connection quick and secure. Aluminum die-cast casing with load cell, hook and shackle. 6V rechargeable battery operates 50 hours between charges and includes battery charger. 11/5"H, 5-digit LED display. Includes remote control and swivel hook with safety latch.

Capacity		Acc		
lbs.	kg.	lbs.	kġ.	Model
2000	1000	1.0	0.5	SC795871



CARTON STAND

Choose from **SINGLE** or **DUAL LEVEL** to meet your needs. Organize corrugated boxes for easy access. 48" x 18" shelves with three 25"H adjustable dividers per shelf and screw type leveling feet for uneven surfaces. Chrome plated finish. Easy assembly.


DUAL LEVEL SHOWN W/OPTIONAL PUSH HANDLE AND CASTERS

Model	Description	Ht."
SC184204	Single Level	381/2
SC184205	Dual Level	$78^{1/2}$

OPTIONAL ACCESSORIES CASTER SET. 4" rubber swivel. Model SC184233

PUSH HANDLE. Adjusts on 1" increments. Model SC184234

LOW PROFILE PALLET SCALE



48" x 48" x 4" low profile scales feature steel diamond plate surface with heavy duty welded channel support and closed corner design. Can be pit mounted or free standing on adjustable 2-3/8" diameter rubber feet. Overload protected to 125% of capacity. Scales are legal for trade and come pre-calibrated with corresponding indicator. Indicators are built with durable stainless steel and ABS plastic and measure 4-5/8"H x 8-1/8"W x 2-3/16"D. LCD display with backlight features six 1/2"H digits. Functions include, unit selection (lb/kg), zero, tare, and hold. RS-232 serial port connectivity. Battery/AC power (adaptor included). Models include 9'10" interface cable and 5' AC adapter. 1 Year Limited Warranty.

Scale	Cap. Lbs.	Grad. Lbs.	$W'' \times L''$	Ramp
SC242433	5000	2.2	48 x 48	SC236466
SC242434	10000	2.2	48 x 48	SC236466

GUMMED PAPER TAPE DISPENSER



NTEP APPROVED "LEGAL FOR TRADE"

A must for fast efficient packaging, this industrial grade dispenser reliably supplies precut, premoistened tape in adjustable lengths up to 42" with one easy lever stroke (and longer lengths with repeated strokes). Features include adjustable water levels, pressure plate and double brush moistening for optimal seals. Generous water tank reduces refill time. Rugged steel housing for years of service. Accepts virtually any gummed tape in widths from 0.8 up to 4". Model SC300713

PARAMOUNT® MOBILE FLIP-TOP TRAINING TABLES

Paramount® Flip Top Training Tables are ideal for Conference Rooms, Classrooms and other Training Applications. Designed for compact storage - flip the top and nest the base. They are constructed with 1" thick laminate/particle board tops, PVC edge banding and a metal base. The base is designed with a metal modesty panel with an integral cable trough. 4 locking casters for easy mobility. Table tops can be connected using 2 ganging clips that are included with each table. Table top available in Cherry or Gray finish. Available in 48", 60" and 72" lengths. Easy assembly.







PRESENTATION LECTERNS



Great for conference rooms, training rooms, lecture halls and more! Made with sturdy $^3/4^{\prime\prime}$ thick wood and stain resistant laminate mahogany finish. **Mobile LECTERNS** include retaining platform to hold papers or laptop with fixed shelf (not shown). Features four $2^{\prime\prime}$ swivel casters (2 locking) for mobility. **Stand-Up LECTERNS** have a slanted reading surface with pencil groove and paper stop. Includes one height adjustable shelf and floor glides. Easy assembly.

Model	Description	W"x D" xH"
SC248631MH	Stand Up	23 x 15 ³ / ₄ x 45 ⁷ / ₈
SC248630MH	Mobile	18 x 18 x 44

STACK CHAIRS WITH FABRIC SEAT

Chairs provide a sleek, modern look and are built for durability and comfort. Durable welded 1" diameter tubular legs for stability. Non-marring glides for easy sliding over floors. Choice of Breathable Mesh Back or Fabric Upholstered Back. Mesh Back Chairs are made with ergonomic mesh backrest and feature sled base. Seat: 17"W x 18"D x 17"H. Back: 171/2"W x 17"H. Sold 4 per carton. Assembled. Fabric Upholstered Back feature cushioned backrest with vented plastic back for cool, dry comfort. Seat: 18"W x 201/2"D x 18"H. Back: 20¹/₂"W x 15"H. 34"H overall. Easy assembly. 1 Year Limited Warranty.

Rack



Daoit	1 Turrio	Duoo	1410401
Mesh	Black	Sled	SC277437
Upholstered	Gray	Tubular Legs	SC240220BK
CHAIR DOLLY	(Holds '	12 Chairs)	SCB1144516
CHAIR TRUCK	(Holds 1	2 Chairs,	SC250801
	6" Rubl	oer Wheels)	

Frame



Paramount® RECEPTION/WAITING ROOM TABLES are constructed with 1" thick laminate/particle board tops, PVC edge banding and 18 gauge steel tube legs. Square table 197/s" Wx 197/s" Lx 165/s" H. Rectangle table 197/s"Wx 431/s" Lx 165/s" H. Corner table 297/s"Wx 197/s" Lx 165/s" H. Ships unassembled. RECEPTION CHAIRS are ideal for office, school, hospital or any area where you need to make guests comfortable. Features large 201/z"Wx 19"D seat and 201/z"Wx 16"H back (19"H from seat) with 31/z" thick foam cushion. Padded arm rests for added comfort. Sled base includes rubber feet for stability. 1 Year Limited Warranty. Assembles easily.

TABLE STYLE	Cherry	Gray
Coffee Table Square	SC238410CY	SC238410GY
Coffee Table Rectangle	SC238412CY	SC238412GY
Coffee Table Corner	SC238414CY	SC238414GY

BLACK LEATHER SC250785 SC238410GY SC250787BY Burgundy **CHAIR** Black Gray **LEATHER** SC250785 SC250786BK SC250786BY SC250786GY **FABRIC** VINYL SC250787BK SC250787BY SC250787GY

PADDED

ARMREST

PARAMOUNT® NESTING MESH CHAIR



Mesh back conforms to your body for cool, ventilated comfort. Poly mesh back with built-in lumbar support provides added comfort. Fabric upholstered seat has 21/2" thick cushioning and plastic bottom. 91/2" L x 2"W fixed armrests help reduce arm fatigue. Tubular steel frame with black finish includes dual wheel swivel casters. Seat measures 18"W x 18"D x 191/2"H. Back measures 21"W x 20"H. Easy Assembly. 1 Year Limited Warranty. Sold in qty. of 2. Model SC248624

CHROME GARMENT STORAGE





The attractive solution to garment storage. Durable chrome plated steel wire design minimizes dust accumulation, maximizes ventilation. Resists denting, chipping and rusting. Shelf adjusts on 1" increments. All models are 24"deep. Includes chrome plated hangers. Wall Rack easily attaches to wall surface to save floor space. Two Shelf Floor Rack is 63"H, Three Shelf is 74"H. Optional Caster Kit adds additional 6" to height. Easy assembly.



		WALL RACK	FLOOR RACK	FLOOR RACK
W"	Hangers	One Shelf	Two Shelf	Three Shelf
36	12	SC184444	SC184447	SC184450
48	18	SC184445	SC184448	SC184451
60	24	SC184446	SC184449	SC184452

OPTIONAL CASTER KIT Includes four 5" swivel casters. Model SC184453

EXTRA VALUE COAT RACK Extends from 41" to 60"W. 4" swivel casters, two locking. 65¹/₂"H x 20"D. Order optional hangers below. Model **SC506584**

CHROME PLATED HANGERS 17"L. Package of 6. Model SC651262

1000 WATT COMMERCIAL MICROWAVES



Powerful units with small footprints. Commercial 1000 watt microwaves are ideal for quick, efficient heating of soups, sandwiches, prepackaged lunches, beverages. Use in kitchens, break rooms, convenience stores and more. Multi-power levels allow easy control of heat and cook time. Heavy duty to withstand fast-paced environments with multiple users. 115 Volts.

Brand	Controls	Cu. Ft.	W"	Х	D"	Х	H"	Model
_	Dial	0.9	201/8	Х	16¾	Х	121/4	SC242935

ADJUSTABLE DISH CADDY



Store a combination different dish sizes on this adjustable dish caddy. Each caddy comes with six easily adjustable towers for safe stacking of 40 - 50 plates per column. Holds plates from 4%" - 12" diameter. Durable polyethylene construction will not chip or crack and protects china from chipping. Two 10" wheels and two 5" swivel casters, with brakes. 500 lbs. capacity. Comes with vinyl cover. 28½"W x 37½"D x 31½"H. Gray





Keep your money and valuables safe with these cash handling products. From cash trays and boxes to cash registers, you will find a product that lets you count, sort, and secure your money. Ideal for banks, casinos and retail stores, your finances will be properly protected, ensuring your money is handled responsibly.

CASH HANDLING



SCB1476808

Model
SCB0955491
SC256571
SCB442587
SCB442981
SCB442994
SCB1476808
SCB0684348
SCB1476806
SCR1001678

Description \$100 Currency Band (Pk. of 1000) Assorted Coin Wrappers, Pack of 360 Tamper-Evident Deposit Bags (Pk. of 100) Cash Box With Security Lock, Set of 4 Touch Button Cash Drawer Ultraviolet Currency Counter Digital Cash Counter 4 Row Digital Coin Sorter Sharp Cash Register

SC256569

MAGNIFYING LAMPS

Premium 2-In-1 Lighting and Magnification Lamps are ideal for crafts, hobbies, medical and beauty needs and general precision work. Large viewing area defines details and the unique double tension safety arm helps eliminate pinching and injury. 5" round glass lens includes a hinged, dust-proof cover. 3, 5 or 8 diopter options available. Clamp Mount attaches to any desk with a tabletop thickness of 2-1/2" or less to hold the lamp safely and securely. Fluorescent lamp uses aT4 22 watt circular bulb. LED lamps use 80 ultra-efficent SMD LED bulbs which offer glare-free light. UL Listed.



ANALOG & DIGITAL WALL CLOCKS

Wall Clocks are great for time display in offices, schools, warehouses and more. Choose from Analog or Digital Wall Clocks which come in a variety of colors and sizes to fit your needs.





Model	Description	Qty
SC252913BK	Advance 8" Plastic Wall Clock	3
SC252920	Geneva 13.5" Quartz Plastic Wall Clock	3
SC252922	Geneva 14" "Info-Tech" Wall Clock	3
SC252921	Geneva 14" Quartz Plastic Wall Clock	3
SC219103	15" Wall Clock	1
SC252925BK	Geneva 14" Electric Quartz Wall Clock	3
SC252928	Geneva Digital Radio Controlled LCD Wall Clock	3
SC571285	Wall Clock Double Sided	1
SC651250	Digital Wall Clock	1
	3 ·· · · · · · · · · · · · · · · · · ·	

Contoured plastic back is vented for superior comfort. Waterfall edge seat helps improve leg circulation and reduce fatigue. Durable welded 1" diameter tubular sled base for rigidity. Base includes interlocking brackets that joins chairs in rows. Seat: 18"W x 181/2"D x 18"H. Back: 20"W x 16"H. Sold 4 per carton, all one color. 1 Year Limited Warranty.

Black	Blue
SC250606BK	SC250606BL
SCB1144516	CHAIR DOLLY
(Holds 12 Chairs)	
SC250801	CHAIR TRUCK
(Holds 12 Chairs, 6"	Rubber Wheels)





Contoured back support design and ventilating slot for comfortable seating. Polypropylene shell with tubular steel frame endures long term use. Non-marring glides. Stacks compactly at 2"H increments! Seat: 17"W x 16"D x 16"H and 17"H from floor. Sold 4 per carton. 1 color same style per carton. Add color suffix: Black (BK) or Blue (BL). Arm Chair not available in Burgundy (BY). 2 Year Limited Warranty.

> Style Armless Chair Arm Chair

Model SC808665 SC921397

CHAIR DOLLY (Holds 12 Chairs) SCB114451
CHAIR TRUCK (Holds 12 Chairs, 8" Rubber Wheels) SC250801

SCB1144516



Oakmont ERGONOMIC CHAIRS



Sleek styling suits office and lounge decors. High density stacking for compact storage. Tubular steel frame is built to last. Ergonomic comfort. Hard-wearing plastic seat and back. Seat: 18"W x 16"D. Back: 18"W x 13"H. Sold 4 per carton, all 1 color. Add color suffix: Black (BK), Burgundy (BY), Blue (BL) or Gray (GY).

SC240221RK PLASTIC SEAT AND BACK Model

SC240221 **Plastic**

SCB1144516

CHAIR DOLLY (Holds 12 Chairs) CHAIR TRUCK (Holds 12 Chairs, 8" Rubber Wheels) SCB1144516 SC250801

Augusta STACKABLE CHAIRS



Provides Provides years of maintenance free service. Vinyl covered, 11/2" thick foam padded seat and back. 7/8" square-tube, 18-gauge steel frame with nylon glides to protect floor. ANSI/BIFMA approved. Seat is 16" square. Back tapers from 15"W to 12"W x 17"H. 331/2"H overall. Sold 4 per carton, all one color.




Seat:	Black	Blue	Brown
Frame:	Black	Silver	Mocha
	SC921398BK	SC921398BL	SC921398BN

CHAIR DOLLY (Holds 12 Chairs) CHAIR TRUCK (Holds 12 Chairs, 8" Rubber Wheels)

SCB1144516 SC250801

Cypress Point **CHAIRS**

Upholstered seating with padded seat and back. Black accent armrests. Heavy-duty chrome frame is 18-gauge, 3/4" square-tube steel with built-in floor glides. Upholstered in soft, durable black vinyl or fabric. Seat and Back: 16" square each. Sold 4 per carton.



CHAIR DOLLY (Holds 12 Chairs)

CHAIR TRUCK (Holds 12 Chairs, 8" Rubber Wheels)



SCB1144516 SC250801

WESTCHESTER **BANQUET CHAIRS**

These heavy duty banquet chairs feature 2 welded support bars on the sides and 2 on the bottom for extra frame support and rigidity for extended service life. Generous 161/2" square seat has plush 21/2" thick cushioning and double sewn seams. **Strong 16 gauge steel** frame is black powder coated for scratch resistance, has protective stacking bumpers and non-marring floor glides. The large cushioned backrest is fully upholstered on both sides and has convenient hand hold cutout for easy lifting and stacking. Back: 16"W x 19"H. 37"H overall. Sold 4 per carton, all one color. Add color suffix: Black (BK) or Blue (BL).

Model Description SC773299 Vinyl Upholstered SC773300 Fabric Upholstered

CHAIR DOLLY (Holds 12 Chairs) CHAIR TRUCK (Holds 12 Chairs, 8" Rubber Wheels) SC250801



Elegant modern styling and hard-wearing construction add up to exceptional value. 2" thick foam cushions are contoured for comfort and upholstered with durable nylon fabric to withstand heavy use. Sturdy steel frame has chip resistant powder coat finish. Seat and back feature a plastic shell backing to extend service life. Optional polyurethane armrests. Seat: 191/2"W x 181/2"D. Back: 181/2"W x 131/2"H. Easy assembly.

Description Burgundy Gray Armless Chair SC516278BL SC516278BY SC516278BK SC516279GY Arm Chair SC516279BL SC516279BY SC516279BK

CHAIR DOLLY (Holds 12 Chairs) CHAIR TRUCK (Holds 12 Chairs, 8" Rubber Wheels) SCB1144516 SC250801

EXTRA VALUE PLASTIC FOLDING TABLES


Designed to set up in seconds to meet your temporary or permanent requirements for training, security stops, parties or lunchrooms. Low maintenance polyethylene tops are lightweight and resist moisture and stains. Reinforced 1½" diameter steel tubular frame and legs add stability and strength. Safety locks keep tables open when in use and prevent unfolding when stored. Both styles ship assembled and include a 2 Year Limited Warranty.

Style A legs fold in for a storing thickness of $1^3/4$ ". Tabletop measures 30" x 72".

Style B folds in half to measure only 29"W x 36"L x 33/4" thick and includes convenient carry handles. Opens to 29" x 72". Ships UPS.

Style C Legs fold in for a storing thickness of 13/4". Choice of table top diameter of 48", 60", or 71".

Style	Model	L" x W"
A	SC506750	72 x 30
Α	SC277626	96 x 30
В	SC506801	72 x 29
	ROUND	
	Style C	Dia."
	SC256559	48"
	SC256560	60"
	SC256561	71"



FOLDING CHAIR & TABLE CARTS

Store & transport chairs and tables with ease. Organize and store temporary furniture. Moves easily on non-marring 4" heavy duty swivel casters. 2" welded angle steel with brown finish. Flat Stacking carts store folding chairs or tables in the horizontal Flat Stacking carts store folding chairs or tables in the horizontal stacked position. Edge Standing carts store folding chairs or tables in an easy accessible upright position. Double Sided Hanging Cart stores folding chairs in an easy accessible hanging position. Combo Hanging Cart holds folding chairs and tables on a single unit. Optional Coat Rack Kit includes 2 removable garment rods that easily install on empty Hanging Carts to convert cart into mobile coat racks. Easy assembly. 1 Year Limited Warranty.






SC249017













PLYWOOD FOLDING TABLES



BEST VALUE 6-FOOT FOLDING TABLE



Folding table has a gray finish melamine surface that is scratch and stain resistant. 3/4" thick table top has a protective mold edge banding. 1200 lb. capacity. Tubular steel legs have a scratch resistant dark gray powder coat finish. Locking clips secure legs in the open position. Folds to only 2" thick! Table measures 72"L x 30"W x 29"H. 1 Year Limited Warranty.



Paramount® Aluminum dining chairs are used for a variety of indoor and outdoor seating applications. Chairs are constructed of aluminum for long lasting durability. Simple and sleek contemporary designs provide efficient seating. Easy to maintain. Overall dimensions 151/3"W x 201/2" D x 33"H. Available in two Slat Back styles. Color finishes Aluminum. Sold in package quantities of 2, priced each.

BEST VALUE PLASTIC PICNIC TABLE

Durability & Versatility for An Affordable Price!

This corrosion resistant picnic table is ideal for any environment including cafeterias, lunchrooms, parks and more for both outdoor and indoor use. Durable, double walled plastic table top and benches are made to last and won't fade or corrode. 72"L table includes two 9"W x 18"H benches to fit up to 8 people comfortably. Light gray table top measures 30"W x 30"H. Sturdy tubular steel frame has a scratch resistant gray powder coat finish and stabilizing floor glides. Easy-to-clean plastic top provides low maintenance using only soap and water. 1 Year Limited Warranty. Easy assembly.

> Model SC250793

UNIVERSAL ANCHOR KIT

For Grass
For Asphalt or Cement

Model SC744112 Model SC744113

INDOOR/OUTDOOR PLASTIC PICNIC TABLE

These picnic tables are ideal for industrial, residential or commercial application. The tabletops and seats are manufactured from high-density polyethylene which will not corrode, never need painting, toxic chemical treatments or coatings. Table top measures 72"L x 281/2"D x 29"H. Seat measures 72"L x 12"D. Overall dimension is 72"L x 58"D x 29"H. High strength, tubular steel frames feature exterior grade, epoxy finish. Maintenance-free. Easy clean-up with soap and water. 1 Year Limited Warranty. Easy assembly.

TOP/SEAT: FRAME: Tan Green SC248992TN SC248992GN 72"1

UNIVERSAL ANCHOR KIT

For Grass For Asphalt or Cement



REINFORCED TUBULAR STEEL SCAME WITH EPOXY FINISH



Model **SC744112** Model SC744113



THERMOPLASTIC COATED METAL PICNIC TABLES & BENCHES

SC695256

SC695257

Heavy gauge metal picnic tables and benches are ideal for seating areas in parks, campuses, snack bars and more. Protective coating creates a smooth, high-gloss surface that stays cool to the touch for comfortable seating even in the sun. Thermoplastic coating resists fading, mold and vandalism, and will ensure maintenance-free durability through years of high-traffic usage. Rugged galvanized tubular steel frame is shielded with a black powder coat finish for rust-prevention and resilience against the elements. Bench and table corners are beveled for safety. 7 Year **Limited Warranty.** Tabletops include a 2" diameter opening to accept an umbrella pole.

Description

Flat Bench

Flat Bench

Add color suffix: Blue (BL), Green (GN) or Black (BK)

Rectangular Picnic Table

Rectangular Picnic Table

Square Picnic Table

Round Picnic Table

Bench With Backrest

Bench With Backrest



is 11 gauge with 1/2'

holes on staggered

centers

TABLE AND BENCHES

Size"

72 x 30

96 x 30

46

46

72

96 72

96



is 9 gauge that forms a diamond pattern





PICNIC TABLE UMBRELLAS



SC695267

Perfect for hotel, restaurant, or residential use, this umbrella is ideal for any outdoor occasion. Made of quality grade, fade-resistant polyester fabric, this umbrella fully opens to 81/2 feet to give you plenty of shade. Sturdy anodized aluminum pole comes in 2 pieces which snap in together for easy assembly. 8 square aluminum ribs on the underside keep the umbrella steady in windy conditions. Top air vent provides wind and heat ventilation while crank lever makes it easy to set up and open. Can be used with picnic tables with umbrella hole 11/2" or more. **Umbrella Base** adds upright stability for the umbrella. Weighs 30 lbs and is made of powder coated cast iron providing durability against any weather condition. Ideal for use with picnic tables.

Model	Description	Diameter"	H"	Color
SC695256	Umbrella	102	90 ¹ / ₂	Blue
SC695257	Umbrella	102	90 ¹ / ₂	Green
SC695267	Umbrella Base	20	12	Black

STEEL SLAT BENCH


SC277152BL



Model	Description	Wt. Lbs.
SC694854	6' Slat Park Bench	192
SC694855	8' Slat Park Bench	256

RECYCLED PARK BENCH

Made from recycled wood and plastic composite that's UV, moisture and scratch resistant. Solid green slats are supported by wrought iron legs. 17"D seat. 28"H overall. Feet include anchor openings. Stainless hardware. Pre-drilled slats for easy assembly. 1 year Limited Warranty.





THERMOPLASTIC COATED ADA PICNIC TABLES



IN-GROUND MOUNT PICNIC TABLES



*Use Color Suffix:

Black (BK), Green (GN) or Blue (BL)

STACKABLE MEDIA STORAGE CABINET

These heavy gauge welded steel cabinets allow you to mix and organize media the way you want it! Cylinder lock with 2 keys secures all drawers, chrome plated handles and label holders. Includes four 6"H drawers with full extension drawer glides. Each drawer includes 6 front-toback steel rod dividers that adjust at 1/2" increments and book end dividers that

adjust at any point along the rod to securely hold media in place. Putty finish cabinet & base. Cabinets stack for added storage. 37"W x 17¹/₂"D x 27³/₄"H. **Optional Base** adds 5" to height. 1 Year Limited Warranty.



Adjustable dividers store and organize DAT, VHS, DVD and up to 240 CDs per drawer

INTER-OFFICE MAILBOXES

Model

SC249043

SC249044

Description

Cabinet Base

4 Drawer Cabinet



pole of up to 11/2" diameter (Umbrellas & Umbrella Bases sold

ELECTRONIC 48 KEY SAFE CABINET

separately). To be installed in concrete only. Easy assembly.

SC270299

Battery operated electronic lock wall safe holds 48 keys. Made of durable heavy-gauge steel, with a sand-colored chip and scratch resistant finish. The Electronic Key Safe will keep your keys and valuables safe and secure. The programmable, battery operated key pad eliminates the need for keys; a removable faceplate reveals a back-up key lock, in the event of a power failure. Key tags are included. Measures 12"W x 4"D x 173/4"H.



Office mailboxes keep private interoffice correspondence confidential. Durable steel with a gray powder coat finish. Cylinder lock with 2 keys and full-length piano hinged door. Mailboxes easily mount to wall (hardware not included).

Model	W"x D"x H"
SC443490	12 x 3 x 10
SC443491	18 x 7 x 18

KEY CABINET



SC493319

Allows for easy identification and secure storage of keys. Solid steel construction. Disc tumbler lock with 2 keys. Pre-drilled holes and fastening hardware for easy mounting to wall or door. Key tags included. Powder coat sand finish.

Model	Key Cap.	W"	x D"	x H"
SC493318	30	8	x 21/2	x 12 ¹ /8
SC493319	60	$10^{1/2}$		x 12 ¹ /8
SC270298	110	14	x 3 ¹ /8	x 17 ¹ /8

PARAMOUNT® HEAVY DUTY STORAGE CABINETS

Choose 36" or 48" Wide Assembled or Easy To Assemble...



BOX FORMED CHANNEL REINFORCED SHELVES ADJUST ON 2" CENTERS



48" BASE IS I-BEAM REINFORCED FOR ADDED STRENGTH



EXCLUSIVE DUAL CHROME DIECAST KEY LOCKING HANDLE



3 POINT LATCHING SYSTEM WITH SOLID STEEL 5/16" ROD



HEAVY DUTY 4" x 3/8" HINGE EXCLUSIVE

REINFORCED ACRYLIC WINDOW DOORS



SC237668GY

		ADDITIONAL
		SHELVES
SOLID DOOR		Pkg. of 2
W" x D" x H"	Model	Model
EASY ASSEME	BLY	
36 x 18 x 78	SC603355	SC237517
36 x 24 x 78	SC493310	SC493314
48 x 18 x 78	SC493311	SC493315
48 x 24 x 78	SC603357	SC237518
ASSEMBLED		
36 x 18 x 78	SC603599	SC237560
36 x 24 x 78	SC493312	SC493316
48 x 18 x 78	SC493313	SC493317
48 x 24 x 78	SC603600	SC237651
CLEARVIEW D	OOR	
EASY ASSEM		
36 x 18 x 78	*SC237614	SC237580
48 x 24 x 78	SC237615	SC237581
ASSEMBLED		22207001
36 x 18 x 78	*SC237620	SC237652
48 x 24 x 78	SC237621	SC237653

*Available in Gray and Tan only. Durable powder coat finish. Add color suffix: Black (BK), Tan (TN) or Gray (GY). Assembled cabinets are non-returnable.




300 lb. Shelf Capacity



STORAGE CABINET

Assembles With Only 4 Screws!

We offer the best value on the market with improved features, easy assembly, and stronger, more durable construction. Ideal for storing office and industrial supplies, these storage cabinets are easy to assemble, with steel box formed doors for added strength. 3-point locking system with 5/16" thick locking rod adds strength and rigidity. Recessed locking handle with 2 keys for safety and security. Includes 4 height adjustable shelves with 185 lb. shelf capacity. Reinforced shelves adjust at 11/4" increments. 36"W x 18"D x 72"H. Durable powder coat finish. Add color suffix: Gray (GY), Black (BK), or Tan (TN).



CHANNEL REINFORCED SHELF

185 lb. Shelf

Capacity

CABINET Model SC237635 ADDITIONAL SHELVES (Pkg. of 2) Model SC269840

RECESSED HANDLE



PARAMOUNT® STEEL FLAT FILE

Premium Features Throughout! Top Quality at an Unbelievable Price!

Premium, 5-drawer flat file keeps valuable documents stacked perfectly flat and curl-free with hinged paper depressors and rear drawer hood. Drawer fronts have double panel construction with chrome plated drawer pulls and convenient label holders. Sturdy steel construction with internal channel reinforcements permits stacking. Drawers slide smoothly on easy-glide ball bearing rollers and precision drawer runners. Each drawer holds up to 1000 sheets or 25 lb. Optional Closed Black Base raises unit 4" off the floor. Chip and scratch resistant furniture grade finish.





NYLON ROLLER AND BUMPER FOR SMOOTH AND QUIET **OPERATION**

INTERNAL

CHANNEL

FOR EXTRA

DURABILITY

STRUCTURAL

REINFORCEMENT



HINGED PAPER **DEPRESSOR** KFFPS **DOCUMENTS** PERFECTLY FLAT



SC252469BK

EASY-GLIDE DRAWER RUNNERS

30"W x 18" D

LATERAL FILE

Model

SC252590

SC252467

SC252468



Gray	Putty	CABINET	INSIDE DRAWER
Model	Model	$W'' \times D'' \times H''$	$W'' \times D'' \times H''$
SC506825GY SC506826GY SC506827GY	SC506825PY SC506826PY SC506827PY	40 ³ / ₄ x 28 ³ / ₈ x 16 46 ³ / ₄ x 35 ³ / ₈ x 16 53 ³ / ₄ x 41 ³ / ₈ x 16	37 x 25 ³ / ₄ x 2 43 x 32 ³ / ₄ x 2 50 x 38 ³ / ₄ x 2

SC252471BK

4" CLOSED

BLACK BASE

Model

SC506828BK

SC506829BK

SC506830BK

EXTRA VALUE LATERAL FILE Includes Central Lock!

Ht

28

52

 $64^{1/2}$

Drawers

2

Keep paperwork organized in these attractive filing cabinets. Ball bearing slides allow for full drawer extension, enabling complete access to all documents. Drawers accept both letter and legal sized folders filing side to side. Includes Front to Back Bars convert drawer to 2 rows of front to back filing. Designed with an anti-tip interlock mechanism to permit only one drawer to be open at a time. Equipped with adjustable leg levelers for uneven floors. Comes with central lock with keys. Recessed handle prevents accidental snags. Durable scratch and chip resistant powder coat finish. 18"D. 5 Drawer Models have retracting top

Add color suffix to Model: Black (BK) or Putty (PY) drawer.1 Year Limited Warranty.

ACCEPTS LETTER AND LEGAL SIZE

36"W x 18"D

LATERAL FILE


Model

SC252469

SC252470

SC252471

FULL DRAWER EXTENSION



CONVERT FRONT CENTRAL LOCK TO BACK FILING WITH KEYS



Our Mobile Whiteboards are double sided, providing twice the the functional writing space than traditional wall mounted whiteboards. Painted Steel surface resists staining and ghosting. 3" casters allow the board to be easily transported from room to room to for continued work and use. Use heavy duty magnets to hang notes, ideas and reminders. Mobile Reversible Whiteboards rotate 360 degrees on a pivot hinge and locks into 3 places for better viewing. Total height is 711/2". Full length tray keeps markers, erasers and other accessories in close reach. Neutral color steel powder-coated frame. **Whiteboard Room Dividers** are multi-functional and can double as portable working space or a room divider. This board is perfect for collaborative teamwork and sturdy U-legs make transporting from area to area easy. Panel trim is finished with self-extinguishing extruded polymer that offers optimum safety and rigidity. Deluxe Room Dividers include cherry finished wood cap to elevate your room's decor. Various sizes and heights available.

	Board
Description	W" x H"
Mobile Reversible Whiteboard	48 x 36
Mobile Reversible Whiteboard	72×40
Mobile Reversible Whiteboard	96 x 48
Whiteboard Room Divider	36×60
Whiteboard Room Divider	36×72
Whiteboard Room Divider	48×60
Whiteboard Room Divider	48 x 72
Deluxe Whiteboard Room Divider	36×60
Deluxe Whiteboard Room Divider	36 x 72
Deluxe Whiteboard Room Divider	48×60
DeluxeWhiteboard Room Divider	48×72
	Mobile Reversible Whiteboard Mobile Reversible Whiteboard Mobile Reversible Whiteboard Whiteboard Room Divider Deluxe Whiteboard Room Divider Deluxe Whiteboard Room Divider Deluxe Whiteboard Room Divider

MOBILE WHITEBOARDS AND ROOM DIVIDERS





WALL MOUNT WHITEBOARDS

Essential for any workspace, whiteboards are designed to fit your everyday needs at home, work or school. Available in a variety of surface materials and sizes to accommodate any space. All whiteboards are wall hung and offer a magnetic surface, allowing it to double as a bulletin board. Accessory tray and mounting hardware included.





Model	Description	W"x H"
SCB880023	Painted Steel Whiteboard with Aluminum Trim	36 x 24
SCB880024	Painted Steel Whiteboard with Aluminum Trim	48 x 36
SCB880012	Painted Steel Whiteboard with Aluminum Trim	72 x 40
SCB880013	Painted Steel Whiteboard with Aluminum Trim	96 x 40
SCB179190	Porcelain Whiteboard with Aluminum Trim	72 x 48
SC694951	Industrial Dry Erase Markers, Set of 4	

Glass Marker Boards offer all the benefits of a traditional whiteboard with a contemporary modern look. Durable tempered glass surface allows for smooth writing and will not stain, ghost or dent. Wall Mounted Stainless Steel Boards include standoff hardware which mount the board 1" off the wall, adding depth and dimension. Magnetic boards can double as a bulletin board through the use of high powered magnets (sold separately). Mobile glass board has a lock and pivot system that allows the glass to tilt for better viewing.

GLASS MARKER BOARDS



odel 🤴	Description	W" x H'
95260	Magnetic Glass Dry Erase Board	48 x 36
1429451	Luxor Mobile Glass Board	30 x 40
95259	Magnetic Glass Dry Erase Board	72 x 48
1342322		96 x 48
621688	Balt Magnetic Glass Dry Erase Boards	96 x 48
1400758	Super Magnets	

PARAMOUNT® BIG & TALL LEATHER EXECUTIVE CHAIR

Big and tall leather chair has soft bonded leather upholstery and a thick frame that supports up to 400 lbs. Stylish chrome plated arms and base provides an attractive appearance. Armrests are padded for increased comfort. Includes an adjustable headrest for added support. Ergonomic adjustments include tilt tension and pneumatic seat height adjustment with tilt lock. Seat measures 231/2"W x 211/2"D. Back is 23"W x 35"H. 5-blade base includes Stable hooded swivel casters. BIFMA approved. 1 Year Limited Warranty. Easy assembly. Model SC694738





Mo

SC69 SCB⁻

SC69 SCB

THICK COMFORT **CUSHIONED LEATHER** UPHOLSTERY



PADDED CHROME PLATED ARMRESTS



SHOWN WITH OPTIONAL **ADJUSTABLE T-ARMS** 6" THICK SEAT Description No Arms

SC506572GY

EXTRA VALUE BIG & TALL SEATING

450 lb. capacity!

Combines comfort and sturdy reinforced construction at an exceptional value. Features an extra plush 4" thick 23"W x 21"D seat cushion and large 4" thick 23"W x 27"H back. Contoured design includes lumbar support for proper sitting posture.

Covered in durable Scotchgard™ Olefin fabric. Includes tension tilt adjustment, tilt lock and pneumatic 171/2-22" seat height adjustment. Accented with an attractive aluminum five star base featuring dual casters for easy mobility. **Optional Adjustable T-Arms** feature 1" side-toside and 21/2" vertical adjustment. Easy assembly. 1 Year Limited Warranty.

Black

SC808666BK

SC506571BK

SC506572BK

Blue

SC808666BL

SC506571BL

SC506572BL

Gray



BIG & TALL EXECUTIVE CHAIR

Loop Arms

Adjustable T-Arms



Total comfort for the "Big & Tall". Reinforced, sturdy construction for longer life. Ultra-thick 33/4" foam cushioning. Genuine black leather. Extra wide and high, 223/4"W x 22"D seat and 215/8"W x 297/8"H back. Pneumatic 181/2" to 211/4" height adjustment, height adjustable armrests help reduce arm fatigue and tilt-lock mechanism will help increase overall productivity. Sturdy five blade aluminum base with dual wheel swivel casters for added comfort. Easy assembly. 1 Year Limited Warranty, Model SC277488

BIG & TALL MANAGER CHAIR



"Big & Tall" Managers Chair is perfect for any environment. Black fabric upholstered chair ensures exceptional value and ultra comfort. The contoured seat is 31/2" thick and measures 215/8"W x 195/8"D. Back cushion measures 195/8"W x 291/8"H for balanced support. Pneumatic seat height adjustment ranges from 181/8"-223/4". Seat and back adjustable tilt lock keeps pressure off the knees and helps improve circulation. Height adjustable armrests help reduce fatigue. Sturdy five blade aluminum base with dual wheel swivel casters for added comfort. Easy assembly. 1 Year Limited Warranty. Model SC277489

MESH BACK TASK CHAIR



This Mesh Back Task Chair with a fabric upholstered seat is perfect for offices, conference rooms, seminars and more. Ergonomic design conforms to body for cool, ventilated and supportive comfort. $16^{1}/2^{m} \times 17^{3}/4^{m}$ W plastic trim backrest ensures long lasting durability and built-in lumbar support provides added back comfort. $13/4^{m}$ ratchet back height adjustment. $18^{1}/2^{m} \times 18^{1}/2^{m}$ fabric upholstered seat has comfortable $33/4^{m}$ thick cushioning for extended periods of sitting. Height adjustable armrests help reduce arm fatigue. $18-23^{m}$ H seat height adjustment. The 5-blade base with dual wheel swivel casters provides stability and easy mobility. Easy Assembly. 1 year limited warranty.

SC277436

HIGH BACK EXECUTIVE CHAIR WITH BREATHABLE LEATHER



Inspired by luxury sports car seats, this chair features a black high-grade leather with a network of tiny holes to permit air circulation for cool, dry comfort. Generous headrest, lumbar-support back and waterfall-edge seat add to the luxury. Pneumatic 19 to 221/2" seat height adjust.

add to the luxury. Pneumatic 19 to 221/2" seat height adjust. Tilt tension and back angle recline. 5-blade caster base. Seat: 21"W x 20"D x 3" thick. Back: 30"H. 1 Year Limited Warranty.

Model SC248626

EXTRA VALUE ERGO CHAIR



Contoured built-in lumbar curve is 21/4" height adjustable to provide firm body support for increased employee productivity. 25° back recline infinitely adjusts for balanced posture. Pneumatic mechanism instantly changes seat height 161/2" to 211/2"H to help take pressure off legs. Back contoured cushion is 19"H x 161/2"W. Roomy 17"sq. seat with firm 2" foam cushion. Plastic shell back for long life. Comfortable 12"W x 8"H loop arms adjust 1" in/out. Easy assembly. 1 Year Limited Warranty. Add fabric color suffix to model number: Black (BK), Blue (BL), Burgundy (BY) or Gray (GY).



BIG & TALL MESH CHAIR

Big & Tall Mesh Ergonomic Chair has heavy duty construction that allows it to support users up to 450 lbs. Breathable mesh back and thickly padded black mesh fabric seat for added comfort. Sturdy aluminum base has an attractive gunmetal finish and five dual wheel casters for easy mobility. 215/8"W x 195/8"D seat and 223/4"W x 271/8"H back. 181/2" to 211/4"H pneumatic seat height adjustment. Easy Assembly. 1 Year Limited Warranty.

Model **SC277514**



EXECUTIVE CHAIR

Comfort and Value

BLACK LEATHER AND FABRIC UPHOLSTERY

One-touch pneumatic 17"-22" height adjustment for personal positioning. Waterfall edge seat enhances leg circulation. 3" thick tufted seat and back for extra comfort. Seat 201/2"W x 187/s"D. Back 20"W x 237/s"H. Sturdy five blade base with casters. Assembles in minutes. 1 Year Limited Warranty. Add suffix to fabric model no.: (BK) Black, (BL) Blue, (BY) Burgundy or (GY) Gray.





BURGUNDY

(BY)







Description

(BK)

Model Black Leather SC238558 SC238557



Model

SC240123BK

SC240124

LEATHER

FULL SIZE EXECUTIVE CHAIR 250 lb. These roomy chairs provide extra comfort at an affordable price. Hardcapacity wearing acrylic fabric over soothing, form fitting 3" thick foam cushions. Large 231/2"W x 201/2"D seat and 231/2"W x 27"H back with 113/4"W headrest. Pneumatic 19"-231/2" seat height adjustment. 250 lb. capacity.



27"W five blade metal base with casters for stability. Easy assembly. 1 Year

Description Black Fabric

Limited Warranty.

Gray SC277425BK SC277425GY

PARAMOUNT® MESH CHAIR WITH FLIP-UP ARMS

ONE-TOUCH

HEIGHT

ADJUSTMENT



BLACK

FABRIC

FLIP-UP

ARMS

BACK VIEW



STURDY





ADJUSTABLE SEAT HEIGHT FROM 183/4"-221/4"

FOLD-AWAY ARMS

ONE-TOUCH

HEIGHT

ADJUSTMENT

FINGER TIP MECHANISM

Chair offers a mesh back with a 4"molded foam fabric upholstered seat. Seat: 19"W x 18"D. Back: 17"W x 19¼"H. Features an ergonomic design, multi-function seat adjustments with wire controlled mechanisms and a sliding seat. Flip-up armrests offer 7-way adjustments. 1Year Limited Warranty. Easy Assembly. Model

SC242119

Fabric Leather 114

Description

ONE-TOUCH **HEIGHT**

ADJUSTMENT





This beautiful office chair is priced to put pillow top luxury in every work day. Genuine black leather upholstered chair, including padded armrests. 4" thick contoured seat and back padding for added support. Tilt lock, tilt tension and pneumatic height adjustment personalize fit. 5 blade nylon carpet caster base. Pneumatic 20-23½" seat height adjust. Seat: 21½"W x 26½"H. Easy assembly. 1 Year Limited Warranty.

Model **SC277423**

EXECUTIVE SEATING with Flip-Up Armrests Position Your Chair Closer to Your Desk



Upholstery Model
Black Fabric SC277491
Black Leather SC277492

THE SYNCHRO CHAIR Choose Fabric or Leather Upholstery





High Back

Low Back

20¹/₂ x 20

 $20^{1/2} \times 20$

19¹/₂ x 26

19¹/₂ x 22

5-WAY ADJUSTABLE **ERGO EXECUTIVE CHAIR**

Operator

Operator w/Arms



†Add color suffix: Black (BK), Blue (BL),

Burgundy (BY) or Gray (GY).



SC506796

SC506797

Helps increase productivity and energy level throughout the day. Oversized, thick 5" foam cushioning covered with durable Scotchgard $^{\text{IM}}$ nylon fabric. Luxuriously comfortable plush foam waterfall design seat and back are ergonomically constructed to prevent back and leg fatigue. Simultaneous adjustment of back angle and seat tilt with Synchro control for personalized positioning. Customize back height for proper lumbar support. 17"-22" pneumatic seat height adjustment. Arms are side-to-side adjustable and are covered in resilient textured urethane over steel. Five blade base with dual wheel casters for smooth mobility. Easy assembly. 2 Year Limited Warranty.

Black Burgundy Gray SC506331BY SC506331BK SC506331GY SC506332BY SC506332GY SC506332BK

8-WAY HIGH-BACK AND MID-BACK ERGONOMIC CHAIRS



8 ADJUSTABLE POSITIONS:

- 1. Tilt Tension Adjustment
- 2. Forward Tilt Control
- 3. Seat/Back Angle Adjustment
- 4. Pneumatic Seat Height Adjustment
- 5. Free Floating Back Angle Adjustment
- 6. 3" Height Adjustable Arms
- 7. 2" Width Adjustable Arms
- 8. Back Height Adjustment



Ultra adjustable chairs allow personalized positioning for day long comfort. Extra thick 31/2" padding is covered in either long lasting, genuine black leather or durable fabric upholstery for an attractive look. Waterfall contoured design helps reduce stress on your knees. Contoured back provides lumbar support. Mid-Back chair has 20"W x 191/2" D seat and 191/2"W x 20"H back. Optional height adjustable T-arms also adjust side-to-side. 151/2"-191/2" pneumatic height adjustment. High-Back chair has 231/2"W x 201/2" D seat and 231/2"W x 27"H back. Standard height adjustable T-arms also adjust side to side. 19 to 231/2" pneumatic seat height adjustment. Polished aluminum base with 2" dual wheel carpet casters provides easy mobility. High-Back available in black fabric or leather. Easy assembly. 1 Year Limited Warranty. *Suffix fabric color to mid-back model no: Black (BK), Burgundy (BY) or Gray (GY).

FABRIC	
Description	Model
Mid-Back w/out arms Mid-Back with arms High-Back with arms	SC506574* SC506575* SC277428

LEATHER
Description Model
Mid-Back w/out arms
Mid-Back with arms
High Back with arms
SC506398
SC277427



Model

SC250575



8-WAY LEATHER HIGH BACK CHAIR



Genuine leather upholstered chair is fully adjustable for improved ergonomic support. High-back design cushions your head, neck and shoulders. 5" thick foam is built into the 21"W x 20"D seat and 20"W x 25"H back. Features full function ergonomic controls for adjusting either seat/back angle or back angle independently. Back of seat adjusts for precise lumbar support. 19" - 23" pneumatic seat height adjustment. Height and side-to-side adjustable arms help prevent arm fatigue. Includes 5-pronged polyurethane base and dual wheel casters. Black. Assembles easily. 1 Year Limited Warranty.

Model SC506573



Contoured seat and back provide superior lumbar support. **High Back** and **Mid Back** have locking back tilt mechanism with tension control, allowing users of different body types to use a single chair. Feature 18-22" pneumatic seat height adjustment and heavy duty wheel casters. **High Back** model has 4" thick 20'/4"W x 30'/5"H back and a 20"W x 20"D seat. **Mid Back** and **Visitor** models have a 20"W x 22'/2"H back and a 20"W x 20"D seat. Black leather 4" thick cushion on all styles. 1 Year Limited Warranty.





Model SC607887BK SC607888BK SC607889BK Description
High back
Mid-back
Visitor

CONTOURED FABRIC UPHOLSTERED CHAIR



Deeply tufted, black acrylic fabric upholstered chair with 4" thick cushioning for superior comfort. Seat measures 20"Wx20"D. Backmeasures 19"Wx20"H. Waterfall edge seat helps improve leg circulation. 15-19" pneumatic seat height adjustment. Armrests are covered in textured urethane over steel. Stable 5-blade base includes dual wheel swivel casters. Easy assembly. 1 Year Limited Warranty.

Model SC238563BK

CLASSIC LEATHER MID-BACK CHAIR



High grain, genuine black leather upholstered chair features swivel, tilt lock control, and pneumatic height adjustment. Polyurethane arms provide added support. Back measures 5" thick 20"W x 22"H. Seat measures 20"W x 19¹/2"D. Stable 5-blade base include dual wheel swivel casters. Easy assembly. 1 Year Limited Warranty.

Model **SC607892**

SADDLE STITCHED LEATHER CHAIR



Quality black leather upholstered chair with 4" thick cushions are deeply contoured and have contrasting topstitching. Leather padded curved armrests. Polished metal 5-blade base. Ergonomic adjustments include 19 to 23¹/2" pneumatic height adjustment, tilt tension and angle adjustments. Seat measures 22³/4"W x 19"D. Back has padded headrest and measures 21³/4"W x 32"H. 1 Year Limited Warranty.

Model SC240121BK



This contemporary seating provides built-in lumbar support for improved posture. Features commercial grade stain resistant upholstery with 3½" thick foam cushioning for firm support. Pneumatic 18"-22" seat height adjustment provides personal positioning. Extra long black plastic armrests help prevent arm fatigue. Adjustable back tilt tension and upright lock position control allows you to instantly adjust to the task at hand. **High Back** has 20"W x 18½"D seat and 20"W x 24½"H back; **Mid Back** has 20"W x 24½"H back; **Mid Back** has 20"W x 24½"D seat with a 20"W x 24½

181/2"D seat, with a 20"W x 22"H back. Five blade plastic base with dual casters for easy mobility. Easy assembly. 1 Year Limited Warranty.

Description	Fabric Color	Model
Mid Back	Black	SC607894BK
High Back	Gray	SC607893GY

THE EZ Form II SEATING

Ergonomically contoured **EZForm II** helps reduce chair-related dis-comfort such as lower back pain and circulatory problems. Soft 100% nylon fabric with 4½" thick padded seat and back cushions provide excellent support. Seat measures 20¾"W × 21"D. Back measures 20½"W × 25"H back. Five blade molded base has smooth-rolling, non-marring dual disc casters for easy mobility. Comfortable upholstered foam padded armrests. Easy assembly. 1 Year Limited Warranty. Model **SC506738BK**



LEATHER TASK SEATING

Mid back genuine black leather task seating styling with firm lumbar support and extra large cushioned 19¹/a²W x 19¹/2²D seat and 20²W x 23″H back. 3″ thick cushion inseat and back. Optional durable molded polyurethane loop or 3-way adjustable armrests. 19″-22¹/2″ pneumatic height adjustable seat with simple fingertip control. Five blade nylon base with dual casters for easy movement. 6 Year Limited Warranty.

Description	Model
Armless	SC773174
Loop Arms	SC773175
3-Way Arms	SC773176









This 6-way adjustable task chair provides ultimate comfort, ensuring that the body is kept in an ergonomically balanced position. Features 4" thick cushioned seat & back with advanced airflow black mesh fabric upholstery for breathable comfort. 211/4"W x 23"D seat and 213/4"W x 23"H back. 17-21" pneumatic seat height adjustment. Padded armrests are contoured with 3" height adjustment. Mesh chair also includes back/seat tilt and back angle adjustment levers along with 4" adjustable back height knob for quick and easy ergonomic comfort. Stable 24"W 5-blade base includes hooded dual-wheel nylon casters for easy mobility. Easy assembly. 1 Year Limited Warranty. Model SC240147

PLAN, DESIGN AND BUILD PARAMOUNT®



Office Solutions Made Easy. Order our pre-configured stations as is or mix-and-match pieces to support your needs. We can help you build any configuration, whether it is one cubicle or an entire office space.

Paramount® 4-Person Workstation Includes:

SC695066



Complete Workstation

Qty. Model	Description
4 SC694767WNBL	48"W x 471/2"H Deluxe Panels with
	Windows & Raceway, Blue
4 SC694766WNBL	
	Windows & Raceway, Blue
8 SC694765WNBL	24"W x 47 ¹ / ₂ "H Deluxe Panels with
	Windows & Raceway, Blue
4 SC248993GY	48" Corner Workstation, Gray
8 SC249012GY	36"W Desks, Gray
4 SC240272	3 Drawer Pedestals - Box/Box/File
4 SC240271	2 Drawer Pedestal - File/File
4 SC277436	Mid Back Mesh Chair
4 SC238644	Straight Connectors
8 SC249065	End Čaps
4 SC248990N	3 Way Connectors for 42"H Panels
1 SC238646	4 Way Connector
Model	

Paramount® Manager Station Includes:

Model

SC695067



ωιy.	IVIOUCI	Description
4	SC277566NGY	60"W x 721/2"H Deluxe Panels &
		Raceway, Gray
2	SC694705WNGY	60"W x 72"H Deluxe Panels with Windows &
		Raceway, Gray
1	SC248993CH	48" Corner Workstation - Cherry
1	SC240266CH	72" Desk - Cherry
1	SC240279CH	48" Desk - Cherry
1	SC240270CH	60" Peninsula - Cherry
1	SC240261	60" Shelf
1	SC240278	60" Overhead Cabinet
1	SC248986	Lateral File Cabinet (not-shown)
1	SC240272	3 Drawer Pedestal
1	SC248626	Office Chair, Leather High Back
1	SC250785	Reception Chair
3	SC238644	Straight Connectors
2	SC238641N	90 Degree Corner Connectors for 72"H Panel
	Model	

Description




CHAIRS SOLD SEPARATELY

Complete Workstation

Paramount® Single Deluxe Cubicle Includes:

Oty. Model 7 SC277546NGY 1 SC277564NGY 1 SC240266CH 1 SC248917CH 1 SC248994CH 2 SC240272	Description 36"W x 46"H Deluxe Panel with Raceway, Gray 60"W x 46"H Deluxe Panel with Raceway, Gray 72" Desk, Cherry 36"W Left Hand ReturnTable, Cherry 72" Peninsula, Cherry 3 Drawer Pedestal Box/Box/File
Model SC695069 Complete Workstation	72"

PRE-CONFIGURED OFFICE WORKSTATIONS



Paramount® Single Deluxe Cubicle w/Windows Includes:

Model Description SC694767WNBL SC694766WNBL $48"W \times 47^{1}/2"H$ Deluxe Panels with Windows & Raceway, Blue $36"W \times 47^{1}/2"H$ Deluxe Panels with Windows & Raceway, Blue SC694765WNBL 24"W x 471/2"H Deluxe Panels with Windows & Raceway, Blue SC248993GY 48" Corner Workstation, Gray 36"W Desks, Gray
3 Drawer Pedestals, Box/Box/File
2 Drawer Pedestal SC249012GY SC240272 SC240271 SC277436 Mid Back Mesh Chair SC238644 Straight Connectors SC249065 End Caps SC248989N 90 degree connectors for 42"H Panels

84



Complete Workstation

Put 4 Single Cubicles together to make this configuration. See opposite page for details

SC695068 Paramount® Call Center Starter Includes:

Model

Qιy.	iviodei	Description
1	SC238637GY	48"W x 60"H Office Partition Panel, Gray
2	SC240225GY	48"W x 42"H Office Partition Panel, Gray
2	SC240255	High-Low Corner 90° Connector Kit

Model

Oh . Madal

SC240313GY **Complete Workstation**

ADD-ON (240314GY) INCLUDES:

SC238637GY 48"W x 60"H Office Partition Panel, Gray 48"W x 42"H Office Partition Panel, Gray SC240225GY SC238644 Straight Connector Kit

High-Low Corner 90° Connector Kit SC240255

Model

SC240314GY **Complete Workstation**




*Back Panels also available in 60"W




OPTIONAL CHAIRS SOLD SEPARATELY


FREE Space Planning Help Available

Let us come up with a customized design that's right for you.




Let us help take your office idea from conception to reality!





PARAMOUNT® OFFICE PARTITIONS

Durable, attractive office partition panels and furniture can be used to create private spaces, cubicles, reception stations, call centers and more! Quick to install and easy to reconfigure using Steel Connectors (sold separately). Standard versions include 13/4" thick panels upholstered in fabric to offer a tackable surface that meets the California 117 flammability standard. Panel trim is finished with self-extinguishing extruded polymer to offer optimum safety and rigidity. Partitions include adjustable leveling feet that are ideal for uneven surfaces. Deluxe versions include wood accent cap with cherry finish on panel top. Add 11/2" to panel height*. Panels with either a partial or full window feature a 5mm thick translucent polycarbonate window, which allows light into cubicle space while still maintaining privacy. Whiteboard panels feature full magnetic whiteboards on both sides. Fabric panels available in Gray or Blue upholstery. 1 Year Limited Warranty.







CONNECTORS	FOR SAME HEIGHT PANELS
Model	Description
SC238644	Straight Connector Kit
SC248989	Corner 90° Kit For 42"H Panel
SC238645	Corner 90° Kit For 60"H Panel
SC238641	Corner 90° Kit For 72"H Panel
SC248990	Three Way Kit For 42"H Panel
SC238648	Three Way Kit For 60"H Panel Three Way Kit For 72"H Panel
SC238642	Three Way Kit For 72"H Panel
SC238646	Four Way Connector Kit
SC238647	Wall Connector Kit
SC238643	T-Legs (per pair)
SC256484	Desk to Panel Mount

	STANDARD	DELUXE	STANDARDW/	DELUXEW/	STANDARD W/	DELUXEW/	WHITE BOARD	WHITE BOARD
			PARTIALWINDOW	PARTIALWINDOW	FULLWINDOW	FULLWINDOW	STANDARD	DELUXE
W"x H"	Model	Model	Model	Model	Model	Model	Model	Model
24 x 42	SC277660	SC277676	SC694753W	SC694757W				
24 x 60	SC277661	SC277677	SC694658W	SC694666W				
24 x 72	SC277662	SC277678	SC694662W	SC694670W				
36 x 42	SC240224	SC277525	SC694754W	SC694758W				
36 x 60	SC238635	SC277526	SC694659W	SC694667W	SC694862W	SC694866W	SC694926B	SC694930B
36 x 72	SC238636	SC277527	SC694663W	SC694671W	SC694863W	SC694867W	SC694927B	SC694931B
48 x 42	SC240225	SC277528	SC694755W	SC694759W				
48 x 60	SC238637	SC277529	SC694660W	SC694668W			SC694928B	SC694932B
48 x 72	SC238638	SC277530	SC694664W	SC694672W			SC694929B	SC694933B
60 x 42	SC240226	SC277531	SC694756W	SC694760W				
60 x 60	SC238639	SC277532	SC694661W	SC694669W	SC694864W	SC694868W		
60×72	SC238640	SC277533	SC694665W	SC694673W	SC694865W	SC694869W		
Add color suffix: Gray (GY) or Blue (BL). *Wood accent cap is non-weight bearing and is not intended for hanging						for hanging objects		

*Wood accent cap is non-weight bearing and is not intended for hanging objects

Making The Connection





SC240227 **HIGH-LOW STRAIGHT** CONNECTOR



SC240255 **HIGH-LOW CORNER 90° KIT**



SC240258 **HIGH-LOW** THREE WAY KIT FOR TWO HIGH **PANELS**



SC240256 LOW-HIGH THREE WAY KIT FOR TWO LOW **PANELS**

Quick & Easy...1,2,3 Assembly







CONNECTORS FOR MULTI-HEIGHT PANELS

Model	Description
SC240227	High-Low Straight Connector
SC240255	High-Low Corner 90° Kit For 42" Low Panel
SC240253	High-Low Corner 90° Kit For 60" Low Panel
SC240258	High-Low Three Way Kit For Two 60" High Panel
SC240257	High-Low Three Way Kit For Two 72" High Panel
SC240256	Low-High Three Way Kit For Two 42" Low Panel
SC240254	Low-High Three Way Kit For Two 60" Low Panel

CONNECTORS FO	R SAME HEIGHT PANELS
Model	Description
SC238644	Straight Connector Kit
SC248989	Corner 90° Kit For 42"H Panel
SC238645	Corner 90° Kit For 60"H Panel
SC238641	Corner 90° Kit For 72"H Panel
SC248990	Three Way Kit For 42"H Panel
SC238648	Three Way Kit For 60"H Panel
SC238642	Three Way Kit For 72"H Panel
SC238646	Four Way Connector Kit
SC238647	Wall Connector Kit
SC238643	T-Legs (per pair)
SC256484	Desk to Panel Mount

PARAMOUNT® OFFICE PARTITIONS WITH MODULAR WIRE **MANAGEMENT RACEWAY**

Raceway partitions create private offices and cubicles with built-in power options for computers and other electric equipment. Raceways provide convenient access for data cables & electrical wiring to keep office spaces clean and clear of visible wires. Panel is flame retardant to meet California 117 flammability standard. 13/4" thick fabric upholstered panels feature an interior engineered wood (MDF) frame and honeycomb core covered with heavy tackable liner for structural strength. 4"H charcoal powder coated steel raceways include UL approved modular electric components and cable management openings for phone & data connectors. Removable, hinged raceway covers allow easy wiring access. Includes adjustable leveling feet for uneven surfaces. 1 Year Limited Warranty. See our website for matching furniture and wood accent cap options. All panel models available with window or whiteboard option.





GRAY (GY)

BLUE (BL)




STEP 1 - PARTITIONS

Electric and non-electric panels can be connected together to place power where you need it. Non-Electric Panels include a basic raceway without cabling. Pass-Thru Panels include raceways with cables to connect to panels. Panels with Electric raceways include built-in double-sided power box, four circuit 1 receptacles and modular cables. Each power box can accept up to 6 receptacles; 3 per side (additional Receptacles sold separately). Use included Blanks to cover unused openings. 36"W Electric Panel includes one double-sided power box. 48" & 60"W Electric Panels include 2 double-sided power boxes.

	Non-Electric Panel	Pass-Thru Panel	Panel With Electric	Power			
W" x H"	Model	Model	Model	Boxes	Blanks		
24 x 46	SC277660N	SC277660P					
36 x 46	SC240224N	SC240224P	SC240224E	1	2		
48 x 46	SC240225N	SC240225P	SC240225E	2	8		
60 x 46	SC240226N	SC240226P	SC240226E	2	8		
24 x 64	SC277661N	SC277661P					
36 x 64	SC238635N	SC238635P	SC238635E	1	2		
48 x 64	SC238637N	SC238637P	SC238637E	2	8		
60 x 64	SC238639N	SC238639P	SC238639E	2	8		
24 x 76	SC277662N	SC277662P					
36 x 76	SC238636N	SC238636P	SC238636E	1	2		
48 x 76	SC238638N	SC238638P	SC238638E	2	8		
60 x 76	SC238640N	SC238640P	SC238640E	2	8		
Add color suffix: Gray (GY) or Blue (BL).							





STEP 3 - CABLES AND RECEPTACLES

Starter Cable (Multiple Circuits, 80 receptacles max.) must be installed to a junction box for a power source. Cable pre-wired for 1-4 circuits. **Plug in Cable** (Single Circuit) easily plugs into existing wall outlets for power. Choice of 15 AMP (16 receptacles max.) or 20 AMP (20 receptacles max.) 115 volt plug. Additional circuit 1, 2, 3 (Isolated Ground) & 4 receptacles available in packages of four. Receptacle Removal Tool is required when removing receptacles from power box.



15AMP **PLUG**



20AMP **PLUG**

Description
Starter Cable 72"
Starter Cable 144"
Plug In Cable 72" 15AMP
Plug In Cable 72" 20AMP
Extended/Corner Cable
Circuit 1 Receptacle (Pkg. 4)
Circuit 2 Receptacle (Pkg. 4)
Isolated Ground Receptacle (Pkg. 4)
Circuit 4 Receptacle (Pkg. 4)
Receptacle Removal Tool



RECEPTACLES 1, 2, 3(IG) & 4

CABLES

REMOVABLE, HINGED

ALLOWS EASY ACCESS

TO RECEPTACLES AND

CABLE MANAGEMENT **OPENINGS FOR PHONE** & DATA CONNECTORS (CABLES & CONNECTORS NOT INCLUDED)

RACEWAY COVER

STEP 2 - CONNECTOR


Steel connectors join multiple partitions together and create various configurations. Use connectors with 1 Extended/Corner Cable to complete a 90° turn or span intersection. Additional Extended/Corner Cables available separately (See Step 3).

	,	. With 1
FOR SAME HEIGHT PANELS	Without	Extended/Corner
Description	Cable	Cable
Straight Connector Kit	SC238644N	
Corner 90° Kit For 46"H Panel	SC248989N	SC248989P
Corner 90° Kit For 64"H Panel	SC238645N	SC238645P
Corner 90° Kit For 76"H Panel	SC238641N	SC238641P
Three Way Kit For 46"H Panel	SC248990N	SC248990P
Three Way Kit For 64"H Panel	SC238648N	SC238648P
Three Way Kit For 76"H Panel	SC238642N	SC238642P
Four Way Connector Kit	SC238646N	SC238646P
Wall Connector Kit	SC238647N	
End Base Cap (to finish panel end runs)	SC249065	
FOR MULTI-HEIGHT PANELS		
High-Low Straight Connector	SC240227N	
High-Low Corner 90° Kit For 46" Low Panel	SC240255N	SC240255P
High-Low Corner 90° Kit For 64" Low Panel	SC240253N	SC240253P
High-Low Three Way Kit For Two 64" High Panel	SC240258N	SC240258P
High-Low Three Way Kit For Two 76" High Panel	SC240257N	SC240257P
Low-High Three Way Kit For Two 46" Low Panel	SC240256N	SC240256P
Low-High Three Way Kit For Two 64" Low Panel	SC240254N	SC240254P



EXTENDED/CORNER

CABLE



AVAILABLE SEPARATELY

THREE WAY CONNECTION* FOUR WAY CONNECTION*

CORNER 90° CONNECTION* *Connector kit includes 1 Extended/Corner Cable. Order additional Extended/Corner Cables as needed.

PARAMOUNT® MOBILE OFFICE PARTITIONS & ROOM DIVIDERS







Mobile Partition Panels allow you to divide a work area in any office or commercial setting. Mobile Panels sit atop steel T-legs on sturdy 3" swivel casters (all locking) that provide full mobility and allow easy transport from area to area. Panel trims are inished with self-extinguishing extruded polymer that offer optimum safety and rigidity. Each **Fabric Panel** is upholstered on both sides with tackable, flame retardant fabric that meets the California 117 flammability standard. Panels are 13/4" thick and feature an interior engineered wood (MDF) frame and honeycomb core for structural strength and support. Deluxe Panels feature a wood cap trim with cherry finish. Mobile Panels with Windows include a 5mm thick translucent polycarbonate inset which allows light in while still maintaining privacy, bringing an elegant and upscale look to any office space. The panels are available with partial window or full windows. Mobile Whiteboards are multi-functional and can double as portable working space or a room divider. This panel is easily transported from area to area making it perfect for collaborative teamwork. Painted Steel surface allows you to write smoothly with no ghosting. Use heavy duty magnets to hang notes, ideas and reminders. All mobile panels coordinate beautifully with Paramount's complete line of office partition panels. 1 Year Limited Warranty. Add color suffix Gray (GY) or Blue (BL).

dividers come with our standard panel in your choice of blue or gray color. Window room dividers include a translucent and polycarbonate window inset. **Room**

Dividers with Whiteboard include 1 panel with a

double sided, magnetic dry erase board, perfect for

writing notes, sharing ideas and posting messages. 1 Year Limited Warranty. Add color suffix Gray (GY) or

	-							
	91	ľ	STANDARD W/	DELUXE W/	STANDARD W/	DELUXE W/	WHITEBOARD	WHITEBOARD
.	STANDARD	DELUXE	PARTIAL WINDOW	PARTIAL WINDOW	FULL WINDOW	FULL WINDOW	STANDARD	DELUXE
W×H	Model	Model	Model	Model	Model	Model	Model	Model
24 x 42	SC694952M	SC694964M	SC694976M	SC694988M				
24 x 60	SC694953M	SC694965M	SC694977M	SC694989M				
24 x 72	SC694954M	SC694966M	SC694978M	SC694990M				
36 x 42	SC694955M	SC694967M	SC694979M	SC694991M				
36 x 60	SC694956M	SC694968M	SC694980M	SC694992M	SC695000M	SC695004M	SC694942MB	SC694946MB
36 x 72	SC694957M	SC694969M	SC694981M	SC694993M	SC695001M	SC695005M	SC694943MB	SC694947MB
48 x 42	SC694958M	SC694970M	SC694982M	SC694994M				
48 x 60	SC694959M	SC694971M	SC694983M	SC694995M			SC694944MB	SC694948MB
48 x 72	SC694960M	SC694972M	SC694984M	SC694996M			SC694945MB	SC694949MB
60 x 42	SC694961M	SC694973M	SC694985M	SC694997M				
60 x 60	SC694962M	SC694974M	SC694986M	SC694998M	SC695002M	SC695006M		
60 x 72	SC694963M	SC694975M	SC694987M	SC694999M	SC695003M	SC695007M		

PARAMOUNT® CORNER ROOM DIVIDERS



3-PANEL CORNER ROOM DIVIDER W/PARTIAL WINDOW

STANDARD 2-PANEL CORNER ROOM DIVIDER

Whether you need to contain noise, enclose an office desk or block off a copy machine, these room dividers will make it easy and affordable. All room dividers include steel T-legs, partition panels and all necessary hardware to build a 90 degree partition. Available in 2-panel or 3-panel configurations to meet your every need. All panels within the same configuration are the same size. Fabric panel room

2-PANEL CORNER ROOM DIVIDER

	L COMMENTAL TRACEMENT	VIDEIL				
			STANDARD W/	DELUXE W/	STANDARD	DELUXE W/
	STANDARD	DELUXE	PARTIAL WINDOW	PARTIAL WINDOW	W/FULL WINDOW	FULL WINDOW
	Model	Model	Model	Model	Model	Model
24 x 42	SC695061	SC695064	SC695058	SC695055	-	
24×60	SC695062	SC695065	SC695059	SC695056		
24×72	SC695063	SC695071	SC695060	SC695057		
36 x 42	SC695027	SC695072	SC695021	SC695013		
36 x 60	SC695028	SC695073	SC695022	SC695014	SC695019	SC695011
36 x 72	SC695029	SC695074	SC695023	SC695015	SC695020	SC695012
48 x 42	SC695030	SC695075	SC695024	SC695016	SC695101	SC695096
48×60	SC695031	SC695076	SC695025	SC695017	SC695102	SC695097
48 x 72	SC695032	SC695077	SC695026	SC695018		
60 x 42	SC695106	SC695156	SC695103	SC695098		
60×60	SC695107	SC695157	SC695104	SC695099		
60 v 72	CC60E100	CCC0E1E0	CC60E10E	CC60E100		

Blue (BL).

3- PANEL CORNER ROOM DIVIDER

			STANDARD W/	DELUXE W/	STANDARD	DELUXE W/
	STANDARD	DELUXE	PARTIAL WINDOW	PARTIAL WINDOW	W/FULL WINDOW	FULL WINDOW
	Model	Model	Model	Model	Model	Model
24 x 42	SC695093	SC695087	SC695090	SC695084	-	
24×60	SC695094	SC695088	SC695091	SC695085		
24×72	SC695095	SC695089	SC695092	SC695086		
36 x 42	SC695049	SC695078	SC695043	SC695035		
36×60	SC695050	SC695079	SC695044	SC695036	SC695041	SC695033
36 x 72	SC695051	SC695080	SC695045	SC695037	SC695042	SC695034
48 x 42	SC695052	SC695081	SC695046	SC695038	SC695114	SC695109
48 x 60	SC695053	SC695082	SC695047	SC695039	SC695115	SC695110
48 x 72	SC695054	SC695083	SC695048	SC695040		
60 x 42	SC695119	SC695153	SC695116	SC695111		
60×60	SC695120	SC695154	SC695117	SC695112		
60×72	SC695121	SC695155	SC695118	SC695113		

PARAMOUNT™OFFICE RECEPTION **STATIONS**

Reception counters offer a convenient writing surface for guests and visitors while maintaining personnel privacy. Desktops include cable management openings and are made of 1" thick scratch resistant laminate. Tackable partition panels are flame retardant and measure 13/4" thick with an MDF frame and honeycomb core. Includes adjustable leveling feet that are ideal for uneven surfaces. Choose between 1 Chand 2 11 Chand 2 2 Change and 2 11 Chand 2 2 Change 2 between L-Shaped & U-Shaped Reception Stations. Desktops available in Cherry or Gray finishes. Panels available in Gray and Blue fabric with or without translucent windows. 1 Year Limited Warranty.

WITHOUT					WITH
WINDOWS	Top	Panel			WINDOWS
Model	Finish	Fabric	Shape	W"x H"	Model
SC249008CB	Cherry	Blue	U-Shaped	88 x 44	SC694902WCB
SC249008CG	Cherry	Gray	U-Shaped	88 x 44	SC694902WCG
SC249008GB	Gray [']	Blué	U-Shaped	88 x 44	SC694905WGB
SC249008GG	Gray	Gray	U-Shaped	88 x 44	SC694905WGG
SC249010GG	Gray	Gray	U-Shaped	124 x 44	SC694914WCB
SC249010CB	Cherry	Blue	U-Shaped	124 x 44	SC694914WCG
SC249010GB	Gray	Blue	U-Shaped	124 x 44	SC694917WGB
SC249010CG	Cherry	Gray	U-Shaped	124 x 44	SC694917WGG
SC249009CG	Cherry	Gray	L-Shaped	80 x 80	SC694908WCB
SC249009CB	Cherry	Blue	L-Shaped	80 x 80	SC694908WCG
SC249009GB	Gray	Blue	L-Shaped	80 x 80	SC694911WGB
SC249009GG	Gray	Gray	L-Shaped	80 x 80	SC694911WGG
SC249011GG	Gray	Gray	L-Shaped	116 x 80	SC694920WCB
SC249011CB	Cherry	Blue	L-Shaped	116 x 80	SC694920WCG
SC249011GB	Gray	Blue	L-Shaped	116 x 80	SC694923WGB
SC249011CG	Cherry	Gray	L-Shaped	116 x 80	SC694923WGG





PARAMOUNT™ FREESTANDING OFFICE **PARTITIONS**

Freestanding Office Partitions are made with steel T-legs to ensure stability and allow easy rearranging. Panels are made using 13/4" thick fabric upholstery with an MDF frame and honeycomb core covered with heavy tackable liner. Panel trim is finished with selfextinguishing extruded polymer for optimum safety and rigidity. Panels are flame-retardant to meet the California 117 flammability standard. **Deluxe** models feature a wood cap trim with cherry finish. Both **Standard** and **Deluxe** models are available with **Full Window** or **Partial Window**. Windows are made of translucent polycarbonate with a wave pattern to allow light penetration while still maintaining privacy. Add color suffix: Gray (GY) or Blue (BL).

\A///11//	DELUXE W/ PARTIAL WINDOW	STANDARD W/ FULLWINDOW	DELUXE W/ FULLWINDOW
W"x H"	Model	Model	Model
24×42	SC694761WF	_	_
24×60	SC694682WF	_	_
24×72	SC694686WF	_	_
36 x 42	SC694762WF	_	_
36×60	SC694683WF	SC694878WF	SC694882WF
36×72	SC694687WF	SC694879WF	SC694883WF
48 x 42	SC694763WF	_	_
48×60	SC694684WF	_	_
48×72	SC694688WF	_	_
60×42	SC694764WF	_	_
60×60	SC694685WF	SC694880WF	SC694884WF
60×72	SC694689WF	SC694881WF	SC694885WF

			SIANDARD W/
	STANDARD	DELUXE	PARTIALWINDOW
W"x H"	Model	Model	Model
24 x 42	SC694655F	SC694652F	SC694753WF
24 x 60	SC694656F	SC694653F	SC694674WF
24 x 72	SC694657F	SC694654F	SC694678WF
36 x 42	SC240224F	SC694845F	SC694754WF
36 x 60	SC238635F	SC694847F	SC694675WF
36 x 72	SC238636F	SC694849F	SC694679WF
48 x 42	SC240225F	SC694851F	SC694755WF
48 x 60	SC238637F	SC694853F	SC694676WF
48 x 72	SC238638F	SC694846F	SC694682WF
60 x 42	SC240226F	SC694848F	SC694756WF
60 x 60	SC238639F	SC694850F	SC694677WF
60 x 72	SC238640F	SC694852F	SC694681WF



PARAMOUNT™ OFFICE PARTITION FURNITURE

Create Private Office Spaces And Cubicles





CORNER DESK WITH KEYBOARD AND MOUSE TRAY





LOCKING 3 DRAWER PEDESTAL FILE

Coordinates with Paramount™ partitions to create a fully furnished work space. Helps optimize work space by adding functionality and storage. 1" thick scratch resistant laminate surfaces on black finished steel frame. Desktops include cable management grommet and adjustable leveling glides for uneven surfaces. Desks feature modesty panel. Purchase Optional Bridge, Return, Peninsula, Corner Desk or Corner Connector with Desks to create L & U-shaped workstations. Easy assembly. 1 Year Limited Warranty.

Hanging Shelves & Overhead Cabinets easily attach to partition panels for additional storage space. Return panel required for support. Overhead Cabinet provides enclosed storage using a locking flip-top door. Add Hutch on top of any work surface for convenient overhead storage. Lateral and Pedestal Files can be used freestanding or installed under Desks & Returns. Includes ganged cylinder lock and recessed handles. Add Caster Kit to pedestal for mobile application.

Model	Work Surface	W"	x D"	x H"
SC249012	36" Desk	36	x 24	x 30
SC240279	48" Desk	48	x 24	x 30
SC240265	60" Desk	60	x 24	x 30
SC240266	72" Desk	72	x 24	x 30
SC240267	36" Corner Desk	36	x 36	x 30
SC248993	48" Corner Desk	48	x 48	x 30
SC240269	36" Return Table Right	36	x 24	x 30
SC248917	36" Return Table Left	36	x 24	x 30
SC249013	24" Square Corner Desk	24	x 24	x 30
SC695297	Rounded Corner Desk, Wide	24	x 24	x 30
SC695298	Rounded Corner Desk, Narrow	24	x 24	x 30
SC248994	72" Peninsula	72	x 30	x 30
Charify work or	urface color cuffix. Charms curfa	~~	ith	

Specify work surface color suffix: Cherry surface with Charcoal Frame (CH), Gray surface with Charcoal Frame (GY).







Model	Storage (Charcoal)	W"	x D" x H"
SC240271	2 Drawer Pedestal File	16	x 20 x 29
SC240272	3 Drawer Pedestal File	16	x 20 x 29
SC248986	2 Drawer Lateral File	30	x 18 x 29
SC240259	36" Hanging Shelf	36	$\times 14 \times 14^{1/2}$
SC240260	48" Hanging Shelf	48	$\times 14 \times 14^{1/2}$
SC240261	60" Hanging Shelf	60	$\times 14 \times 14^{1/2}$
SC240276	36" Overhead Cabinet	36	$\times 14 \times 14^{1/2}$
SC240277	48" Overhead Cabinet	48	$\times 14 \times 14^{1/2}$
SC240278	60" Overhead Cabinet	60	$\times 14 \times 14^{1/2}$
SC240262	36" Hutch -1 Door	36	x 14 x 36
SC240263	48" Hutch -1 Door	48	x 14 x 36
SC240264	60" Hutch -2 Door	60	x 14 x 36
SC190288C	Keyboard Tray	23	x 11
SC190289C	Mouse Tray	8	x 8
SC248991	Caster Kit For Pedestal File/Set of 4		

PARAMOUNT™ OPEN **OFFICE DESK**

The Paramount™ Open Office Desks incorporate a clean and modular design which can be configured for any office space. The open concept minimizes interruption of the surroundings, and creates a sleek and modern work environment. The work surface is a durable white laminate finish supported by heavy duty steel tube legs in satin black. Each leg has level-adjustable non-marring feet for stability. Available in single or double workstation configurations. Optional translucent or tackable fabric divider partitions. Optional 2-drawer pedestal cabinet with top drawer and tip-proof hanging folder drawer that can hold up to legal-size folders. Easy to clean and assemble.

2 Drawer Pedestal Cabinet

Description SC694858 Single Desk SC694859 Double-Sided Desk

SC695450 3 Drawer Pedestal

Model

SC694861

SC694950



151/2 x 201/2 x 231/2



STEEL BOOKCASES **QUICK ADJUST SHELF**



These top-of-the-line quick adjust bookcases complement any office, plant or warehouse decor. Shelves slide in and out easily for easy height adjustments. Includes one divider per shelf opening. Bookshelves are made with heavy gauge double walled steel that is engineered to provide years of use.

Durable powder coat finish. Steel book shelves measures 36"W x 12"D. Easy to assemble. Add color suffix to model: Putty (PY) or Black (BK).

Ht."	Openings	Model
42	3	SC277440
60	5	SC277441
84	7	SC277442
Extra S	helf	SC277443

PRIVACY BOOTH

Helps provide privacy for public computer use including call centers, test sites, learning centers and more. Privacy booths help health care environments meet HIPAA privacy regulations and guidelines. 5/8" thick laminated panels in light oak finish are stain and scratch resistant. Black metal frame with adjustable leveling floor glides. Overall 48"H x 323/4"W x 241/2"D. Work surface is 29"H. Slide-out keyboard tray is 113/4"D. Add-on-Booth helps create extended rows using black metal connectors. Easy assembly.

SC694950

SC694859 with SC694861



Description Model Privacy Booth SC250771 Add-on Booth SC250772



SECURITY AUDIO/VISUAL CART





Uniquely designed steel cart offers Rear Access Door enabling quick and easy cable management. Front and rear doors lock with the same key for convenience. Rear door has louvers for ventilation and features a punch-out for a Fan Kit (sold separately). Includes a 191/2" x 191/2" Height Adjustable Slide-Out Shelf with full extension ball Includes a 191/2" X 191/2" Height Adjustable Slide-Out Shelf with full extension ball bearing slides that adjust quickly on 2" increments for additional access to peripheral connections. Gray laminated work surface and cabinet base have convenient ports for easy wire management. 25"W x 23"D x 34"H overall (inside cabinet dimensions are 203/4"W x 21"D x 231/4"H). Rolls easily on 5" rubber swivel casters (2 with brakes). Assembles easily. Available in four durable powder-coat finishes. Specify cart and shelves color suffix: Black (BK), Blue (BL), Gray (GY), and Putty (PY).

Model Description SC241659 Security Audio/Visual Cart SC241863 221/2"D x 12"W side shelves (set of 2) SC634141 Fan Kit (120V) 6 Outlet Power Strip 14 ga. 50' Electrical Cord SC6077344 SCB251096





BK

AUDIO/VISUAL & INSTRUMENT TRUCK

Ideal for electronic equipment, these all welded steel trucks provide secure transport. Flush top shelf for easy loading. Middle and bottom shelves offer a 11/2" lip to retain product. Feature non-slip rubber padded non-conductive shelf mats. Vibration reducing 2 swivel, 2 rigid 8" full pneumatic wheels. Security Model cabinet doors can be padlocked for greatest safety. Shipped assembled. Chip resistant powder coat finish.



OPTIONAL OUTLET STRIP

OPTIONAL DRAWER

SC502282



	Shelt	
Description	Clearance"	Ľ xWxH"
2-Shelf Model	17	36 x 24 x 31
2-Shelf Model	17	48 x 24 x 31
2-Shelf Model	17	48 x 30 x 31
2-Shelf Model	17	$60 \times 30 \times 31$
3-Shelf Model	9 ¹ / ₄	$36 \times 24 \times 34$
3-Shelf Model	9 ¹ / ₄	$48 \times 24 \times 34$
3-Shelf Model	9 ¹ / ₄	$48 \times 30 \times 34$
3-Shelf Model	9 ¹ / ₄	$60 \times 30 \times 34$
Security Mode	l 17	36 x 24 x 31
Security Mode	l 17	48 x 24 x 31
Security Mode	l 17	$48 \times 30 \times 31$
Security Mode	l 17	$60 \times 30 \times 31$
	2-Shelf Model 2-Shelf Model 2-Shelf Model 2-Shelf Model 3-Shelf Model 3-Shelf Model 3-Shelf Model 3-Shelf Model Security Mode Security Mode Security Mode	2-Shelf Model 17 2-Shelf Model 17 2-Shelf Model 17 2-Shelf Model 17 3-Shelf Model 9 1/4 3-Shelf Model 9 1/4 3-Shelf Model 9 1/4 3-Shelf Model 9 1/4 3-Shelf Model 17 Security Model 17 Security Model 17 Security Model 17

ACCESSORIES Model

Description

SC959101K SC502298E SC502289A

Padlock with 2 keys 6 outlet power strip Utility Drawer - fits 2 shelf model only

SC241533 SC489070

Security Cable Kit with padlock Chromé Document Holder

STEEL AUDIO/VISUAL & INSTRUMENT CART



Move and store electronic and other valuable equipment. Shelves adjust on 4" increments and have a 1/2" lip. Top shelf has a vinyl mat to keep equipment from sliding. Convenient push handle and cabling holes. Rolls smoothly on ball bearing rubber wheel casters. Shelf models are standard in black. Also available in colors to help organize inventory or supplies. Please specify color: Blue (BL), Yellow (YL), Red (RD) and Green (GN).

Locking security model (available in black only) has a 15"H reinforced door with recessed handle and full piano hinge. 24" x 18", 24"-42"H. Assembles easily. All units include a 3-outlet power strip with 15 ft. 3-wire cord and durable baked black finish. Ready to assemble. 250 lb. capacity. 5 Year Limited Warranty.

CART with four swivel 4" non-marring casters (2 locking).

Model Description SC113116 Shelf Model SC113117 Security Model BIG WHEEL CART with two 8" wheels, two 4" locking non-marring swivel casters.

Model Description SC113132 Shelf Model SC113133 Security Model

ADJUSTABLE STEEL WORKSTATION with Sliding Shelf and Mouse Pad





Compact 24"L x 18"W steel mobile workstation offers retractable 191/2"W x 16"D sliding shelf and pull-out mouse pad which extends to 11". Includes UL listed 3-outlet power strip with 15' 3-wire cord. Shelves adjust from 24" to 42"H on 4" increments and have 1/2" lip to retain load. Steers easily with handle grips and 4" swivel casters, 2 with locking brake. Durable powder coat finish. 5 Year Limited Warranty. Assembles easily. **Optional** Adjustable CPU Holder (black only) attaches to either side of workstation, is 18"D and adjusts from 6" to 10"W.

Model Description SC334541BK Workstation (Black)

SC334541BL SC241534

Workstation (Blue) Adjustable CPU Holder (Black)

OPTIONAL

DOCUMENT HOLDER.

MOBILE SECURITY COMPUTER CABINET

With Rear Access Door and Slide-out Shelf

Secure steel cabinet prevents data theft and vandalism by limiting access to computer, monitor and keyboard. Upper compartment has break resistant acrylic window, fully retractable locking door and holds up to 21" LCD or CRT monitors. Slide-out locking keyboard drawer and adjustable height lower compartment shelf extend fully on ball bearing slides. Lower compartment has locking front and rear access doors. Heavy duty 5" swivel casters (2 locking). Top and bottom compartments are louvered to reduce heat build up and include convenient cable management ports. All doors keyed alike. Optional Fan with 5' power cord reduces heat build-up. Order one fan each for upper, lower and side car compartments. Assembles easily. Available in 4 durable powder coat finishes: Blue, Black, Gray or Putty. Patent Pending. †Add color suffix: Blue (BL), Black (BK), Gray (GY) or Putty (PY).

CPU SIDE CAR CABINET

Holds CPU safely and securely; frees up lower compartment space for larger printers. Installs to Our Mobile Security, LCD and Console Computer Cabinets. Hooks on to either side of lower compartment. Doors are louvered for ventilation, Includes cylinder locks and cable management openings. (Cannot install both side car and side shelf to one side of computer

cabinet). Optional Fan helps maintain CPU cooling. †Specify Color Suffix: Blue (BL), Black (BK), Gray (GY) and Putty (PY).

Model Description

SC242299† CPU Side Car Cabinet 12"W x 221/2"D x 211/2"H SC634141A Fan (120V)

Model

SC706669† Mobile Computer Cabinet

SC237368† 22¹/₂"D x 12"W Side Shelves (set of 2) SC309239 Sliding Mouse Tray

SC634141A Fan Kit (120V) SC695247 Side Pocket, Black

SC607734D 6 Outlet Surge Protector .15 Amp, 125V



Dimensions



Gray

(GY)



SHELF







Dimensions:

Upper compartment interior 24¹/₄"W x 21³/₄"D x 21"H Lower compartment interior 203/4" W × 21"D × 231/a" H Locking slide-out keyboard drawer 191/2" W × 173/4" D × 41/4" H Overall unit 241/2"W x 221/2"D x 603/8"H

OPTIONAL

FΔN

MOBILE LCD SECURITY COMPUTER CABINET

Designed to hold up to 21" LCD flat screens. All openings lock with the same key for dependable security. The locking monitor compartment includes a break resistant acrylic window framed in heavyduty steel, convenient sloped writing surface and 2 organizing compartments for 81/2" x 11" papers. Locking keyboard drawer and height adjustable printer shelf extend fully on steel ball bearing suspensions. Lower compartment has front and rear doors. All doors keyed alike. Cable management openings throughout. Rear panels are louvered to dissipate heat. Moves on 5" swivel casters (2 locking). Optional Fan with 5' power cord reduces heat build up. Order one fan each for upper, lower and side car compartments. Assembles easily. Powder coat finish. Patent Pending. †Add color suffix: Blue (BL), Black (BK), Gray (GY) or Putty (PY).

Dimensions

Upper compartment interior 24"W x 9"D x 191/4"H Upper compartment interior 24 W X 9 D X 19/4 H Lower compartment interior 203/4"W x 21"D x 231/4"H Locking slide-out keyboard drawer 191/2"W x 173/4"D x 21/4"H Overall unit 241/2"W x 221/2"D x 623/4"H

Pigeon hole compartments- 11"W x 9"D Work surface- 241/2"W x 13"D



SHOWN WITH OPTIONAL **CPU SIDE CAR CABINET** AND OPTIONAL SHELF

Black Gray (BK) (GY







Model

SC607734F

SC239115† Mobile LCD Cabinet 22¹/₂"D x 12"W Side Shelves (set of 2) CPU Side Car SC239153† SC253700† Sliding Mouse Tray SC309241 SC253702 Fan Kit (120V) SC695247 Side Pocket, Black

6 Outlet Surge Protector, 15 Amp 125v

ASSEMBLED VERSIONS AVAII ABI F







SHOWN

SLOPED WRITING SURFACE

SHOWN WITH OPTIONAL SHELF SC239153BL

OPTIONAL

SLIDING MOUSE

LCD CONSOLE COMPUTER CABINET

Exclusive for the Ultimate Viewing Experience!



helps reduce neck strain and glare for clear monitor viewing. Holds LCD VESA mount monitors up to 19' and 31/2" thick. The locking monitor compartment includes a break resistant acrylic window framed in heavy-duty steel. Includes a 61/2" ledge for additional work surface. Locking keyboard drawer and height adjustable shelf extends fully on steel ball bearing suspensions. Lower compartment has front and rear doors. Rear panels are louvered to reduce heat buildup and have cable management openings throughout. All locks are keyed alike for security that limits access to components and prevents theft and vandalism. Moves on 5" swivel casters (2 locking). Powder coat finish. Assembles easily. Available in Blue, Black, Gray and Putty. Optional Side Car Cabinet, Side Shelves, Fan and Sliding Mouse Tray sold separately. Patent pending. †Specify Color Suffix: Blue (BL), Black (BK), Gray (GY), or Putty (PY).

Designed for optimum, ergonomic viewing that helps increase productivity. Convenient sloped display



VESA CAPABLE **MONITORS HAVE 4**

STANDARD SCREW

HOLES ON BACK

75 x 75mm OR

100 x 100mm

Model

SC273115†

SC253701†

SC432208†

SC695247 SC273113

SC253703

SC607734H

Upper compartment 241/2"W x 221/2"D x 221/8"H Lower compartment interior 203/4"W x 21"D x 231/4"H Locking slide-out keyboard drawer 191/2"W x 173/4"D x 21/4"H Acrylic Window 15"W x 12"H Overall unit 241/2"W x 221/2"D x 551/2"H

Description

Mobile LCD Console Cabinet Side Car Cabinet 221/2"D x 12"W Side Shelves (set of 2) Side Pocket Sliding Mouse Tray ††Fan Kit (120V)

6 Outlet Surge Protector w/on/off switch 15 amp †† Order one fan each for upper, lower and side car compartments

COUNTER TOP SECURITY COMPUTER CABINET







Cabinets provide computer security, low-profile build to fit easily on desks or countertops. Fully retractable locking Front door has a break resistant acrylic window. Slide-out locking keyboard/mouse drawer is fully extendable on ball bearing slides. Drawer includes a cylinder lock for security and a recessed drawer handle. Monitor compartment is louvered to reduce heat build up. LCD Cabinet measures 241/2"W x 221/2"D x 291/2"H overall and features a sloped writing surface. CRT Cabinet measures 241/2"W x 221/2"D x 271/8"H overall. Angled LCD Cabinet measures 241/2"W x 223/8"D x 221/4"H overall and features an ergonomic viewing angle.

Model	Description
SC239114	LCD Cabinet
SC607294	CRT Cabinet
SC273114	LCD Cabinet with Angle
	r suffix: Blue (BL), Black (BK),
Gray (GY), o	r Putty (PY).


CPU SECURITY CABINET



This heavy duty side cabinet holds CPU towers safely and securely. Front and rear doors feature louvers for ventilation and cylinder locks for security. Includes 2 keys and 2 exhaust fans to help reduce heat build up. CPU cabinet measures $12"W \times 22^{1/2}"D \times 21^{1/2}"H$ and can be attached as a side mount or undermount. Available in black or beige colors.

Model	Color
SC249309JBG	Beige
SC249309JBK	Black

INDUSTRIAL COMPUTER CABINET



LCD INDUSTRIAL COMPUTER CABINET

Features Slim LCD Monitor Compartment and Writing Surface

Perfect for storing flat screen LCD and Plasma monitors up to 24". Industrial LCD cabinets provide optimum security for all your valuable computer equipment. Built to last using rugged 12 and 16 gauge steel with channel reinforcements for extra strength. Rear access and front lower compartment doors include cylinder locks, all locks are keyed alike, 2 locks on rear access door, 1 lock on front lower compartment. Doors feature foam seals to keep out dust and debris. Full access door in rear allows easy wiring and is louvered for ventilation. Includes 2 filtered air intake fans. Flat screen monitors are kept safe in top compartment with a 22"W x 13.75"H break resistant acrylic window. Features a convenient 30"W x 181/4"D sloped writing surface and lockable 24"W x 211/4"D full-extension keyboard/mouse tray. Cable management grommet. Lower compartment includes one 23"W x 26"D height adjustable slide-out shelf that adjusts at 2" increments. Non-marring 5" heavy duty casters (2 swivel with brakes, 2 rigid). Powder coat finish. Purchase the **Optional 23U EIA Rail Kit SC309149** to mount routers, servers and switches in lower compartment. Specify Color Suffix: Blue (BL), Black (BK) or Gray (GY). Choose between assembled or unassembled.









Dimensions: Upper Compartment Interior-253/4"W x 10"D x 221/2"H Lower Compartment -253/4"W x 281/8"D x 303/4"H Overall Unit -30"W x 30"D x 663/8"H









WALL MOUNT LAPTOP

SECURITY CABINET

KEYBOARD TRAY and MOUSE TRAY mount below the work surface. Both adjust up to $5^3/4''$, tilts \pm 15° and swivels 360°. Slides out of the way when not in use.

Model	Description
SC190288	Keyboard Tray
SC190289	Mouse Trav

HEAVY DUTY LAN WORKSTATION

Our Heavy-Duty 16 gauge steel-reinforced LAN Stations feature a 30"D, 29"H, 11/8" thick plastic laminate work surface to handle even the largest monitors, leaving plenty of workspace. Includes Two 18"D upper shelves that are height adjustable on 2" increments. 27"D lower shelf is ideal for housing multiple servers. All shelves are 3/4" thick plastic laminate. 24"W upper shelves support up triple-leg support (dual leg on 24" unit) with four lateral braces for added stability. **Includes**Model

Description

Model

SC651317

SC651318

SC651319

SC752170

CCCE122E

two Vertical Cable Management Channels that attach to any leg to neatly organize and keep all cables out of the way. Add the caster base with 3" swivel casters for easy office mobility. Optional LCD Tracks are height adjustable on increments to securely mount flat panel monitors to LAN s height. Includes swivel 180 degree Assembles easily.

	ED\/E	DCTATION
		15 Amp, 15' Cord
	SC482511	48"-16 Outlet Power Strip,
	SC651321	Wire Keyboard Holder
	SC253834	96"W Additional Shelf
	SC752169	72"W Additional Shelf
_	SC752168	48"W Additional Shelf
_	SC752167	24"W Additional Shelf (Set of 2)
	SC607305A	Additional Monitor Mount
R. Contract	SC253833	LCD Track for 96" LAN
100	SC607308	LCD Track for 72" LAN
	SC607307	LCD Track for 48" LAN
	SC300911	LCD Track for 24" LAN
es. Gray powder coat finish.	SC253832	96" Caster Base
s 2 monitor mounts that	SC651327	72" Caster Base
station at the ideal viewing	SC651326	48" Caster Base
المراجع والمراجع والمراجع المراجع المراجع والمراجع والمرا	30031323	24 Castel Dase

SERVER STATION

Perfect for storing all the servers that support your LAN environment. Complete with bottom server shelf and two 18"D shelves which are adjustable in 2" increments. All shelves are $^{3}/_{4}$ " thick gray plastic laminate. 24"W x 30"D x 74"H. Add additional shelves for more storage and a 24"W caster base for mobility. Gray powder coat finish. Assembles easily.

Description

ACCESSORIES

24" Caster Rase

24"W x 30"D x 74"H LAN Station

48"W x 30"D x 74"H LAN Station

72"W x 30"D x 74"H LAN Station

96"W x 30"D x 74"H LAN Station

Model	Description
SC579316	Server Station
SC579317	24"W Shelf (Set of 2)
CC570210	24"\M Cactor Baco

SHOWN WITH TWO ADDITIONAL SHELVES

EASY ACCESS DATA CABINET

Protects servers and sensitive telecom equipment from unauthorized access, dust and damage. Rack cabinet supports rack-mountable servers and options. Heavy gauge steel cabinet includes interior mounting channels and hardware. front and rear locking doors and removable side panels permit full access, and doors are perforated for ventilation. Features include 29" rail to rail usable depth, fully perforated locking front and rear doors, bottom panels that remove to accommodate cabling and a 6 outlet 115 volt, UL listed power strip on mounting panel. This 37U Rack conforms to the industry standard for 19" wide type A rack cabinets. Leveling feet standard (add optional casters for mobility). Black powder coat finish. 24"W x 36"D x 72"H. Choose assembled or unassembled. Also available: optional vented shelves, caster kit, 2200 CFM fan kit, and sliding shelf to customize and expand your storage.





Steel cabinet securely stores a laptop computer to allow convenient stand-up workstation use. Ideal for hospital hallways. Electronic keypad lock uses programmable administrative and user password with emergency key back-up. Interior measures 3"D when closed. Platform measures 161/2"W x 121/4"D and is cushioned to protect laptops. Platform straps keep laptop securely in place when closed. Includes one 11/2 diameter cable management openings. Overall: 19^{3/}4"W x 4^{3/}4"D x 15^{3/}4"H. Grav finish.





SC239116A WITH **OPTIONAL ACCESSORIES**



SC239117

MOUNTING

RAILS AND

HARDWARE

INCLUDED

6-OUTLET

STRIP

INCLUDED



2" CASTER KIT SC239191



TOP MOUNT FAN KIT SC239190

SLIDE-OUT



REMOVABLE SIDE PANELS PERMIT FULL ACCESS

Model	Description
SC239116 SC239116A	Data Cabinet Easy Assembly Data Cabinet Assembled
Model	Description
SC239117	Vented Shelf - 18"W x 28"D
SC239190	Fan Assembly Kit - four 550 CFM
SC239191	Caster Kit - four swivel 2" locking
SC230106	Slide out Shalf 161/4"\N v 21"D

Orbit

COMPUTER STATION Create A Customized Workstation!

Versatile, space saving workstation adapts to your needs. Purchase a complete workstation for sitting or standing users. Choice of **Mobile Base** with 4" casters (2 locking), permanent Wall Mount, Floor Mount or Freestanding base. Or purchase the industrial strength 5" x 5" steel center post and add individual components to build a custom workstation, 78"H mobile units fit through standard doorways. Easy assembly.

Description

Complete Mobile Computer Workstations SC239138 78"H Unit w/VESA Mount SC239141 40"H Laptop Unit

Complete Wall Mount Computer Workstations SC239140 72"H Unit w/VESA Mount SC239194 72"H Laptop Unit

Complete Floor Mount Computer Workstations 81"H Unit w/VESA Mount 81"H Kiosk SC239134

SC239193 Add color suffix: Beige (BG) or Black (BK)

Complete Freestanding Computer Workstations SC239134FBK 81"H Freestanding Unit w/VESA Mount

81"H Freestanding Kiosk SC239193FBK



MULTI-USER KIOSK DISPLAY

Includes 2 CPU holders, 4 steel worksurfaces 81"H steel post with Freestanding base and 2 VESA mounts.



TODAY'S PRODUCTION

VESA MOUNT

Units Built: 173

Goal: 250

UNIVERSAL

Time: 1:15

SC239134BK SHOWN WITH OPTIONAL ACCESSORIES

COMPLETE WORKSTATIONS include CPU holder, plastic laminate work surfaces and VESA mount.





Laptop Tray

MOBILE LAPTOP UNITS include locking laptop tray with mobile base and 30"H center post

ORBIT COMPONENTS



Keyboard Drawer mounts to steel or laminate work surface.



Plasma Mount holds 30-50" screens. Tilts +15/-5°



Flat Panel Arm moves 180° front to back, 270° left to right.



VESA Mount holds 10-30" screens. Tilts +15/-59



CPU Sidecar Includes two exhaust fans for CPU cooling.



Work Surface Plastic laminate work surface.

Model	Description
SC752152	81"H Post w/fixed base
SC239200	78"H Mobile Post with Caster Base
	(4"Casters/2 Locking)
SC239146	40"H Mobile Post with Casters
SC239128	72"H Wall Mount Post - 5"W x 2"D
SC752153	Steel Work Surface - 411/4"W x 191/4"D
Plastic Laminat	e Work Surface
SC239130	36"W x 20"D x 1" Thick
SC242257	27"W x 20"D x 1" Thick
SC752154	CPU/Power Supply Holder (up to 9"W)
SC249309	CPU Sidecar Cabinet
SC706644	Flat Panel Monitor Arm (VESA)
	Color suffix: Beige (BG) or Black (BK)

Model	Description
SC706543	Keyboard Drawer
SC239129	Laptop Tray - 15"W x 141/2"D
SC752156	Footrest
	Color suffix: Beige (BG) or Black (BK)
SC752152FBK	81" H Post w/Freestanding Base
SC239195	VESA Mount - Fits 10-30" Screens
SC239150	Universal LCD/Plasma
	Mount-Fits 30-50" Screens
SC249048	Single Arm with 1 VESA Mount
SC249049	Double Arm with 2 VESA Mount
SC249050	Double Arm with 3 VESA Mount
SC250966	Fliptop Keyboard Mouse Tray
SC607734	6 Outlet Surge Protector (15 Amp, 6' Cord)





Mobile Computer Cabinet provides secure storage for your CPU and supplies. 2 position shelf adjusts to accommodate either a tower or desktop style CPU. Rear cabinet access holes are provided. Slide out keyboard tray has a comfortable wrist rest area to reduce fatigue. Rolls easily on 5" casters. Wire ties and mounting holes provided for tidy cable management. 27"W x 24"D x 491/2"H. Easy Assembly.

Model	Color	Assembly
SC694561	Blue	Unassembled
SC694561BK	Black	Unassembled
SC694561BLA	Blue	Assembled
SC694561BKA	Black	Assembled

LCD/PLASMA CART





MOUNT INCLUDED

Safely mount and move flat panel monitor screens with this sturdy steel display cart. The central 5" square x 68"H post is mounted to a mobile caster base. Post features internal cable management. The universal tilt mount holds 30-50" screens and tilts +15 and -5° to provide optimal viewing. Plastic Laminate work surface measures 36"W x 20"D x 1" thick. Base has 4" rubber casters (2 locking). Easy assembly. 371/2"W x 311/4"D x 78"H. Optional accessories include: Keyboard Tray that installs under work surface. CPU Holder that adjusts up to 9"W or Side Car Cabinet that securely stores CPU towers and includes 2 exhaust fans and locking vented front and rear doors.

Description	Black	Beige
Plasma/LCD Cart	SC239192BK	SC239192BG
CPU Side Cabinet	SC249309ABK	SC249309BG
CPU/PS Holder	SC752148BK	SC752148
Keyboard Tray	SC706543BK	SC706543BG



SC251761BK

SC694561



Our Paramount® Charging carts your best value for keeping your mobile device fleet charged and readyto-go while providing protection from tampering and theft. Made with all steel construction, each have a wide, non-skid top surface for supplies and equipment. Each side is perforated for ventilation and the doors are channel reinforced and feature 3-point locking for extra security. All Paramount charging carts feature surgeprotected outlets. Choose the compartment slot size that will accommodate vour mobile device for best compatibility. Roll easily on 4" rubber casters (2 swivel, 2 rigid). Easy assembly. Add color suffix: Black (BK).

Compartments

Tablet Chromebook Laptop Shelves W" x D" x H" 24 × 21 × 40 43¹/₂ × 21 × 40 24 × 21 × 40 SC985748 Yes Yes Yes 23 x 12 x 31/2 SC251761 24 Yes Yes 41 x 12 x 31/2 SC987877 36 3 15/8 x 12 x 103/8 Yes Yes $43^{1/2} \times 21 \times 40$ SC987878 Yes 15/8 x 12 x 103/8 STANDING COMPUTER WORKSTATION

This computer workstation is perfect for standing applications. Top laminate work surface measures 2834"W x 16"D x 3/4" thick and supports your PC with room for supplies. Keyboard shelf is set at 36"H. Adjustable lower shelf measures 281/4"W x 18"D to hold supplies, a minitower CPU or printer. Four 1" swivel casters (2 locking). Sturdy steel black frame measures 281/8"W x 22"D x 46"H overall. Easy assembly. Light Gray finish.







Move your computer workstation anywhere. Lightweight, durable aluminum post features cable management channel. CPU holder accommodates any size CPU. Glides smoothly on five $2^1/2^n$ castres (3 locking). **LCD Workstation** includes keyboard/mouse tray and flat panel monitor mount that adjusts to desired height. Keyboard/Mouse tray folds down for convenient storage. 73"H overall. **Laptop Workstation** includes a steel locking laptop tray 15"W x 141/2"D. Locking cross-bar secures laptop and prevents theft. 40"H overall.

SC242278 SC607300	LCD	
STAND- WORKSTA		
	nonmon you	
1		
Model Description SC506693 Upright Stan SC250202 Mouse Shelf		
	SC506693 and SC250202	

Freestanding unit places your computer, printer, etc., at a perfect height for standing applications. Tubular steel frame is reinforced by two back panels for added stability. **Top Platform** (25½"W x 22"D) supports monitor at a comfortable viewing height. **Roll-out Keyboard Shelf** (21"W x 16"D) adjusts 40-46"H. Optional **Slide-out Mouse Shelf** stores away under keyboard shelf. **Printer Shelf** (25½"W x 17"D) supports printer. **Bottom storage shelf** is 23"W x 11³¼"D. Adjustable computer tower holder (10½"W x 10½"D). Two top shelves are adjustable on 2" increments. 251/2"W x 22"D x 441/2"H overall. 4" non-marring rubber casters (2 locking) provide easy transport. Assembles easily.



Oak Top	Gray Top	W''x D''	10"D
Gray Base	Gray Base		Extra Shelf
SC773167AK SC773168AK SC773169AK SC773170AK SC773171AK	SC773167GY SC773168GY SC773169GY SC773170GY SC773171GY	30 x 24 36 x 24 36 x 30 48 x 30 60 x 30	SC430041GY SC430042GY SC430043GY



MOBILE COMPUTER CART

Easily fits through doorways for computer portability. Includes steel post and base with plastic laminate work surface. 27"W x 20"D work surface is 1" thick and easily mounts at various heights. Durable 2" x 5" center post includes built-in cable management openings. Cart moves easily on 24"W x 241/2"D caster base. Base features a 10"D shelf and 4" rubber casters (2 locking). 41"H overall. Powder coat finish. Optional accessories include: Keyboard Tray that installs under work surface, CPU Holder that adjusts up to 9"W or Side Car Cabinet that securely stores CPU towers and includes 2 exhaust fans and locking vented front and rear doors. Easy assembly. Specify color suffix: Beige (BG) or Black (BK).

SC309235BK SHOWN WITH OPTIONAL **ACCESSORIES**

Description	Model
Computer Cart	SC309235
CPU/PS Holder	SC309236
Keyboard Tray	SC309237
CPU Side Cabinet	SC249309



Ideal for laptops. Push handle and caster base Ideal for laptops. Push handle and caster base provide easy workstation mobility. Steel post and base with locking laptop tray. Heavyduty steel laptop tray includes a locking bar and cylinder lock with 2 keys for security. Tray measures 15"W x 141/2" D and mounts to post at 40"H. Durable 2" x 5" center post includes built-in

center post includes built-in cable management openings. Cart moves easily on 24"W x 24¹/₂"D caster base. Base features a 10"D shelf and 4" rubber casters (2 locking). 41"H overall. Powder coat finish. Easy assembly.

Beige	Black		
SC239141BG	SC239141BK		



1200 lb. Capacity

MOBILE COMPUTER WORKSTATION

Transport computer and electronic equipment with ease. Choose conventional 34" high or 42" high standing workstation. Open wire design minimizes dust accumulation and design minimizes dust accumination and maximizes light and air circulation. Three shelves adjust at 1" increments. Sliding keyboard shelf with cushioned wrist rest accepts keyboards up to 21"W x 11"D. 6" height adjustment to ensure a comfortable typing position. Optional four 5" gray polyurethane non-marring, swivel casters (two with dual lock.) 30"W x 24"D. Attractive chrome finish. Easy assembly.

Model
SC579207
SC579208
SC489070
SC579212
SC607734

Description 34"H. Workstation 42"H. Workstation Document Holder 5" Caster Set (2 locking) 6 Outlet Surge Protector, w/ On/Off switch, 15 AMP, 125v

MOBILE AND STATIONARY LAN STATIONS



MOBILE UNITS ALSO

AVAILABLE

IN CHROME

SC250113*

 $W'' \times D'' \times H''$ Model 36 x 18 x 69 SC250114* 48 x 18 x 69 SC250115* 36 x 24 x 69 SC250116* 48 x 24 x 69 SC250197* 60 x 24 x 69 SC250198* *Add (BK) suffix to model

SC250114BK

69"H MOBILE LAN UNIT

74"H STATIONARY LAN UNIT SC651328 $30 \times 30 \times 74$

SC651329 $60 \times 30 \times 74$ SC651330 $72 \times 30 \times 74$

Model	Accessories
SC339042	Keyboard Drawer
SC250120	Extra Shelf 18"D x 24"W
SC250121	Extra Shelf 18"D x 36"W
SC250122	Extra Shelf 18"D x 48"W
SC250123	Extra Shelf 24"D x 36"W
SC250124	Extra Shelf 24"D x 48"W
SC489070	Document Holder
SC188580	18"L Shelf Ledge
SC188584	36"L Shelf Ledge
SC188586	48"L Shelf Ledge
SC188588	60"L Shelf Ledge
SC188590	72"L Shelf Ledge
SC651332	Shelf Divider 8"H
SC500592	Caster Set (2 Locking)
SC607734	6 Outlet Surge Protector, 1

MOBILE PRINTER STANDS





NON-MARRING POLYURETHANE MATERIAL PROTECTS FLOORS

Wire construction promotes air circulation and prevents dust build-up. Printer Shelving comes with three shelves. Shelves adjust on 1 increments. Four 5" polyurethane swivel casters (two with brakes) for complete mobility. 800 lb. capacity. Attractive chrome-plated finish.

Lasy assembly.	
Model	W" x D" x H"
SC250117	24 x 18 x 39
SC250118	24 x 18 x 59
SC607734	6 Outlet Surge Protector, 115V

Holds your LAN equipment in one organized workcenter! Wire construction promotes air circulation and prevents dust build-up. 69"H mobile units come with four wire shelves, one slide-out keyboard shelf with wrist rest (for keyboards up to 23"W x 11"D) and four 5" polyurethane swivel casters (two with brakes) complete mobility. stationary units come with three wire shelves and one laminate shelf. Optional accessories include slide-out keyboard drawer, shelf ledges, shelf dividers, document holders & surge protector. Attractive chrome-plated finish. For models available in Black, specify (BK). Easy assembly.

SHOP STOOLS

Ideal for Warehouse, Factory or Office

A.-E. STEEL SHOP STOOLS Comfort-designed with the finest quality workmanship and construction. Heavy-duty 18 gauge x 1/8" tubular steel is seam-welded for strength and rigidity. Convenient steel foot ring. Telescoping legs adjust on 1" increments. Adjustable height 12"W x 53/4"H backrest. Style C has 141/4" square seat. Style A, B and D have 14" round seat. Style B has foam filled gray vinyl upholstered seat/back. Style A, C and D have steel hard board seat. Style A and C have steel backrest. Durable gray baked enamel finish. 350 lb. capacity. Big and Tall Shop Stool - Heavy duty 18 gauge x 1" tubular steel legs and roomy 18" diameter vinyl upholstered seat. 450 lb. capacity. 1 Year Limited Warranty. Sold 2 per package of a model.

Ht."	Style	Model	Style	Model
	S	TEEL/HARDBOARD	STEEL	/HARDBOARD
	SEAT	W/STEEL BACKREST		SEAT
18 - 27	Α	SC244870	D	SC688305
24 - 33	Α	SC244871	D	SC688306
18 - 27	С	SC688309		
24 - 33	С	SC688310		
	UP	HOLSTERED SEAT		
		AND BACKREST	UPHO	OLSTERED SEAT
18 - 27	В	SC244872	E	SC688307
24 - 33	В	SC244873	E	SC688308
18 - 27			BIG &	TALL SHOP STOOL
24 - 33			E	SC506342

F. DIESEL STYLE INDUSTRIAL STOOL Features manual seat height adjustment with nylon covered screw lift. Includes 14" diameter leather padded seat and non-marring nylon floor glides. Overall Size 16¹/2"W x 16¹/2"D. Seat height range 22" to 27"H. Steel frame construction with a clear coat pewter finish. Square foot ring with protective rubber guards. Lifetime Limited Warranty. Easy Assembly.

Style	Model		
F	SC250569		

G. WOODEN SWIVEL STOOL Contoured seated back with pneumatic seat height adjust from 20" to 25". Adjustable 14"W x 6"H back, $15^1/2$ "W x 14"D contoured waterfall seat with foot ring relieves pressure and reduces lower back fatigue. Heavy gauge, tubular steel frame. Gray baked enamel finish. Easy assembly. 2 Year Limited Warranty.

Style	Model
G	SC240150

H. UPHOLSTERED SWIVEL STOOL Wipe-clean vinyl upholstered stool is ideal for mailroom, factory or warehouse. 30" seat height. Seat measures 141/2" diameter x 3" thick seat with gray powder coated steel base. Easy assembly. 1 Year Limited Warranty.

Style	Model
Н	SC238712

I. PARAMOUNT® ALUMINUM STOOL Sleek contemporary design provides efficient long lasting seating. Easy to maintain. Overall dimensions 16³/4"W x 20" D x 42¹/2"H. Color finish Aluminum.

Style	Model
	SC695254







ERGONOMIC WORK STANDS

Support your body while sitting or standing. Ergonomically designed to allow mobility without adding pressure to back and lower body. Great when working for long periods of time on machinery or assembly line. Waterfall contour seat allows proper leg circulation. Self skinned black polyurethane padded seat for durability and comfort. Tilt control knob allows seat to tilt 15°, or can be locked for stability. 24" 5 Blade style has 14"W x 10" L seat with 21"-31"H pneumatic seat height adjustment. 1 Year Limited Warranty. Triangular style has wide base for stability. 121/2"W x 81/2"D seat with a 223/4"—323/4" height adjustment. Nylon Anti-slip glides for stability. Easy assembly. 1 Year Limited Warranty.

Model Base SC571005 5 Blade







cleaning. Rugged powder coated steel base has smooth rolling dual wheel casters. Pneumatic adjustment for 19-24" seat height range. Seat. 16" diameter. Back: 15"W x 9"H. Back height adjusts 32-37"H. 4" thick seat. Uses a 25" diameter base as required by the medical industry. 1 Year Limited Warranty.

Description	Beige	Black
With Back Without Back	SC240160BG SC240159BG	SC240160BK SC240159BK

Seat Ht Adj." Style Seat Base Model Vinyl Plastic $17^{1/2} - 22^{3/4}$ SC240152BK 17¹/₂ = 22³/₄ 17¹/₂ = 22³/₄ 20 = 23¹/₂ 20 = 23¹/₂ Plastic SC240157BK SC240151BK B C D E Vinyl w/Back Vinyl Steel Vinyl w/Back SC240158BK Steel Polyurethane Steel 22 - 29 SC240273 Polyurethane Plastic 17 - 25 SC954733

5-WAY ADJUSTABLE ERGONOMIC STOOL Ideal for those sitting extended periods. Contoured black $18^1/2^{\prime\prime}W \times 18^{\prime\prime}D \times 2^{\prime\prime}$ seat and $16^1/2^{\prime\prime}W \times 13^{\prime\prime}H$ back help support the body. Puncture resistant, easy clean self skin polyurethane foam is wear resistant and maintenance free. Independent seat and back tilt angle adjustment for personalized positioning. Backrest features 38" to 481/2"H and 2"D adjustment. 22"-321/2" pneumatic seat height adjust. Rugged 5-blade base with both casters for mobility and glides for stationary use. Adjustable 8-181/2"H chrome foot ring for extra comfort. Easy assembly. 1 Year Limited Warranty.



Description Without Arms With Arms

Model SC250626 SC250627







INDEPENDENT SEAT AND BACK TILT ANGLE ADJUSTMENT.



ADJUSTABLE MECHANISMS WITH **TOUGH FINISHES** RESISTS CRACKING AND PEELING.



BACK/SEAT HEIGHT AND ANGLE **ADJUSTMENTS**



PUNCTURE RESISTANT POLYURETHANE INDUSTRIAL STOOLS



SEATING Constructed of wear and puncture-resistant black integral skin urethane foam. Multi-function style adjusts both the back and seat angle simultaneously. 18"W x 17"D x 11/2" thick seat features a waterfall design that takes pressure off of the knees. Seat height adjusts from 23"-27" for positioning. Adjustable height 17"W x 12"H back helps maintain a proper posture. Style A and B have rugged 5-blade base with both casters for mobility and glides for stationary use. Easy assembly. 1 Year Limited Warranty.

ADJUSTABLE

FOOT-RING

SC250626

	Style	Adjustment	Footrest	Model
	Α	Standard	360°	SC571121
	Α	Multifunction	360°	SC252381
	В	Standard	180°	SC571120
	В	Multifunction	180°	SC506773
	С	Spider Base		SC571123
OPTIONAL ARMS FOR STYLE A, B, C			LE A, B, C	Model

OPTIONAL ARMS FOR STYLE A, B, C	Model		
T-ARMS. Fixed position, polyurethane	SC571298		
over steel. LOOP ARMS. Round edge polyurethane			
over steel for durability.	SC506556		
ADJ T-ARMS. Adjust height as needed.			
Self skinned polyurethane over steel.	SC744150		

8-WAY ANTI-MICROBIAL ERGONOMIC CHAIR & STOOL



Ultra adjustable seating allows personalized positioning for daylong comfort and improved productivity. Extra thick 31/2" padding features anti-microbial vinyl upholstery that protects against mold and bacteria growth. Waterfall contoured design helps reduce stress on your knees and improve leg circulation. Contoured back provides lumbar support. Extra large 20"W x 191/2"D seat and 191/2"W x 20"H back. Polished aluminum base with 2" dual wheel carpet casters provide easy mobility. **Chairs** have $15^1/2''-19^1/2''$ pneumatic seat height adjustment. **Stools** have 24'''-29'' pneumatic seat height adjustment. Easy assembly. 1 Year Limited Warranty. Add color suffix to Chair or Stool Model number: Black (BK), Blue (BL), or Burgundy (BY).

Model	Description	
SC250605	Chair	
SC250685	Stool	
SC571129A	Optional Adjustable T-Arm Per Pair	
SC506818A	Optional Glides (set of 5)	

FABRIC UPHOLSTERED STOOL WITH LIGHTWEIGHT PLASTIC BASE



A. VALUE STOOL Contoured 18"W x 18"D seat and 17"W x 14"H back with 2" thick multi-density foam cushion. Pneumatic, 23"-26" height adjustment. Height adjustable chrome plated steel footrest. Five-blade plastic base with 2" dual wheel casters. Easy assembly. Add color suffix: Burgundy (BY), Gray (GY), Blue (BL) or Black (BK). 2 Year Limited Warranty.

Style	Model	
A	SC506592	

B. - C. BODY SENSITIVE® STOOL Positions you at the anatomically correct angle to work comfortably and efficiently. Back strain is virtually eliminated. Fingertip pneumatic height adjustment and back tilt provide proper lumbar spinal support. Seat height adjusts from 25" to 30". Waterfall 19"W x 18"D x 31½" thick seat improves circulation in the legs. Back is 15" square with adjustable footrest supports for

legs and feet. Durable gray 100% nylon upholstery over plushly padded foam cushions. Black five blade molded base with easy roll 2" dual wheel casters. Available in Gray only. Easy Assembly. 2 Year Limited Warranty.


		Adj. Ht.	
Style	Description	Footrest	Model
B C C	Without Armrests With Armrests Without Armrests With Armrests	360° Steel 360° Steel 180° Plastic 180° Plastic	SC917159GY SC500904GY SC571231GY SC506786GY



D. - F. FUTURA ERGONOMIC COMFORT STOOL. Ergonomic design provides relief from backaches, tension and muscle strain. 100% nylon upholstery over $2^1/2^n$ padded seat and back cushions gives firm support. Seat is $19^n D \times 19^n W$ and back is $18^n \mathbf{sq}$. Pneumatic $24^n - 29^1/4^n H$ seat height adjustment. Heavy duty adjustable footrest supports legs and feet. Five blade base for maximum stability. Easy-rolling 2^n dual disc casters for complete freedom of movement. Easy assembly. Add color suffix: Black (BK), Blue (BL), Burgundy (BY) or Gray (GY). 2 Year Limited Warranty.

	Adj. Ht.		
Style	Footrest	Model	
D	360° Plastic	SC516267	
Е	360° Steel	SC506784	
F	180° Plastic	SC506785	
Optional Glides for model A-F			
SC506818F			





over steel.

Model SC571298



Loop-Armrests places user close to desk. Round edge polyurethane over steel construction for lifetime durability.

Model SC506556



Adjustable Armrests position as needed. Self skinned polyurethane over steel.

Model SC744150



SC240274

SHOWN WITH

CASTERS

ULTRA COMFORT STOOL



Quality-constructed with contoured 18"W x 161/4"D seat and 16"W x 10"H back to help eliminate discomfort and fatigue. Pneumatic seat height adjusts from 21"- 25". Extra thick 39/4" black fabric upholstered seat. Four-way adjustable backrest for customized support. 18" diameter foot ring allows 360° swivel. Optional 2" hooded ball casters for easy maneuverability, increases stool height 21/2". Easy assembly. 1 Year Limited Warranty.

Model SC240137



OPTIONS



Casters Model SC500230



Model SC571298



Loop-Armrests Model SC506556



T-Armrests

Model

SC744150

VINYL INDUSTRIAL STOOL

Description

Without Arms

With Arms

Built to last using all welded steel. Ideal for educational, industrial and institutional market applications; including schools, shops, warehouses and design studios. Made using all-welded heavy gauge steel with a charcoal powder coat finish. Black vinyl upholstered seat and back. 221/2" to 281/2" pneumatic seat height adjustment with tilt lock. Seat measures 14" diameter. Tubular steel base features a fixed height, square foot ring. Includes non-marring floor caps. Back measures 121/2"W x 7"H. Easy assembly.

casters for mobility and glides for stationary use. Choose with and without armrests. Easy Assembly. 1

Year Limited Warranty.

Model

SC240274

SC240275



1 Year Limited Warranty.

PNEUMATIC HEIGHT ADJUST AND TILT LOCK





POLYURETHANE SHOP STOOLS



Polyurethane stools are great for extended sitting periods in work shop, lab and industrial environments. Self skinned polyurethane upholstery is puncture and wear resistant, and easy to clean. 14" diameter seat features a steel plate reinforcement that withstands heavy duty use in tough working environments. 26-31" pneumatic seat height adjustment. 1" tubular frame includes a 360 degree foot ring. Foot ring has 2 fixed height positions. **Stool with Back** includes a 13"W x 5½"H back. Back features a 2" back height adjustment knob. Easy assembly. 1 Year Limited Warranty.

 Model
 Description
 Seat Ht."

 SC250788
 Shop Stool
 26-31

 SC250789
 Shop Stool with Back Rest
 26-31

DELUXE POLYURETHANE STOOL 5-Way Adjustable



provides Ribbed and back support for extended sitting periods. Self-skinned polyurethane surrounds high density foam core and seat plate reinforcement to offer wear and puncture resistance. Ribbed back is contoured for lumbar support. Back measures 171/2"W x 131/2'H x 11/2" thick. Seat measures 20"W x 18"D x 2" thick. Features extra large 26" diameter polished aluminum steel 5-blade base with both casters for mobility and glides for stationary use. 20" diameter chrome foot ring is height adjustable. 23-28" pneumatic seat height adjustment. Other ergonomic adjustments include seat and back angle and back height adjustment. Optional Armrests measure 4"W x 10"L and are contoured for full arm support. Armrests are adjustable up to 3" vertically and 11/2" side-to-side. 2 Year Limited Warranty.

Model Description

SC250612 Deluxe Stool
SC250613 Deluxe Stool with Armrests





Engineered to make personal positioning easy, so you're more comfortable and productive. Back and seat angle adjust simultaneously to cradle your back for day long comfort. Pneumatic 24"-29" seat height adjustment to ensure that your feet and legs are properly supported with the 7½"-11"H adjustable chrome foot rest. Generous sized seat has extra thick 31/2" padding covered in durable 100% acrylic upholstery. Waterfall contoured design helps to reduce stress on knees and ensures proper circulation. Contoured back provides lumbar support and encourages proper posture. Height and side to side adjustable T-arms align arms and wrists correctly for data entry work. Polypropylene steel reinforced base with 2" dual wheel carpet casters. Task Stool seat 18"sq. Back 17¹/₂"sq. **Operator Stool** Seat 18"sq. Back 17¹/₂"W x 19"H. **Manager** Stool has same features as above, plus independent adjustable back angle, tilt lock and back tilt tension adjustment. Seat 20"W x 19¹/₂"D. Back 19¹/₂"W x 20"H. Includes aluminum chair base. Easy assembly. Suffix fabric color to all models: Black (BK), Burgundy (BY) or Gray (GY). Task and Operator also available in Blue (BL). 1 Year Limited Warranty.

	360°	180°
	Chrome	Plastic
Description	Footrest	Footrest
Task	SC808659	SC506780
Task with Arms	SC808660	SC506781
Operator	SC808661	SC506782
Operator with Arms		SC506783
Manager	SC808698	SC506812
Manager with Arms		SC506813
Optional Glides	SC506818	





Pneumatic height adjustable seat is 21/2" thick and padded for comfort. Seat measures 191/z"W x 181/z"D. Contoured 16"W x 10"H x 1" thick back adjusts up to 4" vertically and 11/z" in or out for personalized support. Powder coated steel five blade base provides stability with an attractive appearance. Includes nylon floor glides. Style A includes a height adjustable 360° foot ring. Style B includes a U-shaped footrest that is fixed to the seat. Purchase optional 2" Hooded Casters for mobility. Optional Armrests provide added support and help reduce arm fatigue. Easy assembly. 1 Year Limited Warranty.

> Choice of Vinyl or Fabric





Dual disc series Chair Caster with nonlocking nylon wheel Model SC906048

T-Armrests fixed position, textured polyurethane over steel.

Model SC571298



close to desk. Round edge polyurethane over steel construction for lifetime durability.

Model SC506556



Adjustable T-Armrests position as needed. Self skinned polyurethane over steel.

Model SC744150



SC240140BK

В



This fully adjustable ergonomic seating is ideal for office, warehouse or training area. Contour built-in lumbar curve is 21/4" height adjustable to provide firm body support for increased employee productivity. 25° back recline infinitely adjusts for balanced posture. Pneumatic mechanism instantly changes stool height 231/2" to 281/2"H to help take pressure off legs. Seat back adjusts 21/4" in/out for accurate positioning of body on seat. Back contoured cushion is 19"H x 161/2"W. Roomy 17"sq. seat with firm 2" foam cushion and plastic shell back for long life. Comfortable 12"W x 8"H loop arms adjust 1" in/out. Easy assembly. Suffix fabric color to model number: Black (BK), Blue (BL), Burgundy (BY) or Gray (GY). 1 Year Limited Warranty.

Description Stool with 180° Footrest SC506779 Stool with 360° Footrest SC506811 Optional Glides SC506818



Footrest

Spider

Base

180°

360°

24 - 28

use. Easy assembly. 1 Year Limited Warranty.

Style

P

Model

SC571122

SC571118

SC571119



Description Model Without Arms SC250628 With Arms SC250629

CONTOURED PLASTIC CHAIR



Contoured design promotes good posture and features ventilation slot for comfort. Molded black polypropylene puncture proof seat with black tubular frame for strength and durability. Easy to clean 17"W x 16"D seat and 16"sq. back. Pneumatic seat height adjustment from 14" to 191/4". Five blade caster base. Easy

assembly. 1 Year Limited Warranty.

Chair Opt. Glides

SC921357 SC506818



5-blade base includes casters for mobility and glides for

stationary use. Easy assembly. 1 Year Limited Warranty.

Easy-to-clean, washable self-skinned polyurethane resists chemicals and lubricants. Ribbed seat and back provides support for extended sitting periods. High density foam core and seat plate reinforcement offer wear and puncture resistance. Seat measures 20"W x 18"D x 2" thick. Back measures 17³/₄" W x 13¹/₂" H x 1¹/₂" thick. Waterfall edge seat helps improve leg circulation. 26" diameter chrome plated steel 5-blade base. 17-22" pneumatic seat height adjustment. Include back angle and back height adjustment. Optional Armrests measure 4"W x 10"L and are adjustable up to 3" vertically and 11/2" side-to-side. Easy

assembly. 2 Year Limited Warranty.

Model SC250610 SC250611

Description Deluxe Chair Deluxe Chair With Armrest



Model SC252251

BOTH GLIDES AND CASTERS INCLUDED

Built to last and offers comfortable seating for an affordable price! Upholstered in black integral skinned urethane foam that is wear and puncture resistant. 18"W x 17"D x 11/2" thick seat resistant. with waterfall edge. 18-22" pneumatic seat height control. 17"W x 12"H back is height adjustable to help maintain proper posture. Strong 5 blade base includes both casters for mobile use and glides for stationary use. ĭ Year Limited Warranty.

Options T-Arms Loop Arms Adj. T-Arms

Model SC571298 SC506556 SC744150

ERGONOMIC BIG & TALL MOBILE STOOL



400 lb. capacity!

Durable and stylish seating designed for the big and tall. Contoured, plush $3^1/2^n$ thick $2^15/8^nW \times 19^5/8^nD$ seat and $19^5/8^nW \times 26^3/8^nH$ back cushion with lumbar support. Pneumatic $29^1/8^n-34^1/4^n$ seat height adjustment. Footrest adjusts 10^n-17^n in height to take stress off the knees. Height adjustable armrests help reduce fatigue. Sturdy five blade aluminum base with dual wheel swivel casters for added comfort. Easy assembly. 1 Year Limited Warranty.

Model SC277490



BIG & TALL SEATING



EXCLUSIVE

450 lb. capacity

Accommodates the big and tall with true comfort. Sturdy, reinforced construction for durability. Ultra 5" thick cushioning covered in black acrylic fabric. Roomy 20"D x 23"W swivel seat, 22½"W x 23"H back. Pneumatic 27"-30½" height adjustment. Four footrest heights for customized leg support. Durable spider base with glides. Optional arms adjust vertically and in and out. Easy assembly. 1 Year Limited Warranty.

Description Model
Without Arms SC506553
With Arms SC506554





Paramount® Mesh Back Stools are perfect for Office, Warehouse, Training Area and more. Ergonomic design with nylon mesh back conforms to body for cool, ventilated and supportive comfort. 16¹/2″H x 17 ³/4″W plastic trim backrest ensures long lasting durability and built-in lumbar support provides added back comfort. Contoured back provides lumbar support and encourages proper posture. 24″ - 34″ seat height adjustment. Height adjustable T-arms. Polypropylene five-blade base with 2″ dual-wheel carpet casters provide easy mobility. Choose between Fabric or Vinyl seat. Easy assembly. 1 Year Limited Warranty.

Seat	Model		
Fabric	SC695262		
Vinyl	SC695263		



Contoured 2¹/₄" thick foam padded seat (18"W x 17"D) and pivoting height adjustable back (16¹/₄"W x 11"H). Pneumatic lift instantly adjusts seat 16-21"H. 5 blade plastic base with casters. Easy assembly. 2 Year Limited Warranty.

Black Gray

SC384100BK SC384100GY

EXTRA COMFORT FABRIC TASK CHAIR



Extra Comfort roomy seat (18"W x 18"D) and back (17"W x 14"H). High density 23/16" foam padding for support you can feel. Backrest has pivot angle, height and front-to-back adjustments. 16-19"H pneumatic seat height adjustment help to relieve leg and knee pressure. Add color suffix: Black (BK), Gray (GY), Blue (BL) or Burgundy (BY). Easy assembly. 2 Year Limited Warranty.

Model **SC506588**

INDUSTRIAL QUALITY PROFESSIONAL TOOLS



SC534180A

20 PIECE SET

SAE STANDARD & DEEP SOCKET & RATCHET SET WITH CASE

- Polished chrome vanadium steel
- Push button/quick release thumb reversible teardrop ratchet handle
- Meets or exceeds ASME standards
- 20 Piece Set Contains:

3/8-13/16" 6 point deep sockets 3/8-7/8" 12 point standard sockets 3/8" drive quick release ratchet handle 3" & 6" extension bars



10 PIECE SCREWDRIVER SET

Cushion grip handle ensures comfort during long periods of use. Screwdrivers include phosphate-plated magnetic black tips.

- (1) 3/16" Standard Flathead Screwdriver
- (1) 3/16" Long Flathead Screwdriver
- (1) 1/4" Standard Flathead Screwdriver • (1) 1/4" Stubby Flathead Screwdriver
- (1) 5/16" Standard Flathead Screwdriver
- (1) 3/8" Standard Flathead Screwdriver
- (1) #1 Standard Phillips Screwdriver
- (1) #2 Standard Phillips Screwdriver
- (1) #2 Stubby Phillips Screwdriver
- (1) #3 Standard Phillips Screwdriver



7 PIECE NUT DRIVER SET Made from chrome vanadium

Made from chrome vanadium steel with a cushion grip handle. Nut drivers measure 7-1/4" long and feature size markings for easy identification.

- (1) 3/16" Nut Driver
- (1) 1/4" Nut Driver
- (1) 5/16" Nut Driver
- (1) 11/32" Nut Driver
- (1) 3/8" Nut Driver
- (1) 7/16" Nut Driver
- (1) 1/2" Nut Driver



AVIATION SNIPS

- · Chrome molybdenum steel
- · Serrated edges
- · TPR ergonomic handles with cushion grips
- Meets or exceeds ASME standards

VIVICELS OF EXCECUS ASIVIE Standards				
Model	Description			
SC534190A	9-3/4" Straight Cut			
SC534191A	9-3/4" Left Čut			
SC534192A	9-3/4" Right Cut			
SC534306A	Set of 3 Šnips			



PLIERS

- Chrome molybdenum steel
- Thermoplastic rubber ergonomic handles with cushion grips
- Drop forged & hardened cutting edges
- · Meets or exceeds ASME standards



 Style
 Model
 Description

 A
 SC534196A
 6" Long Nose Pliers

 B
 SC534195A
 8" Long Nose Pliers

 C
 SC534197A
 7" Diagonal Pliers

 D
 SC534198A
 9"Linesman Pliers

ADJUSTABLE WRENCHES

- Chrome vanadium steel
- · Black phosphate finish
- Drop forged & heat treated
- Knurled adjustment knob
- Precision scale
- · Meets or exceeds ASME standards

- IVICCIS OF CAUC	cus Aoirie stariadius
Model	Description
SC534200A	6" Wrench
SC602190A	8" Wrench
SC602191A	10" Wrench
SC602192A	12" Wrench
SC534307A	Set of 3 (6",8",10"

COMBINATION & REVERSIBLE RATCHETING WRENCH SETS

 Drop forged & heat treated chrome vanadium steel

Mirror polished finish w/15P offset

 Meets or exceeds ASME standards

· Rugged carry pouch





Model Contains

COMBINATION WRENCH SETS

SC534182A 3/8, 7/16, 1/2, 9/16, 5/8, 3/4" (6 Pieces) SC534181A 1/4, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"

(11 Pieces)

12 POINT SAE REVERSIBLE RATCHETING WRENCH SET SC602193A 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" (8 pieces)

24" BOLT CUTTER



SC534194A

 Drop forged & heat treated center cut blades

- · TPR ergonomic handles with cushion grips
- · Converts 50 lbs. hand to 4,000 lbs. cutting pressure
- Meets or exceeds ASME standards



PIPE WRENCHES

Pipe Wrenches are made with floating hook jaws and hardened teeth to ensure a strong grip. Choose from Cast Iron or Aluminum in a variety of sizes.

Overall Size"	Material	Max Opening"	Brand	Model
10	Cast Iron	21/8		SC534185
14	Cast Iron	2 ¹³ /16	_	SC534186
18	Cast Iron	3 7/8	_	SC534187
24	Cast Iron	33/4	_	SC534188
24	Aluminum	33/4	_	SC534189





WALL MOUNTED FOLDING WRITING DESK

Provides a work surface where you need it. Ideal for doctors offices, hospitals, supply rooms and warehouses. Folding desk mounts to walls at desired work height to accommodate stand-up or sitdown work positions. Durable steel with scratch resistant powder coat finish. Full width handle lowers the desk to a convenient 13" deep work surface. Convenient compartment for pens and small tools. Also includes a storage bin for charts, folders and literature. Magnetic closure keeps door in place. Locking desk includes a cylinder lock with 2 keys for security. 20"W x 33/8"D x 162/5"H.



DELUXE SHIPPING DESK

Perfect for Warehouses and Shipping/Receiving

Steel construction is finished with an attractive, scratch resistant gray powder coating. Full suspension 22³/₄"W x 15³/₄"D x 4¹/₂"H drawer glides easily on steel ball bearing slides for accurate alignment and includes a cylinder lock for secure storage. Sloped writing surface includes a pigeonhole organizer with two 10³/₄"W and one 11³/₄"W x 12"D x 7³/₄"H pockets to hold full size documents. Closed base keeps out dust and debris for easy maintenance. Measures 341/2"W x 30"D x 511/2"H. Drawer Models feature 13"W x 173/4"D locking drawers in 2 heights: 51/2"H and 12"H. Cabinet Model has 2 independent 15"W x 20"D x 27"H locking compartments that make it ideal for 2 shift operations.



Model	Description
SC237406	Double Cabinet
SC237404	6 Drawer Cabinet
SC237409	7 Drawer Cabinet
SC237405	8 Drawer Cabinet
SC237407	3 Drawer/Cabinet Combo
SC237408	4 Drawer/Cabinet Combo

INDUSTRIAL HOSE REELS

SC534173



Spring driven reels are built for industrial use with heavy gauge reinforced steel construction and corrosion resistant powder coat finish. Latch mechanism and shielded steel spring ensure long life and easy retraction every time. Hose handles air or water and handles up to 300 PSI. Adjustable guide arm allows floor or wall mounting at different angles. Available in 25' or 50' long hoses with an inside diameter of 3/8". Includes the roller guide, 3/8" NPT Inlet hose, hose stopper, 3/8" NPT Male Brass Connector for Air Tool and protective sleeve for hose end.

Hose	Hose	PSI	Model
Length'	ID "	Max	
25′	3/8	300	SC534172
50′	3/8	300	SC534173

Made of heavy 18 gauge steel body with a durable powder coat matte black finish. Top surface features raised edges on 3 sides to retain contents. High security lock with 2 keys secures all drawers. Drawers include aluminum drawer pull handles. Cabinet includes snap-in ball bearing drawer slides for smooth operation under heavy loads. Heavy duty tubular side handles for easy steering. Moves easily on 5" roller bearing casters (2 rigid, 2 swivel with brakes).

Model	Drawers	W" x D" x H"
SC534153	5	27 x 18 x 36 ¹ / ₂
SC534154	7	27 x 18 x 39 ¹ / ₂









147

MULTIPURPOSE SECURITY WORKBENCH



Secure supplies and tools with these sturdy workbenches with independently locking drawers and cabinets. All welded drawer pedestals have full width aluminum drawer handles and nylon drawer rollers for smooth opening. Drawers measure 13"W x 173/4"D and are available in 2 different heights: 51/2"H and 12"H. **Cabinets** have locking doors and adjustable shelf. Pedestals measure 153/4"W x 20"D x 32"H and can be arranged to suit your needs. Durable gray powder coat finish. Choose from 3 bench tops: Maple Butcher Block (13/4" thick), Plastic Laminate (15/8" thick) or Shop Top (13/4" thick). Easy assembly.



SC239156

		Maple	Plastic	Shop Top
W" x D"	Drawers/Cabinets	Model	Model	Model
60 x 30	3 Door Cabinets	SC239154	SC239164	SC239174
60×30	6 Drawers/Cabinet	SC239155	SC239165	SC239175
60 x 30	7 Drawers/Cabinet	SC239156	SC239166	SC239176
60 x 30	8 Drawers/Cabinet	SC239157	SC239167	SC239177
60 x 30	12 Drawers 51/2"H	SC239158	SC239168	SC239178
72 x 24	6 Drawers/2 Cabinets	SC253766	SC253771	
72 x 24	8 Drawers/2 Cabinets	SC253767	SC253772	
72 x 24	12 Drawers/ 2 Cabinets	SC253768	SC253773	
72 x 24	14 Drawers	SC253769	SC253774	
72 x 24	16 Drawers 51/2"H	SC253770	SC253775	
72 x 30	6 Drawers/2 Cabinets	SC239159	SC239169	SC239179
72 x 30	8 Drawers/2 Cabinets	SC239160	SC239170	SC239180
72 x 30	12 Drawers/Cabinet	SC239161	SC239171	SC239181
72×30	14 Drawers	SC239162	SC239172	SC239182
72 x 30	16 Drawers 51/2"H	SC239163	SC239173	SC239183

HEAVY DUTY CABINET BENCHES



TWO SHELF WITH OPTIONAL DOORS



Combines enclosed storage and a rugged work surface for craftsmen or assembly work. Endures years of heavy use. 250 lb. capacity shelves adjust on 23/8" centers. 4¹/₂"H drawers have a 50 lb. capacity. Baked tan enamel finish. Easy assembly. 34"H. Optional Sliding Door Kit secures shelf storage with cylinder lock.

Choice of 4 Tops: Steel Top Strong, box-formed 12 gauge construction to resists stains and buckling. $1^3/4$ " thick. Maple Butcher Block Top Kiln dried with mineral oil finish for hard pounding and hammering. 13/4" thick. Plastic Laminate Top Ideal for electronic assembly and repair. Easy to clean. 15/8" thick. **Shop Top** High density particle board core with clear lumbar edge bands. Faced top and bottom with 3/8" thick, 62 lb. density resin board to resist moisture. 13/4" thick.

W" x D"	STEEL	MAPLE	PLASTIC	SHOP TOP
TWO SHELF CABINET				
60 x 30	SC184478	SC184477	SC184480	SC184479
72 x 30	SC184482	SC184481	SC184484	SC184483
SIX DRAWER	CABINET			
60 x 30	SC185125	SC185127	SC185129	SC185131
72 x 30	SC185126	SC185128	SC185130	SC185132
TWELVE DRA	WER CABINET			
60 x 30	SC185133	SC185135	SC185137	SC185139
72 x 30	SC185134	SC185136	SC185138	SC185140

EXTRA HEAVY DUTY SECURITY WORKBENCH

Features a generous working surface with ample storage. Rugged construction of 14 gauge steel bottom and sides, 16 gauge shelf and doors and an 18 gauge back. Measures 331/2"H with top. Includes 2 doors with keyed handle that enclose 1 centered fixed shelf, 3 drawers measuring 151/2"W x 24"D x 51/2"H each with keyed alike cylinder locks. Choose a 13/4" thick **Maple Butcher Block Top** or 13/4" thick **Shop Top** (45 lb. density particle board core with smooth resin treated wood surface and hardwood edge banding).



	GRAY	LIGHT BLUE	PUTTY
W" x D"	Model	Model	Model
SHOP TO	P 13/4 THICK		
60 x 30	SC706431GY	SC706431BL	SC706431PY
72 x 30	SC706432GY	SC706432BL	SC706432PY
MAPLE TO	OP 13/4 THICK		
60 x 30	SC706429GY	SC706429BL	SC706429PY
72×30	SC706430GY	SC706430BL	SC706430PY

MOBILE HEAVY DUTY SECURITY CABINET BENCHES

Enclosed cabinet is made with heavy gauge steel to provide security for all your storage needs. Easily transport your workbench where you need it using 5" phenolic swivel casters with brakes. Built to last using rugged 2" square x 14 gauge tubular steel legs that are 36"H. Offers 2000 lb. capacity. Cabinets include cut resistant padlockable hasp for security (padlock sold separately). Interior compartment measures 25½"D x 22"H. 15 Year Limited Warranty. Bench tops are available in plastic, maple, ESD, shop top, phenolic resin, or #304 stainless steel. Choose between standard square edge and safety radius edge. Add an Optional Center Shelf for added storage. Quick and easy assembly. Specify color suffix: Blue (BL) or Tan (TN).

SQUARE EDGE BENCH TOP

	Plastic 15/8"	Maple 13/4"	ESD 11/4"	Shop Top 11/2"	Phenolic Resin 1"	Stainless Steel 11/2"
W"x D"	Model	Model	Model	Model	Model	Model
60 x 30	SC249203	SC249205	SC249207	SC249209		SC249213
72×30	SC249204	SC249206	SC249208	SC249210		SC249214
				DGE BENCH TO		
60×30	SC249215	SC249217	SC249219	SC249221	SC249223	
72×30	SC249216	SC249218	SC249220	SC249222	SC249224	
* Safet	Fdge Shop	Ton ic 13/4" 4	hick		•	



EXTRA HEAVY MOBILE SERVICE BENCH

All Welded 2000 lb. Capacity!







Heavy duty construction with 2000 lb. load capacity! Top work surface features 3-sided lip edges with backstop to retain contents. Cabinet doors include chrome plated locking handles. Doors are channel reinforced for added strength and rigidity. All drawers feature telescoping ball bearing slides for smooth operation and recessed drawer pulls for a catchfree surface. 5" x 2" non-marring, non-conductive phenolic casters (2 rigid, 2 swivel) offer high strength and impact resistance. SC253752 includes four $15^1/2^mW \times 23^1/2^mD \times 5^1/2^mH$ drawers and an $18^mW \times 25^mH$ side compartment. SC253753 & SC253755 include a fixed height shelf to provide 10^mH top and 14^mH bottom compartments. SC253754 includes one $15^1/2^mW \times 23^1/2^mD \times 5^1/2^mH$ top drawer, 2 fixed height shelves that provide 4^m , 6^m and 7^mH openings, and an $18^mW \times 25^mH$ side compartment. SC253756 includes four $15^1/2^mW \times 23^1/2^mD \times 5^1/2^mH$ drawers and side compartment with fixed height shelf to provide 10^mH top and 14^mH bottom openings.

Style Model W" x D" x H" A SC253755 36 x 26 x 34 A SC253753 48 x 26 x 34 B SC253754 36 x 26 x 34 C SC253752 36 x 26 x 34 D SC253756 48 x 26 x 34 SC25371 Floor Lock

OSCILLATING CEILING AND I-BEAM FANS

Fans hang down 35" below installation point. Highly efficient 3-speed, PSC type ball bearing, permanently lubricated enclosed motor. Quiet metal precision balanced fan blades. Steel wire guards. Pivot-action fan head allows tilt angle adjustments. Pull chain operation. 12'L, 3-prong 120V power cord. Horsepower rating based upon maximum speed/load. Meets OSHA standards, UL listed. 1 Year Limited Warranty. Ceiling Mount includes mounting hardware. Beam mount includes two 11'2" pipes, clamps with U-brackets and hardware for easy attachment.

Limited

			vvarianty		
Diameter"	HP	CFM	Years	Qty.	Model
CEILING MO	TUUC	FAN			
24	1/4	7525/6060/4050	1	4+	SC795753
24	1/4	7525/6060/4050	1	1-3	SC795753
24	1/2	8653/6850/4660	3	4+	SC795973
24	1/2	8653/6850/4660	3	1-3	SC795973
30	1/3	8778/7500/6780	1	4+	SC795754
30	1/3	8778/7500/6780	1	1-3	SC795754
30	1/2	10006/8750/7300	3 3	4+	SC795974
30	1/2	10006/8750/7300	3	1-3	SC795974
I-BEAM MO	UNT F	AN			
24	1/4	7525/6060/4050	1	4+	SC795751
24	1/4	7525/6060/4050	1	1-3	SC795751
24	1/2	8653/6850/4660	3	4+	SC795971
24	1/2	8653/6850/4660	3	1-3	SC795971
30	1/3	8778/7500/6780	1	4+	SC795752
30	1/3	8778/7500/6780	1	1-3	SC795752
30	1/2	10006/8750/7300	3	4+	SC795972
30	1/2	10006/8750/7300	3	1-3	SC795972



WORKSTATION FAN



Easily Mount to walls, ceilings, workbenches and machines. Work fans can be mounted to rotate 360° both horizontally and vertically. Pull chain operation, 120V single phase motor and 10′ long SJT conductor cord. Metal fan blades are enclosed in double locking wire guards for safety. Meets OSHA standards, UL listed. 1 Year Limited Warrantv.

Blade		Max.	CI	-M	
Dia."	HP	Amps	High	Low	Model
12	1/15	.53	1,855	1,190	SC294492
18	1/3	1.5	4,600	3,200	SC294493
24	1/3	1.9	8,000	5,900	SC294494



Perfect for warehouses and shipping & receiving areas! Rugged steel channel-reinforced work surface measures 34\/\, z^\/\, W \times 30^\/\, D\ and has a 2" slope from back to front. Features 73\/\, z^\/\, H \times 12^\/\, D\ pigeonhole riser that holds supplies and supports computer monitors. Drawer glides easily on steel ball bearing slides, includes a cylinder lock for security and measures 22\(^3\/\, z^\/\, W \times 15\/\, 3\/\, z^\/\, D \times 4\/\, z^\/\, H\. Durable blue powder coat finish. Height Adjustable Shop Desk fights fatigue with height adjustments from 38" to 42\/\, z^\/\, H at 1\/\, z^\/\, increments. 15\(^T\) lower shelf included. Electrical Duplex Knockout Holes provide a convenient way of attaching an electrical extension for easy access to power. Outlet easily screws onto the side of desk. No wiring necessary. Cabinet Desk has single locking handle. Includes adjustable center shelf. Wall Mount Desk includes support brackets for easy installation at any height. All Shop Desks are available with a Pegboard Riser Shelf that includes steel uprights, a 28\/\, z^\/\, H\/\, pegboard panel and 12\(^T\)\D overhead shelf. Steel uprights and roll formed pegboard provides added strength and rigidity. Pegboard accepts peg hooks (sold separately). Cabinet Riser measures 34\/\, z^\/\, W \times 12\(^T\/\, D \times 19\/\, z^\/\, H\/\, Lasy Assembly.

Model	Description
SC634177BL SC249510	Wall Mounted Shop Desk Wall Mounted Shop Desk w/Pegboard Riser Wall Mounted Shop Desk w/Cabinet Riser
SC249691	
SC254635	Shop Desk
SC249458	Shop Desk w/Pegboard Riser
SC249690	Shop Desk w/Cabinet Riser
SC300912	Cabinet Shop Desk
SC249509	Cabinet Shop Desk w/Pegboard Riser
SC249692	Cabinet Shop Desk w/Cabinet Riser
SC249460	Light Kit(For Pegboard and Cabinet Riser Models)
SC300771	3" Swivel Casters (For SC254635 and SC249458)
SC606968D	30 Piece Hook Set (For Pegboard Riser Models)
SC249854	Dual Sided Electrical Outlet
* Shown with	Optional Light & Hook Set



Mobile pedestal computer workbench provides ease of transport for your workbench where you need it. Can be used as a repair station as well as a computer work center. Built with two steel pedestal cabinets with locks that limit theft and provide access to valuables, computer peripherals, and keyboards. Interior pedestal compartments measure $20^3/4^*W \times 21^*D \times 23^3/4^*H$. Optional fan with 5^* power cord reduces heat buildup. One fan can be placed in each pedestal compartment. Height adjustable roll out shelves extend fully on steel ball bearing suspensions. Roll out shelf is height adjustable in $2^3/4^*$ increments. Available in Maple, ESD, Plastic Laminate, and Shop Top. Comes in Black or Blue with four 5^* swivel casters (2 locking).

W" x D" x H"	Top Construction	Color	Model
72 x 24 x 34 ⁷ /8	Plastic Square Edge	Black	SC318654BK
$72 \times 24 \times 34^{7/8}$	Plastic Square Edge	Blue	SC318654BL
$72 \times 30 \times 34^{7/8}$	Shop Top Square Edge	Blue	SC318647BL
72 x 30 x 34 ⁷ /8	Plastic Safety Edge	Blue	SC318648BL
72 x 30 x 35	Maple Safety Edge	Blue	SC318650BL
72 x 30 x 35	Maple Safety Edge	Black	SC318650BK
72 x 30 x 35	Shop Top Safety Edge	Black	SC318649BK
72 x 30 x 35	Shop top Safety Edge	Blue	SC318649BL
$72 \times 30 \times 34^{1/2}$	ESD Safety Edge	Blue	SC318653BL
$72 \times 30 \times 34^{1/2}$	ESD Safety Edge	Black	SC318653BK
72 x 30 x 34 ¹ / ₂	ESD Square Edge	Blue	SC318652BL
$72 \times 30 \times 34^{1/2}$	ESD Square Edge	Black	SC318652BK

MOBILE OR STATIONARY WORKBENCH

Quality built for years of service. Rugged 18 gauge 11/2" tubular steel frame, and double stringer for added rigidity. Stationary model has a fixed height of 31" on leveling glides. Mobile model has a fixed height of 34" on easy-rolling 5" non-marking, locking swivel casters. 1000 lb. capacity. Make either unit more ergonomic by adding easy attaching optional 6" height adjusters. Available with either durable Shop Top or gray plastic laminate work surface. Matching lower shelf included. Gray or blue enamel finish frame. Assembles easily. Specify color suffix, Gray (GY) or Blue (BL).

Fixed or Adjustable Height Option

	STATIONARY	MOBILE
W" x D"	Model	Model
15/8" SH	OP TOP	
60 x 30	SC244864	SC252347
72 x 30	SC244865	SC252348
72 x 36	SC244866	SC252349
13/4" PLA	ASTIC TOP	
60 x 30	SC244867	SC244861
72 x 30	SC244868	SC244862
72 x 36	SC244869	SC244863
	' '	



STRIP AND	DRAWER
MOBILE SHOP TOP BENCH	
OPTIONAL DRAWE LOCKING SWIVEL CASTER	

OPTIONAL RISER, 3"H

BACK/END STOPS, OUTLET

ADJUSTABLE HEIGHT MACHINE STAND



Multi-purpose tension frame prevents sway. Made using rugged 16 gauge steel shelves and 12 gauge steel legs for stability and convenience. Offers **2,000 lb. capacity**. Shelves are double bolted for extra strength. Bottom shelf and legs are height adjustable at 3" increments. Baked enamel finish. Easy assembly.

	Adjustable
W" x D"	Height"
24 x 18	18 and 24
24 x 18	30 and 36
36 x 24	18 and 24
36×24	30 and 36
	24 x 18 36 x 24

ACCESSORIES ACCESSORIES Model Model Riser - for Shop Top 60"W x 12"D x 12"H Riser - for Shop Top 72"W x 12"D x 12"H Riser - for plastic 60"W x 12"D x 12"H Riser - for plastic 72"W x 12"D x 12"H Bench Drawer 15"W x 20"D x 6"H SC252350 Back & End Stops for 60 x 30 Bench SC252354 SC252351 Back & End Stops for 72 x 30 Bench SC252355 SC252356 SC651337 Back & End Stops for 72 x 36 Bench Back & End Stops for 72 x 36 benct Back & End Stops for 60 x 12 Riser Back & End Stops for 72 x 12 Riser Height Adjusters - 6" (set of four) SC651338 SC252357 SC252358 SC252352 SC606753 4-outlet Electric Strip - 16"L SC252353

SUPER STRONG WORKBENCH 600 lb. capacity

Chrome plated shelf and posts resist rust, scratches and dents. Includes one reinforced chrome plated wire shelf that provides maximum strength, visibility and ventilation. Maple Butcher Block is kiln dried, electronically glued, then cured and sanded smooth. Finished with a penetrating mineral oil protectant. Ideal for multi-purpose use. Plastic top is easy-to-clean. Made of high pressure plastic laminate with wood-core. Provides a smooth, tough working surface for all applications. Shop top protects against static build up and won't warp or split. Faced on two sides with 3/8" high grade, high density particleboard sealed with a catalyzed finish to resist liquids. Mobile Benches include 5" polyurethane casters (2 locking). 39"H. Stationary Bench includes adjustable leveling feet and measure 34"H. Easy assembly.

W" x D"	Model	Model
15/8" PL		
60 x 30 72 x 30	SC249314 SC249311	SC252322 SC252325
	OP TOP	
60 x 30 72 x 30	SC249312 SC249313	SC252323 SC252326
13/4" MA	APLE	
	SC249310	SC252321
72×30	SC249315	SC252324

MOBILE STATIONARY



SHOWN WITH ADDITIONAL WIRE SHELF

Model	Description
SC607296	Wire Bin w/Dividers 48"W x 20"D x 9"H
SC188558B	Additional Wire Shelf 48"W x 24"D
SC292204A	Swivel Bench Vise 5" jaw opening, 4"W



40 Sq. Ft. Working Surface

HEAVY DUTY EXTRA LONG FOLDING ASSEMBLY BENCH

Accommodates large packing, assembly or heavy-duty operations for increased productivity. Space efficient design folds for storage and sets up in seconds as needed. Heavy-duty Steel Top is one piece of 13 gauge steel that's channel formed on 4 sides for superior strength. Strong Hardboard and Steel Top is $1/4^{\prime\prime}$ thick hardboard bonded to 13 gauge steel for a resilient surface that cushions shocks and heavy pounding. Welded tubular steel legs telescope to adjust height, support storage shelf and are finished in durable gray enamel. Steel angle bracing adds stability and rigidity. Assembles easily.

		HARDBOARD/
	STEEL TOP	STEEL TOP
W" x D"	Model	Model
84 x 28	SC606757	SC606766
84 x 34	SC606758	SC606767
84 x 48	SC606759	SC606768
96 x 28	SC606760	SC606769
96 x 34	SC606761	SC606770
96 x 48	SC606762	SC606771
120 x 28	SC606763	
120 x 34	SC606764	SC606773
120 x 48	SC606765	SC606774

HEIGHT ADJUSTS
FROM 28" TO 42"H
ON 2" CENTERS

LEGS FOLD
FOR COMPACT
STORAGE

LEGS FOLD
FOR COMPACT
STORAGE

CAN BE POSITIONED SIDE BY
SIDE FOR AN EVEN LARGER
WORK AREA

GREAT
VAI UE!

EUROPEAN STYLE WORKSTATION


Full perimeter apron and heavy duty steel frame support work surface to prevent warping. Rugged 2" \times 1" \times 14 gauge steel legs have adjustable leg levelers for stability. 34"H. Durable scratch resistant gray powder coat finish. Choose between 4 bench top options; **Maple, Plastic, Shop Top and ESD.** For additional work space add the Optional Matching Return (mounts on either side) or the **Optional Attachment Brackets** to connect multiple workstations together. Optional 48"H \times 16 gauge steel **Bench Uprights** include 12"W \times 3 /4" thick plastic laminate cantilever shelf, height adjustable at 2" increments. Other accessories include an Additional Shelf, Light Kit, Bin Panel Kit and Lower Shelf.

BENCH

W" x D"	Model	Model
MAPLE - 13/4	THICK PLAS	STIC - 15/8" THICK
48 x 24	SC651395	SC651400
60 x 30	SC651396	SC651401
60 x 36	SC651397	SC651402
72 x 30	SC651398	SC651403
72 x 36	SC651399	SC651404
SHOP TOP - 1	11/2" THICK E	SD - 11/4" THICK
48 x 24	SC651405	SC651410
60 x 30	SC651406	SC651411
60 x 36	SC651407	SC651412
72 x 30	SC651408	SC651413
72 x 36	SC651409	SC651414

BENCH RETURN

W" x D"	Model	Model
	MAPLE	PLASTIC
36 x 24	SC651415	SC651418
48 x 24	SC651416	SC651419
48 x 30	SC651417	SC651420
	SHOP TOP	ESD
36 x 24	SC651421	SC651424
48 x 24	SC651422	SC651425
48 x 30	SC651423	SC651426



Note: Bin

panels,

ACCESSORIES
BENCH UPRIGHTS 48"H
with 12"D adjustable
cantilever shelf.
M I I E' D I

cantilever	SHEII.
Model	Fits Bench
SC651430	
SC651431	60″W
SC651432	72″W

ADDITIONAL CANTILEVER SHELF with brackets.

SHELF with brackets.				
Model W" x D"				
SC651427 48" x 12" SC651428 60" x 12"				
SC651429 72" x 12"				

PLASTIC LAMINATE LOWER SHELF				
Model	W" x D"			
SC651454	48 x 12			
SC651455	60 x 16			

SC651456 72 \times 16 BIN PANEL KIT with 24 (41/8" \times 51/2" \times 3"H) yellow plastic bins. Steel Panels are for hanging papers with magnetic clips

(IIOL PIOVIG	cu/.	
Model	Bench"	Description
SC651441	48"	2 Bin Panels
SC651442	48"	1 Bin, 1 Steel Panel
SC651443	60"	3 Bin Panels
SC651444	60"	2 Bin, 1 Steel Panel
SC651451	72"	4 Bin Panels
SC651452	72"	3 Bin, 1 Steel Panel

LIGHT KIT - 120 volt. UL Listed.			
Model	Fits Bench		
SC651433	48″W		
SC651434	60"W		
SC651435	72″W		
STACKABLE BEN	ICH DRAWERS		
(20"D x 171/4"W)	with mounting hardware		
Model	Bench Depth"		
61/2"H DRAWERS	S		

Model	Bench De
61/2"H DRAWERS	
SC607273	24
SC607274	30
SC607275	36
113/4"H DRAWERS	
SC607276	24
SC607277	30
SC607278	36

16"H STORAGE CABINET w/ removable center shelf

FLUORESCENT LIGHT KIT

Model	Bench Depth"
SC242241	24
SC242242	30
SC242243	36
· ADD-ON DRAV	WERS AND CABINET

Model Description SC242268GY 6 ½"H Drawer SC242269GY 11 ¾"H Drawer SC242270GY 16 "H Cabinet

ELECTRIC STRIP 48"Long, 8 outlets 115 volt. 6ft cord & plug. UL Listed. Model SC651439

INDUSTRIAL WORKBENCH

All welded extra strong 3"W 13 gauge channel formed legs for heavy duty applications. 60" x 30" x 11/2" thick laminate top with side to side steel reinforcement is roomy and strong enough to accommodate any job at hand. Worksurface adjusts from 291/2" to 341/2" high on 1" increments to create a more ergonomic work station. Extra wide 15" deep shelf included for convenient storage. Optional lockable 103/4"W x 18"D x 41/4"H steel drawer to store belongings securely. 28" high steel pegboard riser for additional easy to reach storage of tools and accessories. Blue baked enamel finish. Assembles easily.

Model
SC606795 SC606797BL
SC606796 SC606968
SC607734A SC606929
30000323

Description
Workbench with Lower Shelf
Steel Drawer With Cylinder Lock
Steel Pegboard Riser
30 pc. assorted Pegboard Hook Set
6-Outlet Surge Protector, 120 Volt
6 Ft. Cord

Complete Bench (includes riser, lower shelf, surge projector, drawer & 30 pc. peg hook kit)





STEEL CHANNEL

REINFORCED TOP



WORKMASTER BENCH

The answer for those looking for the ultimate in durability and value. This multi-purpose bench has a $21/4^{\prime\prime}$ thick warp resistant top. Stringer braced heavy-duty steel legs guarantee rigidity and stability. Pedestals are $15^3/4^{\prime\prime} W \times 20^{\prime\prime} D$. Drawers have full length aluminum drawer pulls and smooth gliding nylon rollers. Benches are $34^1/4^{\prime\prime} H$. Square Edge Maple Top is kiln dried and sealed with mineral oil protectant. Safety Edge Shop Top is made with a high density particleboard surface and hard lumber core for long lasting durability.

BENCH ACCESSORIES

STACKING DRAWERS can be combined easily. Slide smoothly on nylon rollers. Full length aluminum handle. Includes individual cylinder locks. Equipped with safety stop to prevent drawers from spilling. 171/4"W x 20"D.

Model	H"
SC606957GY	6 ¹ / ₂
SC606958GY	11 ³ / ₄

STANDARD DRAWER has channel suspension and mounting pan to prevent dust from filtering through. Recessed handle and padlock hasp. 18¹/₄"W x 23⁷/₈"D x 5³/₈"H.

Model SC606964

OUTLET STRIP attaches to bench top or wall. 115 volts.


Model	L"	Outlets
SC249517B	48	8
SC249516B	72	12

	MAPLE TOP	SHOP TOP		
W" x D"	Model	Model		
A. 2 LEG BEN	CH			
60 x 30	SC488007	SC488016	2 ¹ / ₄ " SQUARE EDGE	21/4"SAFETY EDO
72 x 30	SC488008	SC488017	MAPLE TOP	SHOP TO
72 x 36	SC488009	SC488018		
B. 3 LEG BENG	CH			
120 x 30	SC488010	SC488019		
144 x 30	SC488011	SC488020	A	
144 x 36	SC488012	SC488021		
C. 4 LEG BENG	CH		r	
180 x 30	SC488013	SC488022		1. K
216 x 30	SC488014	SC488023		,
216 x 36	SC488015	SC488024		
D. 2 CABINET	PEDESTALS WITH L	EG	B	
120 x 30	SC607953	SC607959	1- X	1
144 x 30	SC607954	SC607960		THE PARTY NAMED IN
144 x 36	SC607955	SC607961		
E. CABINET/4	DRAWER PEDESTAL	. WITH LEG		H H
120 x 30	SC607956	SC607962	и и	
144 x 30	SC607957	SC607963		
144 x 36	SC607958	SC607964		

Ideal for Production and Assembly

EXTRA-LONG BENCH

Α



These extra long workbenches are built with durability in mind. Bench pedestals are 153/4"W x 20"D x 32"H featuring full length aluminum drawer pulls and smooth gliding nylon rollers. Inside drawer dimension are 13"W x 17³/₄"D x 5¹/₂"H (12"H on the lower drawer for the three drawer pedestal). Leg benches include stringer for added stability. Choose from 4 tops: Maple Butcher Block - kiln dried 13/4" thick hardwood, mineral oil sealed. Plastic - high pressure laminate w/ particle board core 1 5/8" thick. **Shop Top** - 11/2" thick, 3/16" high grade hardboard on two sides w/ 45 lb. density particleboard core. Steel - 12 gauge heavy-duty 17/8" thick top. Double electrical knockouts on legs. Note: 8' steel benches have two 4' tops; all 10' benches have two 5' tops, 12' benches have two 6' tops and all 15'

benches have four legs and

three 5' tops.



Model

SC607966



SUPER 2 1/4" THICK TOP

Model

SC488010





MODULAR WORKBENCHES

Modular workbenches are the ideal choice for craftsmen. Quality heavy gauge steel construction throughout. Four different top choices and seven different configurations make it easy to find the right bench for the job. All welded, locking steel pedestals have nylon roller drawers that roll smoothly even when full. All benches are 34" H. Optional Power Riser or Apron Power Center available to provide electricity to the workbench. All pedestals are 15"W x 24"D x 32"H. Finished in durable gray baked enamel.

FOUR DRAWER PEDESTAL-Four box drawers 131/2"W x 225/8"D x 63/4"H each. Recessed handles, with central lock.


THREE DRAWER PEDESTAL-Two box drawers $13^1/2^mW \times 22^5/8^mD \times 6^3/4^mH$ and one $13^1/2^mW \times 23^1/2^mD \times 11^1/2^mH$. Recessed handles and central lock.

CABINET PEDESTAL- $13^{1/2}$ "W x $23^{1/2}$ "D. Three point locking handle. Includes one adjustable shelf. Perfect for storing large items.

POWER RISER. 18"H x 15"D. Includes eight grounded outlets wiring kit, circuit breaker, pilot light, 8 ft. grounded cord and plug. 15 amps, 115V.

Model	W"
SC752339 SC752340	60
SC/52340	72

SC752334



SC752292

SC752293

SC752294

		E F	G
Model	Model	Model	Model
			-
			SC752330
SC752307	SC752315	SC752323	SC752331
			SC752332
SC752200	SC752217	SC752225	SC752333
	nically cured, sander SC752306 SC752307 Ite, easy clean surfa SC752308	Model Model Mically cured, sanded smooth SC752306 SC752314 SC752307 SC752315 Ite, easy clean surface	Model Model Model

SC752311 72×30 SC752287 SC752295 SC752303 SC752319 SC752327 SC752335 STEEL TOP BENCH - 13/4" THICK - Heavy-duty 12 gauge steel SC752288 SC752296 SC752328 SC752336 60 x 30 SC752304 SC752312 SC752320 SC752313 SC752329 SC752337 72 x 30 SC752289 SC752297 SC752305 SC752321

SC752310

SC752300

SC752301

SC752302

THICK - High density, non-conductive, non-warping, smooth finish

POWER LEG WORKBENCH WITH POWER APRON



SC752284

SC752285

SC752286

SHOP TOP BENCH - 11/2"

60 x 30 72 x 30

60 x 30

Self-contained electronic workstation offers unequaled versatility and economy for precision fabricating and assembly work. Designed for labs, cleaning stations, electronic assemblers, technicians, etc. Bench riser with power center adds storage space, keeps work surface clear and uncluttered... puts electrical power at your fingertips. Sliding drawer is handy for tools, supplies and other small items. Panel legs provide rigid stability. Bench height, 34". Easy assembly.

SC752318

BENCH RISER/POWER CENTER. 18"H x 15"D, includes 8 grounded outlets and wiring kit with circuit breaker, switchpilot light, 8' grounded cord and plug. 115 volts.

 Model
 Size

 SC254753C
 60"

 SC254754C
 72"

 SC254755C
 96"

MODEL SC778460 BENCH WITH OPTIONAL RISER/POWER CENTER, BENCH POWER CENTER AND DRAWER

Choose the top that best fits the job...Plastic Laminate top resists weak acids, alkalies, moisture, oils and solvents. Tough, non-conductive Shop Top top is ruggedly constructed of tempered hardboard bonded to a solid wood core...won't warp or splinter. Maple Butcher Block top is ideal for applications where heavy loading and extreme surface abuse occur. ESD white plastic top prevents damage to sensitive electronic circuitry...complies with MIL-B81705B and 101B, 101C, Method 4046. Select standard square edge or full radius rolled Safety Edge to help you work more comfortably.

SC752326

BENCH DRAWER. 18"W x 24"D x 5¹/₄"H **SC606964A**

KEYED PADLOCK SC432248A

Safety Edge BENCH SQUARE EDGE BENCH **PLASTIC PLASTIC SHOP TOP** MAPLE **ESD ESD** PLASTIC SHOP TOP MAPLE **ESD** W" x D' Model Model Model Model SC778484 60 x 30 SC778460 SC778468 SC778476 **PLASTIC** MAPLE **ESD** 60 x 36 SC778461 SC778469 SC778477 N/A W" x D" Model Model Model SC778377 SC778361 SC778393 SC778321 72×30 72 x 36 SC778324 SC778342 SC778325 SC778353 60 x 30 SC778488 SC778496 SC250228 96 x 30 SC778379 SC778363 N/A N/A N/A 72 x 30 SC778107 SC778123 SC250229 96 x 36 SC778326 SC778327 72×36 SC778108 SC778124 SC250230

PREMIUM MODULAR WORKBENCH

Superior Quality For Years Of Dependability!

Premium quality modular workbenches allow you to choose the bench that best fits your needs. Strong, all welded steel construction is tough enough for any application. Choose from seven pedestal configurations plus eight top styles. Inside drawer dimensions are 13"W x 173/4"D x 51/2"H (12"H for the lower drawer on the three drawer pedestal). Cabinet pedestal features adjustable shelf and cylinder lock. Pedestal dimensions are 15³/₄"W x 20"D x 32"H.



Drawers glide on nylon rollers and feature fulllength aluminum pulls and individual cylinder locks.

Description A. 1-4 DRAWER PEDESTAL 1- CABINET PEDESTAL B. 2-3 DRAWER PEDESTAL 1-3 DRAWER PEDESTAL 1- CABINET PEDESTAL 2- CABINET PEDESTAL E. 2-4 DRAWER PEDESTAL 1-4 DRAWER PEDESTAL . 1-4 DRAWER PEDESTAL

1-3 DRAWER PEDESTAL

Includes grounded eight outlet wiring kit, circuit breaker, pilot light, 8'L grounded cord and plug. 15

> Model W" SC607701 60 SC607702 72

OPTIONAL POWER RISER amps, 115V. 18"H x 15"D.

SC607617



Model SC249512

	A	B				1. 🖪 🧱	G
W" x D"	Model	Model	Model	Model	Model	Model	Model
MAPLE-13/4	" Thick Top						
60 x 24	SC253776	SC253780	SC253784	SC253788	SC253792		SC253800
60×30	SC607616	SC607628	SC607640	SC607652	SC607664	SC607676	SC607688
72 × 24	SC253777	SC253781	SC253785	SC253789	SC253793		SC253801
72 x 30	SC607617	SC607629	SC607641	SC607653	SC607665	SC607677	SC607689
60 x 24	/s" Thick Top SC253778	SC253782	SC253786	SC253790	SC253794		SC253802
60 x 24	SC607618	SC607630	SC607642	SC607654	SC607666	SC607678	SC607690
72 x 24	SC253779	SC253783	SC253787	SC253791	SC253795	30007070	SC253803
72 x 30	SC607619	SC607631	SC607643	SC607655	SC607667	SC607679	SC607691
ESD -11/4"	Thick Top	•					
60 x 30	SC607620	SC607632	SC607644	SC607656	SC607668	SC607680	SC607692
72×30	SC607621	SC607633	SC607645	SC607657	SC607669	SC607681	SC607693
	11/2" Thick Top						
60 x 30	SC300733	SC300735	SC300737	SC300739	SC300741	SC300743	SC300745
72 x 30	SC300734	SC300736	SC300738	SC300740	SC300742	SC300744	SC300746
MADIE CAL	FETY EDGE-13/4" T	hick Ton	Safety Edg	₽ BENCH			
60 x 30	SC607622	SC607634	SC607646	SC607658	SC607670	SC607682	SC607694
72 x 30	SC607623	SC607635	SC607647	SC607659	SC607671	SC607683	SC607695
	AFETY EDGE-15/8"	Thick Top					
60 x 30	SC607624	SC607636	SC607648	SC607660	SC607672	SC607684	SC607696
72×30	SC607625	SC607637	SC607649	SC607661	SC607673	SC607685	SC607697
	Y EDGE-11/4" Thic	k Top					
60 x 30	SC607626	SC607638	SC607650	SC607662	SC607674	SC607686	SC607698
72 x 30	SC607627	SC607639	SC607651	SC607663	SC607675	SC607687	SC607699
60 x 30	1 ³ / ₄ " Thick Top SC300747	SC300749	SC300751	SC300753	SC300755	SC300757	SC300759
72 x 30	SC300747 SC300748	SC300749 SC300750	SC300751 SC300752	SC300753 SC300754	SC300756	SC300757 SC300758	SC300759 SC300760
, Z A 00	00000740	55550750	00000702	00000704	00000700	55550750	33330700

PROLINE HEAVY DUT BENCHES

Sturdy four leg design provides stability and strength. Table top is reinforced using a metal perimeter around the frame. Bench is made using heavy 2" x 2" 16 gauge steel tube legs with high quality paint finish. Legs include PVC boots to protect station during clean ups. 1,000 lb. capacity. Bench top is available in Stainless Steel, Epoxy Resin or Black Chem-Guard (chemical resistant laminate).

Perfect For Lab and Shop Use

W" x D" x H" Top Construction Color Model 60 x 30 x 32 Chem Guard Square Edge White SC249756 Stainless Steel Square edge White SC249758 60 x 30 x 30 60 x 30 x 34 Phenolic Resin Square Edge White SC249757

ANTI-STATIC WORKSURFACE MATS

- · Excellent for use in assembly operations where matting may come in contact with hot soldering iron tips or solder splashes
- Volume electrical properties protect static sensitive products
- Static dissipative top layer with a conductive bottom of synthetic rubber
- · Slight stipple finish, RTT: 10E8 ohms, Thickness: 0.078", Blue color
- Includes one installed 10mm snap socket
- Optional Hardware Kit includes: wrist strap, common point ground and mat hardware kit to ground workers for safety

ıe		
	Model	Description
	SC242251 SC242252 SC242253	2' x 3' Mat 2' x 4' Mat Hardware Kit





VERSATILE, DURABLE WORKBENCHES....UNBEATABLE PERFORMANCE

A Good Bench Creates A Good Worker!


Steel open leg frames feature 2 electrical knockouts that accept installation of duplex outlets for electrical wiring or optional plug-in outlet that easily screws in place with no wiring necessary. 3"W steel legs with channel construction for extra strength. These industrial workbenches include a full width lateral brace for added reinforcement. Legs and stringer are finished in gray baked enamel for rust and scratch resistance. Height Adjustable Legs adjust from 27⁷/s" to 35¹/2"H at 1¹/2" increments for proper work height positioning for any user. Our bench top selection is perfect for any environment!

ADJUSTABLE HEIGHT LEG 277/8"- 351/2" ADJUSTABLE HEIGHT LEG 277/8"- 351/2" SELF CONTAINED DUAL SIDED OUTLET provides easy access to electrical power on both front and back sides. 15 ft. Power cord. Rated at 15 Amp and 115V. Model SC249854



DUAL SIDED OUTLET

PLASTIC TOP Super Strong...Easy Clean



High pressure plastic laminate with wood-core withstands heavy abuse. Provides a smooth, tough work surface for any application. 15/8" thick light gray plastic top.

W" x D"	FLARED FIXED LEG Model	ADJUSTABLE HEIGHT LEG Model
SQUARE EDGE		
48 x 30	SC601418	SC601419
60 x 30	SC601420	SC601421
60 x 36	SC601422	SC601423
72 x 30	SC601424	SC601425
72 x 36	SC601426	SC601427
96 x 30	SC601428	SC601429
96 x 36	SC601430	SC601431
SAFETY EDGE		
60 x 30	SC183981	SC183990
72 x 30	SC183982	SC183991
72 x 36	SC183983	SC183992

ESD TOP

Protects Equipment from Harmful Static!

Conductive white plastic top dissipates 5000 volts of static electricity in .01 seconds with a surface resistance of 10¹0 Ohms. 1¹/₄" thick top prevents damage to sensitive electronic circuitry during assembly. Cleans easily. Complies MIL-B817058 and 101B, 101C Method 4046.



	FLARED FIXED LEG	ADJUSTABLE HEIGHT LEG
W" x D"	Model	Model
SQUARE EDGE		
48 x 30	SC237343	SC237344
60 x 30	SC252384	SC254960
72 x 30	SC252385	SC254968
72 x 36	SC252386	SC254966
SAFETY EDGE		
48 x 30	SC237345	SC237346
60 x 30	SC250222	SC250225
72 x 30	SC250223	SC250226
72 x 36	SC250224	SC250227

STEEL TOP


Super Strong Steel Won't Crack or Buckle



Made of 12 gauge steel for heavy duty use in industrial applications. 13/4" thick top is reinforced with 14 gauge end channels for additional strength and durability. Gray baked enamel finish is rust resistant and won't absorb oils and lubricants.

W" x D"	FLARED FIXED LEG Model	ADJUSTABLE HEIGHT LEG Model
48 × 30	SC183400	SC183150
48 × 36	SC183402	SC183151
60 × 30	SC183404	SC183152
60 × 36	SC183406	SC183153
72 × 30	SC183408	SC183154
72 × 36	SC183410	SC183155





HEIGHT LEG 27⁷/8" - 35¹/2"

MAPLE-BUTCHER BLOCK TOP

Solid, 13/4" thick rugged top stands up to constant, heavy use. Maple butcher block top is kiln dried, electronically glued, sanded smooth and finished with a penetrating oil protectant for a high quality appearance.



W" x D"	FLARED FIXED LEG Model	ADJUSTABLE HEIGHT LEG Model
SQUARE EDGE		
48 x 30	SC183427	SC183149
60 x 30	SC183428	SC183166
60 x 36	SC183430	SC183167
72 x 30	SC183432	SC183168
72 x 36	SC183434	SC183169
96 x 36	SC183436	SC183179
SAFETY EDGE		
60 x 30	SC183978	SC183987
72 x 30	SC183979	SC183988
72 x 36	SC183980	SC183989
A		•



FLARED

FIXED LEG 32"

FLARED

FIXED LEG 32"

CASTER KIT Includes 2 swivel (w/brakes), 2 **ADJUSTABLE**

ADJUSTABLE HEIGHT LEG 277/8" - 351/2"

SHOP TOP Non-Conductive, Non-Warping

One of the toughest industrial tops available. Shop Top bench top protects against static buildup and won't warp or split. Shop top is faced on two sides with 3/8" thick high grade, high density particleboard sealed with a catalyzed finish to resist liquids. Strong MDF core. Choose between 11/2" thick **Square Edge** or 13/4" thick **Safety Edge**.



DUAL SIDED

W" x D"	FLARED FIXED LEG Model	ADJUSTABLE HEIGHT LEG Model
SQUARE EDGE		
48 x 30	SC183439	SC183139
60 x 30	SC183440	SC183162
60 x 36	SC183442	SC183163
72 x 30	SC183444	SC183164
72 x 36	SC183446	SC183165
96 x 30	SC183447	SC183170
96 x 36	SC183448	SC183172
SAFETY EDGE		
60 x 30	SC183975	SC183984
72 x 30	SC183976	SC183985
72 x 36	SC183977	SC183986

ASH BUTCHER BLOCK TOP Stands Up To Constant, Heavy Use

Heavy duty, good-looking top at an affordable price. 13/4" thick Ash Butcher Block top is kiln dried, electronically glued and sanded smooth for a high quality appearance. Penetrating mineral oil protectant finish resists moisture and won't absorb oil and lubricants.

W" x D"	FLARED FIXED LEG Model	ADJUSTABLE HEIGHT LEG Model
60 x 30	SC579113	SC579116
72 x 30	SC579114	SC579117
72 x 36	SC579115	SC579118

STAINLESS STEEL TOP Corrosion Resistant

Made of Type 304, 16 gauge stainless steel. 11/2" thick top features a durable particle board core with phenolic backer for use in clean rooms and food service environments. Stainless edges are welded and polished on the corners with a #4 brushed finish.

W" x D"	FLARED FIXED LEG Model	ADJUSTABLE HEIGHT LEG Model
48 x 30	SC239121	SC239124
60 x 30	SC239122	SC239125
72 x 30	SC239123	SC239126



SAFETY EDGE

SQUARE EDGE





ADJUSTABLE HEIGHT LEG 277/8"- 351/2"

CUSTOMIZE YOUR BENCH WITH QUALITY COMPONENTS









SC273116GYM

BENCH VISE

Drawers glide on nylon rollers and feature full-length aluminum pulls and individual cylinder locks.



Gray Baked Enamel Finish



BENCH RISER 101/2"D x 12"H with 2" backstop.

Model	Width"
SC254740	48
SC254742	60
SC254744	72
SC706438A	96



FLARED FIXED LEG

PEDESTAL AND BASE Model Description SC606961 4 Drawer Pedestal Cabinet Pedestal SC606959 3 Drawer Pedestal SC606960 SC607728 **Dolly Base** LOCKING CABINET PEDESTAL Includes built-in

base, adjustable shelf and three point locking handle. 13¹/₂"W x 23¹/₂" D x 32" H. Not for

PREMIUM WORKBENCH PEDESTALS with built-in base. Combine any of our strong, all welded steel

workbench pedestals and stacking drawers to

create the ideal workstation for your application. All drawers feature full-length aluminum extrusion handle. Drawer glides smoothly on nylon rollers and includes an individual cylinder

lock. Inside pedestal drawer dimensions are 13"W x 17³/₄"D x 5¹/₂"H (12"H for the lower

drawer on the three drawer pedestal). Cabinet pedestal features adjustable shelf and cylinder lock. Pedestal dimensions are 153/4"W x 20"D x 32"H. Durable gray powder coat finish. Add dolly base with 4" swivel casters (2-locking) to create a mobile tool and parts toter Model SC607728.

use with electronic lock. SC706640 (Not Shown)

STANDARD DRAWER 181/4"W x 237/8"D x 53/8"H. Includes hasp. Not for use with electronic lock.

SC606964B

CYLINDER LOCK Locks pedestal for security SC254712A

STACKING DRAWERS includes cylinder lock. W" x D" x H" Model SC242266GV $17^{1/4} \times 20 \times 6^{1/2}$ SC242267GY (Not Shown) $17^{1/4} \times 20 \times 11^{3/4}$

STORAGE CABINET 171/4"W X 20"D X 16"H

with removable center shelf, recessed handle and cylinder lock. Mounts with hinge door on right or left. SC273116GY

BENCH VISE Swivels 90°, 5" jaw opening, 4"W. SC292204B



POWER APRON Steel 36"W panel fits between pedestals and includes circuit breaker with 8 outlets, pilot light, 8'L ft. cord and plug. Convenient 36"W x 10"D lower shelf. Fits 72" and 96" wide benches. 15 amps, 115V.

Model SC254756

RISER WITH POWER CENTER 18"H x 15"D includes eight outlets and wiring kit with circuit breaker, pilot light, 8 ft. cord and plug. 15 amps, 115V

POWER RISER

. Model	Width"
SC254753B	60
SC254754B	72
SC254755B	96

BACK & END STOPS Extends 3" above top.

"x D"
x 30
x 36
x 30
x 36
x 30
x 36

ELECTRIC STRIP-48"L (15 AMP-120V) 15 ft. cord Model Description SC190322G 8 Outlets SC190323G 16 Outlets

BENCH LEGS Both leg styles are 13 gauge and feature double electrical knock outs, front and back. Legs are punched for tops, stringers and shelf attachment.

Model	Depth"	Height"
ADJUSTABLE HEIGHT		
SC249507	30	27 7/8 -35 3/8
SC249508	36	27 ⁷ /8-35 ³ /8
FIXED HEIGHT LEG		
SC254746	30	28
SC254748	36	28
SC254750	30	32
SC254752	36	32

STRINGER Helps increase bench stability. 6" W steel channel easily attaches to legs. Not for use

with podestals.	
Model	Width"
SC255220	48
SC255221	60
SC255222	72
SC706442	96
LOWER SHELF with 2"	backstop.
Model	W" x D"
SC254726	48 x 15
SC254728	60 x 15
SC254730	72 x 15

SC300909* 96 x 15 *96"W Lower shelf requires a third leg. *Also use (2) 48" lower shelves.

CHOOSE SQUARE EDGE OR ERGONOMIC SAFETY EDGE BENCH TOPS **MAPLE BIRCH MAPLE**



Maple butcher block is kiln dried, electronically glued, cured and sanded smooth. Finished with a penetrating mineral oil protectant. Available in two styles: standard 13/4" or extra strong 21/4" thick.

	1 3/4" THICK	2 ¹ / ₄ " THICK
W"x D"	Model	Model
48 x 30	SC601148	N/A
48 x 36	SC607286	N/A
60 x 30	SC601150	SC601782
60 x 36	SC601152	N/A
72 x 30	SC601154	SC601783
72 x 36	SC601156	SC601784
96 x 30	SC607287	N/A
96 x 36	SC601180	N/A

SAFETY EDGE



Solid maple strips are glued together and electronically cured. The top is kiln dried, sanded smooth and finished with a penetrating oil protectant. Rounded front safety edge protects workers from leaning against sharp edges. 13/4" thick.

Model	W"x D"
SC607283	48 x 30
SC607284	48 x 36
SC601367	60×30
SC607285	60 x 36
SC601368	72×30
SC601369	72×36

SQUARE EDGE SAFETY EDGE 13/4" THICK

Birch Tops kiln dried, glued and sanded smooth. All tops are treated with mineral oil to protect from drying. These are economical allpurpose bench tops for general purpose applications.

W"x D"	Model
48 x 30	SC318849
48 x 36	SC318853
60 x 30	SC318850
60 x 36	SC318854
72 x 30	SC318851
72 x 36	SC318855
96 x 30*	SC318856
96 x 36*	SC318856
*3500 lb. capacity	



Ash butcher block top is kiln dried, sanded smooth and finished with a penetrating oil protectant to make a heavy-duty, good-looking and affordable work surface. Rounded front safety edge protects workers. 13/4" thick.

Model	W"x D"
SC651464	60 x 30
SC300914	60 x 36
SC651465	72×30
SC651466	72×36


PHENOLIC RESIN



Chemical resistant bench tops are great for use in laboratories. Made of 1" thick black phenolic resin that withstands moisture and resists chemicals. Impact resistant for superior strength. Rounded front Safety Edge.

Model	W"x D"
SC237388	60 x 30
SC237390	60 x 36
SC237392	72 x 30
SC237394	72×36


ESD



Prevents damage to sensitive electronic circuitry during assembly. White plastic top dissipates 5000 volts of static electricity in .01 seconds. Cleans easily. Complies MIL-B817058 and 101B, 101C Method 4046.

1 /4 (11101).	SQUARE EDGE	SAFETY EDGE
W"x D"	Model	Model
48 x 30	SC651448	SC250213
48 x 36	SC607282	SC607281
60 x 30	SC255217	SC250214
60 x 36	SC651449	SC250215
72 x 30	SC255218	SC250216
72 x 36	SC255219	SC250217
96 x 30	SC607292	NA
06 7 26	CC607202	NIA.

PLASTIC



Super-strong, easy to clean, high pressure plastic laminate-faced wood core takes heavy abuse. Serves as a smooth, tough working surface for many applications. 15/8" thick.

	SQUARE EDGE	SAFETY EDGE
W"x D"	Model	Model
48 x 30	SC601149	SC607289
48 x 36	SC607291	SC607290
60 x 30	SC601166	SC601364
60 x 36	SC601168	SC579311
72 x 30	SC601170	SC601365
72 x 36	SC601172	SC601366
96 x 30	SC601174	NA
96 x 36	SC601176	NA

STEEL



Steel bench tops won't crack or buckle. 12 gauge steel top with heavy duty flanged construction for extra strength. 13/4" thick top. Includes stringer for easy connection to bench legs.

W"x D"	Model
48 x 30	SC185718
48 x 36	SC185719
60 x 30	SC185720
60 x 36	SC185721
60 x 36	SC185721BK
72 x 30	SC185722
72 x 30	SC185722BK
72 x 36	SC185723

STAINLESS STEEL



11/2" Thick durable particle board core with a phenolic backer wrapped with 16 gauge, type 304 stainless steel. Tops have stainless edges and are welded and polished on the corners with a #4 brushed finish. Wood core allows for easy installation over cabinets and can be used with most bench legs.

Model	W"x D"
SC239118	48 x 30
SC239119	60 x 30
SC239120	72 x 30

SHOP TOP



Square edge top is faced on two sides with 3/8" thick high grade, high density particleboard sealed with a catalyzed finish to resist liquids. Super strong MDF core. Overall 1¹/₂" thick.

Model	W"x D"
SC601157	48 x 30
SC601158	60 x 30
SC601160	60 x 36
SC601162	72 x 30
SC601164	72 x 36
SC601165	96 x 30
SC601167	96 x 36

SHOP TOP SAFETY EDGE



Safety radius edge top is faced on two sides with 3/8" thick high grade, high density particleboard sealed with a catalyzed finish to resist liquids. Super strong MDF core. Choose between 13/4" top and 21/4" top.

	13/4" THICK	21/4" THICK
W"x D"	Model	Model
48 x 30	SC607288	NA
60 x 30	SC601361	SC601785
72 x 30	SC601362	SC601786
72 x 36	SC601363	SC601787



5000 lb. capacity!

Power apron provides an electric source for power tools and other electric equipment. High quality benches are made strong with rugged 2" square x 14 gauge tubular steel height adjustable legs. Legs adjust from 28-34"H at 2" increments. Tested to withstand 5000 lb. capacity (4000 lb. for 96"W benches). Pre-wired power apron includes 3 duplex15 amp/115V outlets, circuit breaker and 13'L quickdisconnect power cord. Includes adjustable leveling floor glides and leveling foot plates that allow floor anchoring. 15 Year Limited Warranty. Choose between **Plastic** tops which are high pressure laminate that withstand daily use, and **ESD** tops which dissipate 5000 volt static charge in .01 seconds with surface resistance of 10¹⁰ Ohms and provides protection against static electricity. Available in standard Square Edge or Safety Radius Edge. Blue or Tan powder coat finish. Quick and easy assembly. Add stackable steel drawer with cylinder lock for convenient storage. Note: Upright Kit accepts installation of Upright Shelf, Shelf with pre-wired electric, LCD Monitor Arm, Light Kit, Bin Rail and Pegboard & Louver Panels (*Panels require Mounting Kit). Specify color suffix: Blue (BL) or Tan (TN).

HEAVY DUTY ELECTRONIC PRODUCTION BENCH



	BASIC BENCH WITH BENCH TOP					
	PLASTIC	PLASTIC	ESD	ESD		
	SQUARE	SAFETY	SQUARE	SAFETY		
W" x D"	EDGE	EDGE	EDGE	EDGE		
VV XD	Model	Model	Model	Model		
48 x 30	SC606974B	SC606998B	SC606990B	SC607263B		
48 x 36	SC606975B	SC606999B	SC606991B	SC607264B		
60×24	SC249185B					
60 x 30	SC606976B	SC607000B	SC606992B	SC607265B		
60 x 36	SC606977B	SC607001B	SC606993B	SC607266B		
72 x 24	SC249186B					
72 x 30	SC606978B	SC607002B	SC606994B	SC607267B		
72 x 36	SC606979B	SC607003B	SC606995B	SC607268B		
96 x 30*	SC606980B		SC606996B			
96 x 36*	SC606981B		SC606997B			
*3500 lb. capacity						

OPTIONAL LCD MONITOR ARM **OPTIONAL** LOUVER PANEL OPTIONAL PEGBOARD PRE-WIRED **POWER** APRON SHOWN WITH

OPTIONAL

ACCESSORIES

MOBILE HEAVY DUTY PRODUCTION BENCH

Model

2000 lb. capacity!

Easily transport your workbench where you need it! Built to last using rugged 2" sq. x 14 gauge tubular steel legs that 2" sq. x 14 gauge tubular steel legs that are 36"H. **2000 lb. capacity**. Includes 15"D lower shelf with backstop for added storage space. Moves easy on 5" phenolic swivel casters with brakes.

15 Year Limited Warranty. Choose between 6 bench top options available in Square Edge or Safety Radius Edge. Quick and easy assembly. Add Optional Accessories. Stackable Steel Drawer or Storage Cabinet with cylinder lock for convenient under bench storage 171/4"W x 20"D. Pre-Wired Power Apron provides a convenient power source for electric equipment. **48"H Upright Kit** includes 12"D shelf. **Note:** Upright Kit accepts installation of Upright Shelf, Shelf with pre-wired electric, LCD Monitor Arm, Light Kit, Bin Rail, and Pegboard & Louver Panels (*Panels require Mounting Kit). Both optional 120v electrical strips are 48"L with 15' cord. Durable powder coat finish. Specify color suffix: Blue (BL) or Tan (TN).

	PLASTIC 15/8"	MAPLE 13/4"	ESD 11/4"	SHOP TOP	PHENOLIC	304 STAINLESS	
W" x D"	Model	Model	Model	11/2" Model	RESIN 1" Model	11/2"	
VV X D	iviodei	iviouei	iviouei	iviouei	Model	Model	
	BAS	IC MOBILE BE	NCH WITH S	SQUARE EDGE	BENCH TOP		
60×30	SC253972	SC253975	SC253978	SC253998		SC253984	
72×30	SC253973	SC253976	SC253979	SC253999		SC253985	
72×36	SC253974	SC253977	SC253980	SC254000			
	BASIC MOBILE BENCH WITH SAFETY EDGE BENCH TOP						
60×30	SC253986	SC253989	SC253992	SC249145*	SC253995		
72×30	SC253987	SC253990	SC253993	SC249146*	SC253996		
72×36	SC253988_	SC253991	SC253994	SC249147*	SC253997		
* Safety Edge Shop Top is 13/4" thick.							

PRE-WIRED POWER APRON: Includes three duplex outlets, circuit breaker, switch 15 amps/115 volts, 13' cord.




HEAVY DUTY

	SC432210A	48"H Upright Kit with 12"D Shelf for 60"W Bench
	SC432211A	48"H Upright Kit with 12"D Shelf for 72"W Bench
	SC606946A	Upright Shelf 12"D x 60"W
	SC606947A	Upright Shelf 12"D x 72"W
	SC607270A	Light Kit- 60"
	SC607271A	Light Kit- 72"
	SC249295A	60" Pre-wired Shelf with Electric
	SC249296A	72" Pre-wired Shelf with Electric
_	SC606942A	Bin Rail 60"W (Pages 4-14 for a selection of bins)
	SC606943A	Bin Rail 72"W (Pages 4-14 for a selection of bins)
	SC249292A	60" Mounting Kit for 60" Bench
	SC249293A†	72" Mounting Kit for 72" Bench
	SC249286A*	18 x 19 Pegboard Panel
	SC249287A*	36 x 19 Pegboard Panel
	SC606968C	30 pcs. Assorted Pegboard Hook Set
	SC249288A*	18 x 19 Louver Panel
	SC249289A*	36 x 19 Louver Panel
	SC249624	LCD Monitor Arm (Requires Upright Kit)
		ght and Mounting Kit
	†Holds one 36"	and one 18" Panel, does not accept two 36" Panels

Description

EXTRA HEAVY DUTY SECURITY CABINET BENCHES





BENCH LEGS INCLUDE FOOT PLATES AND GLIDES

Enclosed Cabinet bench provides security for all your under bench storage needs. High quality, industrial work benches are made to last using rugged 2" square, 14 gauge tubular steel legs that are height adjustable 28-34"H at 2" increments, 5000 lb, capacity, Cut resistant padlockable hasp are height adjustable 28-34"H at 2" increments. 5000 lb. capacity. Cut resistant padlockapie nasp for security. Interior compartment measures 251/2"D x 22"H. Includes adjustable leveling floor glides and leveling foot plates that allow floor anchoring. Offers clearance space under cabinet. 15 Year Limited Warranty. Available in Plastic, Maple, Shop Top, ESD, Phenolic Resin or Stainless Steel bench tops. Choose between standard Square Edge and Safety Radius Edge. Blue or Tan powder coat finish. Customize using Optional Accessories (sold separately); including a Center Shelf for added storage. Casters allow mobility to workbench with 2000 lb. capacity. Upright Kit attaches to bench top to provide overhead storage with included 12"D cantilever shelf. Note: Upright Kit accepts installation of Upright Shelf, Shelf with pre-wired electric, Light Kit, LCD Monitor Arm, Bin Rail, and Pegboard & Louver Panels (*Panels require Mounting Kit). Quick and easy assembly. Specify Color Suffix: Blue (BL) or Tan (TN).

• • • • • • • • • • • • • • • • • • • •	PHENOLIC							
	PLASTIC 15/8"	MAPLE 13/4"	ESD 11/4"	SHOP TOP 11/2"	RESIN 1"			
W" x D"	Model	Model	Model	Model	Model			
			SQUARE ED	GE BENCH TOP				
60 x 30	SC253948	SC253950	SC253952	SC253954				
72×30	SC253949	SC253951	SC253953	SC253954				
				SC253955				
		'	SAFETY ED	GE BENCH TOP				
60 x 30	SC253960	SC253962	SC253964	SC253966	SC253968			
	SC253960	SC253963	SC253964	SC253966	SC253969			
72×30	SC253961		SC253965	SC253967	SC253969			
	SC253961		SC253965	SC253967				
*Safety I	*Safety Edge Shop Top is 13/4" thick.							



SC253958

SC253959

SC253959

SC253950

OPTIONAL ACCESSORIES

SHOWN WITH

ELECTRICAL STRIP



ACCESSORIES Model SC253970 SC253971

SC253947

Description 60" Cabinet Center Shelf 72" Cabinet Center Shelf 5" Phenolic Swivel Casters

FLUORESCENT

LIGHT KIT

UPRIGHT SHELF

with Brakes SC336375Z Padlock

LCD Monitor Arm SC249624* *LCD Monitor Arm requires Upright Kit

HEAVY DUTY LAB BENCH

5000 lb. capacity!

This top quality lab bench is supported by heavy duty 2" square legs made of 14 gauge tubular steel. Legs are height adjustable 28-34"H at 2" increments making it ideal for schools and laboratories. Available in Plastic, Phenolic Resin and Stainless Steel bench tops. Tops are available with either

a Square Edge or a Safety Radius Edge. Base has a scratch resistant powder coat finish. Customize using **Optional Accessories** (sold separately). Add **Stacking Steel Drawer** or **Storage Cabinet** with cylinder lock for storage that easily installs under workbench. Pre-Wired Power Apron provides a convenient power source for electric equipment. Upright Kit includes a 12"D Upright Shelf. Note: Upright Kit accepts

installation of Upright Shelf, Shelf with pre-wired electric, Light Kit, LCD Monitor Arm, Bin Rail and Pegboard & Louver Panels (*Panels require Mounting Kit). Quick and easy assembly. 15 Year Limited Warranty! Specify color suffix: Blue (BL) or Tan (TN).

SC237381 SHOWN WITH **OPTIONAL** ACCESSORIES





BENCH LEGS INCLUDE FOOT **PLATES AND GLIDES** SAFETY EDGE BENCH TOP

W" x D"	PLASTIC TOP 15/8" Thick Model	PHENOLIC RESI TOP 1" Thick Model
60 x 30	SC237375	SC237383L
60 x 36	SC237376	SC237384L
72 x 30	SC237377	SC237385L
72 x 36	SC237378	SC237386L

SC237373

Lower Steel Shelf - 60"W x 15"D Lower Steel Shelf - 72"W x 15"D SC606950A SC606951A Use with 24"D Bench SC249382A Stacking Drawer -171/4"W x 20"D x 6"H

BENCH ACCESSORIES

Description

Model

SC249385A

Stacking Drawer -17¹/₄"W x 20"D x 12"H Storage Cabinet 17¹/₄"W x 20"D x 16"H SC249383A SC249384A Use with 30"D Bench Stacking Drawer -17 $^{1/4}$ "W x 20"D x 6"H Stacking Drawer -17 $^{1/4}$ "W x 20"D x 12"H Storage Cabinet 17 $^{1/4}$ "W x 20"D x 16"H SC249378 SC249379

Use with 36"D Bench

SC249380 Stacking Drawer -171/4"W x 20"D x 12"H Stacking Drawer -171/4"W x 20"D x 12"H Storage Cabinet 171/4"W x 20"D x 16"H SC249381 SC249386A SC190322C 8 Outlets - Electric Strip (120V) 48"L -15 ft. cord 16 Outlets - Electric Strip (120V) 48"L -15 ft. cord SC190323A

PRE-WIRED POWER APRON: Includes three duplex outlets, circuit breaker, switch 15 amps/115 volts, 13' cord.

SOUARE FORE RENICH TOP

72 x 30

SQUARE EDGE BENCH TOP							
	PLASTIC TOP 15/8" Thick		DGE BENCH TOI 3 1 ¹ /2" Thick				
W" x D"	Model	W" x D"	Model				
60 x 24	SC249201	60 x 30	SC249402				
60 x 30	SC237371	72×30	SC249403				
60 x 36	SC237372						
72 x 24	SC249202						




PRE-WIRED POWER APRON: Includes three duplex outlets, circuit breaker, switch 15 amps/115 volts, 13' cord.

BENCH WITH MAPLE TOP PRE-5000 lb. WIRED POWER **APRON** capacity! INCLUDES CHROME PLATED 2" SQUARE **FOOTREST** TUBULAR STEEL CONSTRUCTION 14 GAUGE STEEL **EXTRA STRONG** FULL PERIMETER CHANNEL FRAME BENCH LEGS INCLUDE FOOT PLATES AND GLIDES


Long lasting, high quality benches are made strong with 2" square, 14 gauge tubular steel legs that are height adjustable at 2" increments from 28-34"H. Withstands up to 5,000 lb. capacity (96" has 4,000 lb. capacity). Includes adjustable leveling floor glides and leveling foot plates that allow floor anchoring. Quick and easy assembly. Available in Blue or Tan powder coat finish. 15 Year Limited Warranty. Choose between 6 tops; **Plastic** tops are high pressure laminate that withstand daily use, all-purpose **Maple** tops are kiln-dried, electronically glued and sanded smooth, ESD tops provide protection against static electricity, **Phenolic Resin** tops offer excellent chemical resistance ideal for lab use, **Shop Top** protects against static build-up and won't warp or split, and **Stainless Steel** tops have 1½" thick durable particle board core with a phenolic backer wrapped with 16 gauge, type 304 stainless steel. Tops are available in standard **Square Edge** or **Safety Radius** Edge. Optional accessories create a completely customizable workstation. Tool Balancer conveniently holds tools up to 10 lbs. (requires tool balancer track kit). Pre-Wired Power Apron provides a convenient power source for electric equipment. Add Stacking Steel Drawer or Storage Cabinet with cylinder lock for storage that easily installs under workbench. Upright Kit allows easily accessory attachment and includes a 12"D Upright Shelf. Specify Color Suffix: Blue (BL) or Tan (TN).

Note: Upright Kit accepts installation of Tool Balancer Kit Upright Shelf, Pre-wired shelf with electric, Light Kit, Bin Rail, and Pegboard & Louver Panels (*Panels require **Mounting Kit**).



Specify color suffix: Blue (BL) or Tan (TN). AVAILABLE STAINLESS STEEL TOP

Available in Blue or Tan powder coat finish.



15/8" PLASTIC







Model

SC249404

SC249405 SC249406

SC249407



BASIC BENCH WITH BENCH TOP

Top

Maple

Plastic

Shop Top ESD









15/8" PLASTIC SOUARE EDGE SAFETY EDGE

SQUARE EDGE

13/4" MAPLE **SQUARE EDGE** SAFETY EDGE

48"W x 24"D BENCH RETURN


11/4" ESD SAFETY EDGE

11/2" SHOP TOP SQUARE EDGE

SAFETY EDGE

PHENOLIC SAFETY EDGE

				סוסהם	DEIAGII AAIIII D	LINOII IOI			
	PLASTIC	PLASTIC	MAPLE	MAPLE	ESD	ESD	SHOP TOP	SHOP TOP	PHENOLIC RESIN
	SQUARE	SAFETY	SQUARE	SAFETY	SQUARE	SAFETY	SQUARE	SAFETY	SAFETY
	EDGE	EDGE	EDGE	EDGE	EDGE	EDGE	EDGE	EDGE	EDGE
W" x D"	Model	Model	Model	Model	Model	Model	Model	Model	Model
48 x 30	SC606974	SC606998	SC606982	SC607004	SC606990	SC607263	SC253835	SC253842	
48 x 36	SC606975	SC606999	SC606983	SC607005	SC606991	SC607264			
60 x 24	SC249185		SC249187						
60 x 30	SC606976	SC607000	SC606984	SC607006	SC606992	SC607265	SC253836	SC253843	SC237383
60 x 36	SC606977	SC607001	SC606985	SC607007	SC606993	SC607266	SC253837		SC237384
72 x 24	SC249186		SC249188						
72 x 30	SC606978	SC607002	SC606986	SC607008	SC606994	SC607267	SC253838	SC253844	SC237385
72 x 36	SC606979	SC607003	SC606987	SC607262	SC606995	SC607268	SC253839	SC253845	SC237386
96 x 30*	SC606980		SC606988		SC606996		SC253840		
96 x 36*	SC606981		SC606989		SC606997		SC253841		
*3500 lb. c	apacity								



HEAVY DUTY PRODUCTION BENCH ACCESSORIES SHELF WITH

IZ ADJUST	12 ADJUSTABLE SHELF					
Model	Bench W"					
SC432209	48					
SC432210	60					
SC432211	72					
SC432212	96					
UPRIGHT SH	ELF-12"D					
Model	Bench W"					
SC606945	48					
SC606946	60					
SC606947	72					
SC606948	96					
(Requires Up	right Kit)					
BIN RAIL						
Model	Bench W"					
SC606941	48					

60

72

96

SC606942

SC606943

SC606944

(Requires Upright Kit)

(See Page 5 for Bins)

48"H UPRIGHT WITH

ADJUSTARI E SHELE

Three duplex outlets, circuit breaker, switch and 12 ft. power cord. 15 amps-115 volts. Bench W" Model SC249294 48 SC249295 60 SC249296 72 SC249297TN 96 SC249297BL

PRE-WIRED ELECTRIC

(Requires Upright Kit) LIGHT KIT (Includes bulbs) Bench W" Model SC607269A 48 SC607270A 60 SC607271A 72 SC607272A* 96 *96" Light Kit uses two 48"

(Requires Upright Kit) 30 PIECE PEG HOOK SET Model SC606968B

light fixtures

STEEL PEGBOARD PANEL Model W"x H" SC249286* 18 x19 SC249287* 36 x 19

LOUVER PANEL W"x H" Model 18 x19 36 x19 SC249288*

PANEL MOUNTING KIT Model Bench W' SC249291 48

SC249289*

SC249292 60 SC249293† 72 *Requires Upright & Mounting Kit †Holds one 36" and one 18" panel, does not hold two 36" panels

ELECTRIC STRIP-48"L (15 AMP-120V) 15 ft. cord Model Outlets SC190322B 8 SC190323B 16

LOWER SHELF-15"D Bench W" Model SC606949 48 SC606949TN 48 SC606950 60 SC606950TN 60 SC606951 72 SC606952 96 **STORAGE** CABINET with removable center shelf,

recessed handle and cylinder lock 171/4"W X 20"D X 16"H Model SC249385⁴

*Fits 24", 30" and 36" depth LCD MONITOR ARM Model SC249624 (Requires Upright Kit)

STACKING DRAWER 17¹/₄"W x 20"D Model SC249374* 6 SC249375* 12 *Fits 24", 30" and 36" Bench

TOOL BALANCER-8 foot cable Model Cap. SC249459 10 lbs. (Requires Tool Balancer Track Kit)

TOOL BALANCER TRACK KIT Includes tool track & 2 rolling hook trollies.

Bench W" Model SC249497 60 SC249498 72 (Track Kit Requires Upright Kit)

PRE-WIRED POWER APRON: Includes three duplex outlets, circuit breaker, switch 15 amps/115 volts, 13' cord.

Note: Tool balancer track kit, upright shelf, light kit, bin rail & LCD monitor arm requires upright kit.